APO



OHS, Bisbee

11/25/2019



Safety Data Sheet Index Binder: OHS, Bisbee - APO

Product Name	CAS Number	Manufacturer	Version Date	Page
70% ISOPROPYL ALCOHOL - 70% ISOPROPYL ALCOHOL	67-63-0	OSTREM CHEMICAL CO. LTD.	01/31/2018	4
CLOROX DISINFECTANT WIPES - CLOROX DISINFECTANT WIPES		The Clorox Company	07/01/2006	8
Dollar General Furniture Polish Lemon - Dollar General Furniture Polish Lemon		PERSONAL CARE PRODUCTS INC	04/14/2003	9
Dust-Off Compressed Gas Duster - Dust-Off Compressed Gas Duster		Falcon Safety Products, Inc	05/15/2018	11
ELMER'S NO WRINKLE RUBBER CEMENT - ELMER'S NO WRINKLE RUBBER CEMENT		Elmer's Products, Inc.	06/15/2006	17
Expo White Board Cleaner - Expo White Board Cleaner		Newell Rubbermaid	08/05/2015	25
Febreze Air Effects Aerosol Air Refresher - Aerosol Air Refresher		The Procter & Gamble Company, P and G Hosehold Care	03/01/2014	33
Fellowes Powershred Shredder Lubricant 35250 - 35250 Fellowcs Powershred Shredder Lubricant	120962-03-0	Fellowes, Inc.	02/10/2012	39
FRESH SCENT CLOROX DISINFECTANT SPRAY - FRESH SCENT CLOROX DISINFECTANT SPRAY		The Clorox Company	02/01/1999	42
Goo Gone- 4 oz Goo Gone		Goo Gone	11/28/2017	43
GOOF OFF - GOOF OFF		The Valspar Corporation	07/23/2015	48
Hand Sanitizers - Hand Sanitizers		Delta Brands Inc.	07/20/2007	57
Liquid Paper Correction Fluid Products - Smooth Coverage, 2-in-1, Pen & Ink, Fast Dry, PMOP, Ledger Colors, Stock Colors - Liquid Paper Correction Fluid Products - Smooth Coverage, 2-in-1, Pen & Ink, Fast Dry, PMOP, Ledger Colors, Stock Colors		Newell Rubbermaid, Inc.	06/02/2010	64
Lysol Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents space - Lysol Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents space		Reckitt Benckiser	07/09/2010	66
LYSOL BRAND DISINFECTANT SPRAY - ALL SCENTS - LYSOL BRAND DISINFECTANT SPRAY - ALL SCENTS		L & F PRODUCTS	09/30/1994	73
Orange Glo 2 in 1 Furniture Polish - Orange Glo 2 in 1 Furniture Polish		Church & Dwight Co., Inc.	02/14/2012	78

Product Name	CAS Number	Manufacturer	Version Date	Page
PURELL Hand Sanitizer - PURELL Hand Sanitizer		GOJO Industries, Inc.	03/19/2015	84
PURELL Instant Hand Sanitizer Ocean Mist - PURELL Instant Hand Sanitizer Ocean Mist		GOJO Industries, Inc.	07/23/2009	99
RAID ANT & ROACH KILLER 17 (OUTDOOR FRESH - RAID ANT & ROACH KILLER 17 (OUTDOOR FRESH)		S.C. Johnson & Son, Inc.	02/24/2015	101
REAL LEMON OIL FURNITURE POLISH - REAL LEMON OIL FURNITURE POLISH		National Sanitary Supply Company	08/22/1990	115
Screen Cleaning Fluid - Screen Cleaning Fluid		ACL, Inc.	08/15/2002	117
Static and Dust Control Kit - KIT - Static and Dust Control Kit - KIT		Kensington Technology Group	07/17/2002	120
Ultra Duster - Ultra Duster		AW Distributing, Inc.	01/11/2016	133
WINDEX ORIGINAL GLASS CLEANER WITH AMMONIA-D - WINDEX ORIGINAL GLASS CLEANER		S.C. Johnson and Son, Limited	05/23/2017	135

1. IDENTIFICATION

Product Identifier: 70% ISOPROPYL ALCOHOL Date of Revision: January 31, 2018

Product Code: G697

Other Name(s): Distributed By:

Recommended Use and Restrictions on Use:

Manufactured By: Ostrem Chemical Co. Ltd. Phone: 780-440-1911

2310 - 80th Avenue NW In Case of Emergency Only, Phone

Edmonton, Alberta, Canada T6P 1N2 CANUTEC: 613-996-6666

www.ostrem.com

2. HAZARDS IDENTIFICATION

Classification of the Mixture: Eye Damage/Irritation - Category 2A

Specific Target Organ Toxicity (Single Exposure) - Category 3

Flammable Liquids - Category 2

Label Elements:

Hazard Pictogram(s):





Signal Word: DANGER

Hazard Statement(s): Causes serious eye irritation.

May cause drowsiness or dizziness. Highly flammable liquid and vapour.

Precautionary Statement(s):

Prevention: Wash hands thoroughly after handling.

Avoid breathing dust, vapours or spray. Use only outdoors or in a well-ventilated area.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear protective gloves, protective clothing, and eye/face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison centre or physician if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Storage: Store in a well-ventilated place. Keep cool.

Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical/health hazards not otherwise classified:

not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical NameConc.CAS #Common Namesisopropanol (99%)65 - 85%67-63-0isopropyl alcohol

4. FIRST-AID MEASURES

70% ISOPROPYL ALCOHOL Page 1 of 4

Necessary Measures:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison centre or physician if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Most important symptoms, both acute and delayed:

Causes serious eye irritation.

May cause drowsiness or dizziness.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide and carbon dioxide.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling:

Wash hands thoroughly after handling.

Avoid breathing dust, vapours or spray.

Use only outdoors or in a well-ventilated area.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not ingest. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep cool.

Keep container tightly closed.

Keep out of reach of children. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters - Exposure limits:

<u>Ingredient:</u> <u>Limit:</u>

isopropanol (99%)

ACGIH TWA: 200 ppm

STEL 400 ppm

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

70% ISOPROPYL ALCOHOL Page 2 of 4

9. PHYSICAL AND CHEMICAL PROPERTIES

colourless liquid Appearance (physical state, colour etc.): Odour: strong alcohol odour

not available **Odour threshold:** pH: neutral -16°F / -26°C Melting/Freezing point: Initial boiling point and range: not available

Flash point: 12 C

Evaporation rate: not available Flammability (solid, gas): not available Upper/lower flammability or explosive limits: not available Vapour pressure: not available not available Vapour density: Relative density (specific gravity): 0.856 100% Solubility(ies): not available Partition co-efficient: n-octanol/water: not available Auto-ignition temperature: **Decomposition temperature:** not available

10. STABILITY AND REACTIVITY

Reactivity:

Viscosity:

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

not available

Conditions to avoid (e.g.: static discharge, shock or vibration):

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

not available

Incompatible materials:

Oxidizers

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation: May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. Eye contact: Causes serious eye irritation. May cause mild skin irritation. Skin contact:

not available Skin absorption:

POTENTIAL CHRONIC HEALTH EFFECTS

not available Inhalation: not available Ingestion: Eye contact: not available not available Skin contact: Skin absorption: not available

Mutagenicity: not available

This information, if applicable, can be found in Section 2. Carcinogenicity: Reproductive toxicity: This information, if applicable, can be found in Section 2. This information, if applicable, can be found in Section 2. Sensitization of product: Specific Target Organ Toxicity - single exposure: This information, if applicable, can be found in Section 2.

70% ISOPROPYL ALCOHOL Page 3 of 4

Specific Target Organ Toxicity - repeated exposure: This information, if applicable, can be found in Section 2.

Toxicological Data:

<u>Ingredient:</u> <u>Data:</u>

isopropanol (99%) not available

Other Toxicological Information on Ingredients:

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available
not available
not available
not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification: UN 1219; ISOPROPYL ALCOHOL; CLASS 3; PG II

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

Date of Preparation: January 27, 2017

Date of Revision: January 31, 2018

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

End of Document

70% ISOPROPYL ALCOHOL Page 4 of 4



The Clorox Company 1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

Material Safety Data Sheet

mpany ay 4612 Hazardous Ingredient yl (C14, 60%; C16, 30% 5%; C18, 5%) dimethyl- yl ammonium chloride yl (C12, 68%, C14, 32%) thyl Ethylbenzyl onium chloride ppanol #67-63-0 B ACGIH, TLV-TWA/STE	For Medical E (800) 4 For Transportation E (800) 4 edients <u>Concentration</u> 0.145%	elephone Nos. imergencies call: 446-1014 Emergencies Chemtrac 424-9300 Worker Exposure Limit Not established
mpany ay 4612 Hazardous Ingredient yl (C14, 60%; C16, 30% 5%; C18, 5%) dimethyl- A ammonium chloride yl (C12, 68%, C14, 32%) thyl Ethylbenzyl onium chloride oppanol #67-63-0 B ACGIH, TLV-TWA/STE	For Medical E (800) 4 For Transportation E (800) 4 edients Concentration 0.145%	mergencies call: 446-1014 Emergencies Chemtrac 424-9300 <u>Worker Exposure Limit</u> Not established
mpany ay 4612 Hazardous Ingredient yl (C14, 60%; C16, 30% 5%; C18, 5%) dimethyl- yl ammonium chloride yl (C12, 68%, C14, 32%) thyl Ethylbenzyl onium chloride ppanol #67-63-0 B ACGIH, TLV-TWA/STE	For Medical E (800) 4 For Transportation E (800) 4 edients Concentration 0.145%	mergencies call: 446-1014 Emergencies Chemtrac 424-9300 Worker Exposure Limit Not established
dient yl (C14, 60%; C16, 30% 5%; C18, 5%) dimethyl- yl (C12, 68%, C14, 32%) thyl Ethylbenzyl onium chloride opanol #67-63-0	Concentration 0.145% 0.145%	Not established
dient yl (C14, 60%; C16, 30% 5%; C18, 5%) dimethyl- yl (C12, 68%, C14, 32%) thyl Ethylbenzyl onium chloride opanol #67-63-0	Concentration 0.145% 0.145%	Not established
onium chloridé opanol #67-63-0 3 ACGIH, TLV-TWA/STE	1- 5%	
BACGIH, TLV-TWA/STE		400 ppm/500 ppm ¹ 400 ppm ²
- Short Term Exposure L OHSA Permissible Expo	ilue-Time Weighted A .imit osure Limit	
of the ingredients in this logen lists.	product are on the LA	ARC, NTP or OSHA
ransportation a	and Regulato	ry Data
OOT, IATA, IMG Hazard I OOT Proper Shipping Nai SARA Title III/CERCLA:	Class: Not restricted. me: None Product may be rec	ulated under Sections
12. This product contain: ERCLA or Section 313. /DSL: All chemicals in that tatus for some componen	his product are listed	on the TSCA Inventory. The
Reactivity Data		
t <u>y</u> : Mixing with sodium h dehyde gas.	ypochlorite may relea	
CONTRACTOR DO NOT BOOK	Store from from Of	орон нашь.
hysical Data		,
	ty: Mixing with sodium hadehyde gas. ne/Disposal: Do not use of the social data coint	ue/Disposal: Do not use or store near heat or

©1963, 1991 THE CLOROX COMPANY
DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH

DATE PREPARED 7/06

MATERIAL SAFETY DATA SHEET

PREPARED IN COMPLIANCE WITH OSHA'S HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200

#2000971

PRODUCT IDENTITY (AS L	ISED ON LABEL	. AND LIST)				
DOLLAR GENERAL FURNITUE	RE POLISH LEMO	N				
SECTION I - SUPPLIER INF	ORMATION					
PERSONAL CARE PRODUCTS, 32500 TELEGRAPH ROAD, SUI BINGHAM FARMS, MI 48025-2	TE 202		INFORM	ENCY TELEPHON ATION TELEPHO REPARED:		
SECTION II - HAZARD ING	REDIENTS/IDEN	ITITY INFORMAT	ION			
NO TOXIC CHEMICAL(S) SUBJECT TO TH	IE REPORTING REQ	UIREMENTS OF S	ECTION 313 OF	TITLE III AN	ID OF CFR 372 ARE PRESENT.
SECTION III - PHYSICAL/C	HEMICAL CHAF	RACTERISTICS				
BOILING POINT:	44°F - 611	°F	SPECIFIC	GRAVITY (H ₂ C) = 1):	0.85
VAPOR PRESSURE (MM HG.):	N/A		MELTING	POINT:		N/A
VAPOR DENSITY (AIR = 1):	UNKNOWN		EVAPOR	ATION RATE (E	THER=1):	UNKNOWN
SOLUBILITY IN WATER: COM	PLETE					
APPEARANCE AND ODOR: AE	ROSOL PRODUCT	•				72
SECTION IV - FIRE AND EX	PLOSION HAZA	RD DATA				
FLASH POINT (METHOD USED):	FLAMMABLE LIM	ITS (LEL):		FLAMMABL	E LIMITS (UEL):
156°F (ESTIMAT	ED)		9.5			1
EXTINGUISHING MEDIA: FOAM	. ALCOHOL FOAM	A. CO2. DRY CHEMIC	CAL, WATER FOO		1.	
SPECIAL FIRE FIGHTING PROC BUILD-UP AND EXPLOSION WH CONTAINED BREATHING APPAI UNUSUAL FIRE AND EXPLOSIO EXTREME HEAT AND DISCHARG DECOMPOSITION PRODUCTS M SECTION V - REACTIVITY I	EN EXPOSED TO E RATUS. ON HAZARDS: CL SE CONTENTS. LI AY CAUSE HEALT	EXTREME HEAT. IF OSED CONTAINERS OUID CONTENT OF	MAY EXPLODE F CONTAINER WII	, FOG NOZZLES ROM INTERNAL LL NOT SUPPOR	PREFERRED PRESSURE B T COMBUSTI	BUILDOUP WHEN EXPOSED TO ION. OVEREXPOSURE TO
STABILITY (STABLE/UNSTABL	<u> </u>	SURFACES. STORA	AGE ABOVE 120°	F. EXPOSURE TO	O OPEN FLA	ME.
MATERIALS TO AVOID: OXIDIZ		re. HAV PRODUCE	FULLES MUENT HE	ATED TO DECO	MBOCITION	FUMES MAY CONTAIN CARBON
MONOXIDE.	OR BYPRODUC	S: MAY PRODUCE I	LOWE2 MHEN LE	ATED TO DECO		POMES MAT CONTAIN CARDON
HAZARDOUS POLYMERIZATIO	N (MAY OCCUR/	WILL NOT OCCUR)	: WILL NOT OCC	UR.		
SECTION VI - HEALTH HAZ	ARD DATA					
ROUTE(S) OF ENTRY:	KIN INC	ESTION 🔯	INHALATION	☐ EYES	□ N/A	
HEALTH HAZARDS (ACUTE &	CHRONIC):					
EYES: IRRITANT						
SKIN: IRRITANT						
CARCINOGENS:	TP 🗀 IAR	C 🔲 OSHA	☑ NONE	□ N/A		
SIGNS AND SYMPTOMS OF EX	POSURE:					
EYES: LIQUID OR VAPOR CAN I						
INHALATION: RESPIRATORY IR			TIGUE, DROWSIN	IESS, IMPAIRED	CO-ORDINAT	TION
INGESTION: NOT A LIKELY RO	UTE OF EXPOSUR	E				

Page 2 of 2 Personal Care Products, Inc.

SKIN: MAY DRY THE SKIN. PROLONGED CONTACT CAN IRRITATE. CAN BE ABSORBED. SOLVENT ACTION CAN DRY AND DE-FAT THE SKIN CAUSING THE SKIN TO CRACK, LEADING TO DERMATITIS.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: UNKNOWN
EMERGENCY AND FIRST AID PROCEDURES:
EYES: WASH IMMEDIATELY WITH LARGE VOLUMES OF FRESH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION
INHALATION: REMOVE TO FRESH AIR. ADMINISTER OXYGEN IF NEEDED. APPLY ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. GET MEDICAL ATTENTION.
INGESTION: NOT A LIKELY ROUTE OF EXPOSURE. IF SWALLOWED, DO NOT INDUCE VOMITING. SEEK IMMEDIATE MEDICAL ATTENTION.
SKIN: WIPE OFF WITH TOWEL. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: AVOID BREATHING VAPORS. VENTILATE AREA. REMOVE ALL SOURCES OF IGNITION. CLEAN UP AREA WITH ABSORBENT MATERIAL AND PLACE IN CLOSE CONTAINER FOR DISPOSAL.
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE AND USE IN COOL, DRY, WELL-VENTILATED AREAS. DO NOT STORE ABOUT 120°F. DO NOT PUNCTURE OR INCINERATE (BURN) CANS. DO NOT STICK PIN, NAIL OR OTHER SHARP OBJECT INTO OPENING ON TOP OF CAN. DO NOT SPRAY INTO EYES. DO NOT TAKE INTERNALLY. SEE PRODUCT LABEL FOR ADDITIONAL INFORMATION.
OTHER PRECAUTIONS: THE STORAGE OF NON-FLAMMABLE PRODUCTS WITH NON-FLAMMABLE OR FLAMMABLE PRESSURIZED AGENT, IN CARTONS, IS THE SAME AS FOR ORDINARY CANNED GOODS IN CARTON.
SECTION VIII - CONTROL MEASURES
RESPIRATORY PROTECTION: NONE UNDER NORMAL USE. AVOID BREATHING VAPORS. IN RESTRICTED AREAS, USE APPROVED CHEMICAL/MECHANICAL FILTERS DESIGNED TO REMOVE A COMBINATION OF PARTICLES AND VAPORS. IN CONFINED AREAS, USE APPROVED AIR LINE-TYPE RESPIRATOR OR HOOD. SELF-CONTAINED BREATHING APPARATUS IS REQUIRED FOR VAPOR CONCENTRATIONS ABOVE PEL/TLY LIMITS.
VENTILATION: □ LOCAL EXHAUST ☑ MECHANICAL (GENERAL) □ OTHER □ N/A
PROTECTIVE GLOVES: NONE UNDER NORMAL USE. SOLVENT RESISTANT REQUIRED FOR PROLONGED OR REPEATED CONTACT.
EYE PROTECTION: NONE UNDER NORMAL USE. HOWEVER, USE OF SAFETY GOGGLES WITH SPLASHGUARDS OR FULL-FACE SHIELD IS RECOMMENDED. SOLVENT RESISTANT REQUIRED FOR PROLONGED OR REPEATED CONTACT.
OTHER PROTECTIVE CLOTHING: NONE UNDER NORMAL USE. HOWEVER, USE OF SOLVENT-RESISTANT APRONS OR OTHER CLOTHING IS RECOMMENDED.
WORK/HYGIENIC PRACTICES: EYE WASHES AND SAFETY SHOWERS IN THE WORKPLACE ARE RECOMMENDED.

THE INFORMATION CONTAINED IN THIS FORM IS BASED ON DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE AND HAS BEEN PREPARED IN GOOD FAITH IN ACCORDANCE WITH THE AVAILABLE MATERIAL. IT IS PROVIDED AS A SERVICE TO PERSONS USING THE PRODUCT BY CONDITION OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS BEYOND THE CONTROL OF PERSONAL CARE PRODUCTS, INC. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE AND PERSONAL CARE PRODUCTS, INC. WILL NOT BE LIABLE FOR ANY DAMAGES, LOSSES, INJURIES OR CONSEQUENTIAL DAMAGES THAT MAY RESULT FROM THE USE OR RELIANCE ON ANY INFORMATION CONTAINED IN THIS FORM.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 10/15/2015 Version: 2.0 Revision date: 5/15/2018

SECTION 1: Identification

Product identifier

Substance name : Dust-Off Compressed Gas Duster

Product code : 3.5 oz., 7 oz., 10 oz., Professional 12 oz., Jumbo 17 oz., Classic and Plus

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Dust Removal

Details of the supplier of the safety data sheet

Falcon Safety Products, Inc. 25 ImClone Drive

Branchburg, NJ 08876 - USA

T (908) 707-4900

Emergency telephone number

Emergency number : (800) 498-7192

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US and **GHS-CA** classification

Flam. Aerosol 2

Press. Gas (Liquified Gas)

Label elements

GHS-US and **GHS-CA** labelling

Hazard pictograms (GHS-US/GHS-CA)





GHS02

GHS04

Signal word (GHS-US/GHS-CA)

Hazard statements (GHS-US/GHS-CA)

: Warning

: Flammable aerosol. Contains gas under pressure; may explode if heated.

Precautionary statements (GHS-US/GHS-CA) Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a wellventilated place.

Other hazards

Do not store in enclosed vehicle.

2.4. Unknown acute toxicity (GHS US/GHS CA)

Not applicable.

SECTION 3: Composition/information on ingredients

Substance

Name	Product identifier	%
1,1-Difluoroethane	(CAS No) 75-37-6	100

3.2. **Mixture**

Not applicable.

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and First-aid measures after skin contact

shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. May cause frostbite.

5/15/2018 EN (English US) Page 1

Page 11 of 144

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

May cause frostbite on contact with the liquid.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling. May cause frostbite on contact with the liquid.

Symptoms/injuries after ingestion : Not a normal route of exposure.

Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide.

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Fire hazard : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of

carbon, hydrofluoric acid, carbonyl fluoride.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air

and may travel considerable distance to an ignition source and flash back to source of vapors.

Protection during firefighting Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel. Eliminate sources of ignition.

Methods and material for containment and cleaning up

For containment : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).

: Leave the product to evaporate. Provide ventilation. Methods for cleaning up

Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or

burn, even after use. Keep away from sources of ignition - No smoking.

: Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid Precautions for safe handling

> breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic

charge. Use non-sparking tools.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions Keep out of the reach of children. Keep container dry and in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place.

Store in original container. Do not store in enclosed vehicle.

Specific end use(s)

Not available.

5/15/2018 EN (English US) 2/6

Page 12 of 144

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,1-Difluoroethane (75-37-6)		
ACGIH	Not applicable.	
OSHA	Not applicable.	
NIOSH	Not applicable.	
IDLH	Not applicable.	

8.2. Exposure controls

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear suitable gloves.

Eye protection : Safety glasses with side shields. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas
Appearance : Clear
Color : Colourless
Odor : Slight, ether-like
Odor threshold : No data available

pH : Neutral

Melting point No data available Freezing point : No data available -13 °F (- 25 °C) Boiling point Flash point : < 58 °F (<14.4 °C) Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) Flammable **Explosion limits** : 3.9-16.9 Explosive properties : No data available

Explosive properties : No data available
Oxidizing properties : No data available

Vapor pressure : 5960 kPa at 77 °F (25 °C)

Relative density : 0.91

Relative vapor density at 20 $^{\circ}$ C : 2.4 at 77 $^{\circ}$ F (25 $^{\circ}$ C)

Specific gravity / density : 0.9
Solubility : Slightly

Partition coefficient: n-octanol/water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

No additional information available.

5/15/2018 EN (English US) 3/6

Page 13 of 144

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 10: Stability and reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

10.2. **Chemical stability**

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Do not expose to temperatures exceeding 50 °C/ 122 °F.

10.5. Incompatible materials

Alkali and alkaline earth metals. Powdered metals. Powdered metallic salts.

Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity : Not classified

Dust Off Compressed Gas Duster	
LD50 oral rat	1500 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	64000 ppm
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.

SECTION 12: Ecological information

12.1	Tox	ici	ť۱
			-

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Persistence and degradability 12.2.

Dust Off Compressed Gas Duster	
Persistence and degradability	Not established.

12.3. **Bioaccumulative potential**

Dust Off Compressed Gas Duster	
Bioaccumulative potential	Not established.

Mobility in soil

No additional information available.

12.5. Other adverse effects

: No known ecological damage caused by this product. Effect on the global warming

5/15/2018 EN (English US) 4/6

Page 14 of 144

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal

regulations. The generation of waste should be avoided or minimized wherever possible.

Container under pressure. Do not drill or burn even after use.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

UN-No. (DOT) : UN1030

Proper Shipping Name (DOT) : 1,1-Difluoroethane

Transport hazard class(es) (DOT) : 2.1

Hazard labels (DOT)



Packaging Exceptions : Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit

SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.

Transportation of Dangerous Goods (TDG)

In accordance with TDG

UN-No.(TDG) : UN1030

Proper Shipping Name (TDG) : 1,1-Difluoroethane

Class (TDG) : 2.1

Hazard labels (TDG) :



Packaging Exceptions : TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren.

1) by the TCSS, TDGD to offer for transport by road, rail and marine.

Transport by sea

UN-No. (IMDG) : UN1030

Proper Shipping Name (IMDG) : 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)

Class (IMDG) : 2.1

Air transport

UN-No. (IATA) : UN1030

Proper Shipping Name (IATA) : 1,1-Difluoroethane

Class (IATA) : 2.1

Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

EN (English US)

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

1,1-Difluoroethane (75-37-6)

Listed on the Canadian DSL (Domestic Sustances List)

15.2. US State regulations

5/15/2018

Dust Off	Compressed	Gas [Duster
----------	------------	-------	--------

State or local regulations

This product does not contain a chemical known to the State of California to cause cancer,

Page 15 of 144

5/6

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Dust Off Compressed Gas Duster	
	birth defects or other reproductive harm.

SECTION 16: Other information

Date of issue : 10/15/2015 Revision date : 5/15/2018 Other information : None.

Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

5/15/2018 EN (English US) 6/6

Material Safety Data Sheet

1. Chemical Product and Company Identification

DESCRIPTION: ELMER'S NO WRINKLE RUBBER CEMENT

PRODUCT TYPE: NATURAL RUBBER

EMS Catalog # 72170

Distributed by: Electron Microscopy Sciences

321 Morris Road * P.O. Box 251 Fort Washington, PA 19034

Tel: 215-646-1566 or 800-523-5874 Fax: 215-646-8931 email:sgkcck@aol.com

Manufacturer/Supplier Information

```
MSDS Prepared by: Elmer's Products, Inc.
```

For additional health, safety or regulatory information, call 215-646-1566 to place an order or request additional MSDSs.

2. Composition, Information on Ingredients

The ingredients listed below have been associated with one or more immediate and/or delayed(*) health hazards. Risk of damage and effects depends upon duration and level of exposure. BEFORE USING, HANDLING, OR EXPOSURE TO THESE INGREDIENTS, READ AND UNDERSTAND THE MSDS.

\$ by weight 67-63-0 *Isopropanol 1-5 142-82-5 Heptane >70

3. Hazards Identification

3.1 Emergency Overview

Appearance Opaque liquid Odor Mild solvent DANGER!

EXTREMELY FLAMMABLE LIQUID AND VAPOR

Overexposure may cause central nervous system depression.

HMIS Rating

HEALTH = 1 (slight)
FLAMMABILITY = 4 (severe)
REACTIVITY = 0 (minimal)
CHRONIC = *

3.2 Potential Health Effects

Immediate Hazards

INGESTION: No hazards known to Borden.

INHALATION: Not expected to be harmful under normal conditions of

use. However, overexposure may cause central nervous system depression. Also, if allowed to become airborne,

may cause irritation of nose, throat and lungs.

SKIN: May cause irritation on prolonged or repeated contact. EYES: May cause irritation on prolonged or repeated contact.

Isopropanol 67-63-0

Can cause central nervous system depression. Signs and symptoms may include headache, dizziness, nausea, vomiting, unconsciousness and

even asphyxiation.

Heptane 142-82-5

Can cause central nervous system depression. Signs and symptoms may include headache, dizziness, nausea, vomiting, unconsciousness and $\,$

even asphyxiation.

Delayed Hazards

Isopropanol 67-63-0

Suspect reproductive hazard. May cause reproductive disorders

based on animal data.

May cause liver damage based on animal data.

May cause kidney damage based on animal data.

-- See Footnote C.

Footnote C: As of the date of issuance of this document, this material has not been listed by NTP, classified by IARC nor regulated $\,$

by OSHA as a carcinogen.

4. First Aid Measures

INGESTION: If accidentally swallowed, dilute by drinking large

quantities of water. Immediately contact poison control

center or hospital emergency room for any other

additional treatment directions.

INHALATION: Remove to fresh air.

In case of irritation, flush with water. SKIN:

EYES: Immediately flush eyes with plenty of water. Call

a physician if irritation persists.

5. Fire Fighting Measures

Not available Autoignition Temperature Upper/Lower Flammable Limits Not available Up/Lower Explosive Limits, % by Vol Not available/1 -4 deg C (TCC)

EXTREMELY FLAMMABLE LIQUID AND VAPOR.

Keep liquid and vapor away from heat, sparks, flame and other ignition sources including, but not limited to, pilot lights, heaters, cigarettes, electric motors and static discharge. Vapor is heavier than air and may settle in low places or travel outward to a source of ignition and flashback.

In case of fire, use water spray, dry chemical, foam or CO2. Use water to keep fire-exposed containers cool.

6. Accidental Release Measures

Eliminate all ignition sources. Soak up with absorbent material and remove to a chemical disposal area. Prevent entry into natural bodies of water.

7. Handling and Storage

7.1 Handling

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing.

Wash thoroughly after handling.

INHALATION: Avoid prolonged or repeated breathing of vapor.

SKIN: Persons with sensitive skin should avoid prolonged, continuous contact with skin. If irritation develops, discontinue

EYES: Avoid prolonged or repeated contact with eyes.

7.2 Storage

```
Store in a cool, dry place.
Keep containers tightly closed.
Keep away from heat, sparks, flame and other ignition sources.
Use with adequate ventilation.
```

8. Exposure Controls/Personal Protection

8.1 Exposure Controls

If airborne contaminants are generated when the material is heated or handled, sufficient ventilation in volume and air flow patterns should be provided to keep air contaminant concentration levels below acceptable criteria.

8.2 Personal Protection

Where air contaminants can exceed acceptable criteria, use NIOSH/MSHA approved respiratory protection equipment. Respirators should be selected based on the form and concentration of contaminants in air in accordance with OSHA laws and regulations or other applicable standards or guidelines, including ANSI standards regarding respiratory protection.

8.3 Exposure Guidelines

```
Isopropanol 67-63-0

ACGIH TLV: 400 ppm (983 mg/m³) TWA; 500 ppm (1230 mg/m³) STEL

OSHA PEL: 400 ppm (980 mg/m³) TWA

REMANDED PEL: 400 ppm (980 mg/m³) TWA; 500 ppm (1225 mg/m³) STEL

OSHA 1989 PEL remanded, but in effect in some states

Heptane 142-82-5

ACGIH TLV: 400 ppm (1640 mg/m³) TWA; 500 ppm (2050 mg/m³) STEL

OSHA PEL: 500 ppm (2000 mg/m³) TWA

REMANDED PEL: 400 ppm (1600 mg/m³) TWA; 500 ppm (2000 mg/m³) STEL

OSHA 1989 PEL remanded, but in effect in some states
```

9. Physical and Chemical Properties

Percent Volatiles	90
pH @ 25 C	Not applicable
Specific Gravity	0.71
Appearance	Opaque liquid

Autoignition Temperature Not available Boiling Point 90 deg C

Vapor Density (Air=1) > 1

Vapor Pressure, mm Hg @ 20 C

Evaporation Rate (Butyl Acetate=1) < 1---(ether=1)
Upper/Lower Flammable Limits

Up/Lower Explosive Limits, % by Vol Not available
Up/Lower Explosive Limits, % by Vol Not available/1
Flash Point

Freezing Point

Odor

Odor

Odor Threshold, ppm

Solubility in Water

Coefficient of Water/Oil Distrib.

Not available
Not available

10. Stability and Reactivity

Normally stable as defined in NFPA 704-12(4-3.1).

Conditions to Avoid:

Exposure to heat, flame and incompatibles.

Incompatibilities:

Acids, bases, amines.

Decomposition products may include:

CO, CO2.

Hazardous polymerization:

Will not occur.

Other Hazards:

None known to Borden.

11. Toxicological Information

INGESTION: Not toxic orally when tested as described in 16 CFR Part

1500.3 (c)(1) and (2).

INHALATION: Not toxic by inhalation when tested as described in 16

CFR Part 1500.3 (c) (1) and (2).

SKIN Not toxic dermally when tested as described in 16 CFR

ABSORPTION: Part 1500.3 (c)(1) and (2).

SKIN: Not a primary irritant (primary skin irritation index

less than 5.0/8.0) when tested as described in 16 CFR

Part 1500.41.

EYES: Slightly irritating when tested as described in 16 CFR

Part 1500.42. 67-63-0

LC50: rat=16000 ppm/8H (Sax)

LD50: orl-rat=5.8 g/kg (Merck); skn-rbt=13 g/kg (Sax)

Heptane 142-82-5 LC50: Not available LD50: Not available

12. Ecological Information

Isopropanol

Not determined.

13. Disposal Considerations

Recover free liquid. Absorb residue and dispose of according to local, state/provincial, and federal requirements. Empty container: May contain explosive vapors. DO NOT cut, puncture or weld on or nearby.

14. Transport Information

14.1 U.S. Department of Transportation (DOT)

The data provided in this section is for information only and may not be specific to your package size. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

ORM-D Consumer Commodity.

14.2 Canadian Transportation of Dangerous Goods (TDG)

Not determined.

15. Regulatory Information (Selected Regulations)

15.1 U.S. Federal Regulations

OSHA Hazard Communication Standard 29CFR1910.1200

This material is a "health hazard" and/or a "physical hazard" as determined when reviewed according to the requirements of the Occupational Safety and Health Administration 29 CFR Part 1910.1200 "Hazard Communication" Standard.

SARA Title III: Section 311/312

Fire hazard Delayed health hazard

SARA Title III Section 313 and 40 CFR Part 372

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372.

None required per SARA TITLE III SECTION 313.

TSCA Section 8(b) Inventory

All reportable chemical substances are listed on the TSCA Inventory. We rely on certifications of compliance from our suppliers for chemical substances not manufactured by Borden.

15.2 Canadian Regulations

Workplace Hazardous Materials Information System (WHMIS)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR) and the MSDS contains all the information required by the CPR.

CLASS D, DIV 2B

CLASS B, DIV 2

Canadian Environmental Protection Act (CEPA)

All reportable chemical substances are listed on the Domestic Substances List (DSL) or otherwise comply with CEPA new substance notification requirements.

National Pollutant Release Inventory (NPRI)

This product contains the following chemical(s) subject to the reporting requirements of the Canadian Environmental Protection Act (CEPA) subsection 16(1), National Pollutant Release Inventory. Isopropyl alcohol 67-63-0 1.49%

16. Other Information

CL (Cautionary Labeling): Products bearing the CL (Cautionary Labeling) Seal of The Art & Creative Materials Institute, Inc. (ACMI) are certified to be properly labeled in a program of toxicological evaluation by a medical expert. This program is reviewed by ACMI's Toxicological Advisory Board. These products are certified by ACMI to be labeled in accordance with the chronic hazard labeling standard, ASTM D-4236 and Federal Law, P.L. 100-695.

User's Responsibility

The OSHA Hazard Communication Standard 29CFR 1910.1200 and the Workplace Hazardous Materials Information System (WHMIS) require that the information contained on these sheets be made available to your workers. Educate and train your workers regarding OSHA and WHMIS precautions. Instruct your workers to handle this product properly. Consult with appropriate experts to guard against hazards associated with use of this product and its ingredients.

Disclaimer

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States or Canadian patent. No claim of any kind shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.

CUR ISSUE **06/15/2006** PREVIOUS ISSUE: 00-XXX-00



SAFETY DATA SHEET

Section 1. Identification

Product name : Expo White Board Cleaner

Material uses : Cleaning solutions.

Manufacturer : Newell Rubbermaid

3500 Lacey Road, 10th Floor Downers Grove, IL 60515

USA

800-323-0749 or 630-829-2500

Emergency telephone number (with hours of operation)

: CHEMTREC (U.S. and Canada) 1-800-424-9300

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available

for employees and other users of this product.

Classification of the substance or mixture

: Not classified.

GHS label elements

Signal word : Not applicable

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General : Read label before use. If medical advice is needed, have product container or label at

hand.

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Hazards not otherwise : None known.

classified

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
3-butoxypropan-2-ol	2 - 5	5131-66-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 8/5/2015 Date of previous issue : No previous validation Version : 1 1/8

Section 3. Composition/information on ingredients

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

carbon dioxide

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision: 8/5/2015Date of previous issue: No previous validationVersion: 12/8

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Advice on general occupational hygiene : Put on appropriate personal protective equipment (see Section 8).

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Date of issue/Date of revision : 8/5/2015 Date of previous issue : No previous validation Version: 1

Section 8. Exposure controls/personal protection

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

<u>Appearance</u>

Physical state : Liquid. Color : Clear.

Odor : Not available. : Not available. **Odor threshold** pН : Not available. **Melting point** : Not available. : Not available. **Boiling point** : Not available. Flash point : Not applicable. **Burning time** : Not applicable. **Burning rate** : Not available. **Evaporation rate** : Not available. Flammability (solid, gas)

Lower and upper explosive

: Not available.

(flammable) limits

: Not available. Vapor pressure Vapor density Not available. Relative density : Not available. **Solubility** Not available. Solubility in water : Not available. Partition coefficient: n-: Not available.

octanol/water

Not available. **Auto-ignition temperature Decomposition temperature** : Not available. **SADT** : Not available. **Viscosity** Not available.

Date of issue/Date of revision 4/8 : 8/5/2015 Version :1 Date of previous issue : No previous validation

Expo White Board Cleaner

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
3-butoxypropan-2-ol	LD50 Dermal	Rabbit	3100 mg/kg	-

Irritation/Corrosion

No known significant effects or critical hazards.

Sensitization

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Carcinogenicity

No known significant effects or critical hazards.

Reproductive toxicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure

: Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

effects

: Not available.

Potential delayed effects

: Not available.

 Date of issue/Date of revision
 : 8/5/2015
 Date of previous issue
 : No previous validation
 Version
 : 1
 5/8

Expo White Board Cleaner

Section 11. Toxicological information

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Dermal	63798.6 mg/kg

Section 12. Ecological information

Toxicity

No known significant effects or critical hazards.

Persistence and degradability

No known significant effects or critical hazards.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
3-butoxypropan-2-ol	1.2	-	low

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

 Date of issue/Date of revision
 : 8/5/2015
 Date of previous issue
 : No previous validation
 Version
 : 1
 6/8

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

U.S. Federal regulations : United States inventory (TSCA 8b): All components are listed or exempted.

SARA 311/312

Classification : Not applicable. **Composition/information on ingredients**

Name	%	hazard	Sudden release of pressure		(acute)	Delayed (chronic) health hazard
3-butoxypropan-2-ol	2 - 5	Yes.	No.	No.	Yes.	No.

California Prop. 65

This product does not contain Chemicals known to State of California to cause cancer, birth defects, or reproductive harm.

Canada

WHMIS (Canada) : Not controlled under WHMIS (Canada).

Canadian lists

Canadian NPRI : The following components are listed: Propylene glycol butyl ether

CEPA Toxic substances : None of the components are listed. **Canada inventory** : All components are listed or exempted.

Section 16. Other information

History

: 8/5/2015 Date of issue/Date of

revision

Date of previous issue : No previous validation

Version

Prepared by : Product Safety.

Date of issue/Date of revision : 8/5/2015 7/8 Date of previous issue : No previous validation Version: 1

Expo White Board Cleaner

Section 16. Other information

Key to abbreviations

: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

UN = United Nations

▼ Indicates information that has changed from previously issued version.

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

 Date of issue/Date of revision
 : 8/5/2015
 Date of previous issue
 : No previous validation
 Version
 : 1
 8/8



The Procter & Gamble Company P&G Household Care Fabric & Home Care Innovation Center 5299 Spring Grove Avenue Cincinnati, OH 45217-1087

MATERIAL SAFETY DATA SHEET

Issue Date: Mar 2014

SECTION I - PRODUCT IDENTIFICATION

Identity: AEROSOL AIR REFRESHER Finished Product

Brands: FEBREZE AIR EFFECTS (all scents, including seasonal scents)

P&G Telephone Number: 1-800-308-EASY (1-800-308-3279) or call Local Poison Control Center or your

physician.

Emergency (24 hour) Telephone Number: CHEMTREC 1-800-424-9300 – in the U.S. and Canada

1-703-527-3887 - for calls originating elsewhere

SECTION II - HAZARDS IDENTIFICATION

Potential Health Hazards (Acute and Chronic): (See Section 11 for more information)

Ingestion: None

Eye Contact: Mild eye irritant

Skin: None Inhalation: None

Signs and Symptoms of Exposure:

Ingestion: Possible mild gastrointestinal irritation with nausea, vomiting, and/or diarrhea.

Eye Contact: Do not spray toward face. If eye contact occurs, rinse well with water.

Skin Contact: Prolonged skin contact or instillation into the eye may result in transient, superficial effects similar to those produced by mild toilet soap.

Inhalation: Intentional misuse by deliberately concentrating and inhaling pressurized product may be harmful or fatal. Inhalation of high concentrations of ethanol vapor may cause irritation of the eyes and respiratory tract, drowsiness and fatigue.

Medical Conditions Generally Known to be Aggravated by Exposure: None

Potential Environmental Effects: (See Section 12 for more information)

SECTION III - COMPOSITION AND INGREDIENTS

<u>Ingredients/Chemical Name:</u> Water, alcohol, odor eliminator derived from corn, fragrance, non-flammable natural propellant, quality control ingredients. Contents under pressure with nitrogen.

Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200. and/or WHMIS under the HPA:

Chemical Name	Common Name	CAS No.	Composition	LD50/LC50
Ethanol	Alcohol	64-17-5	<u>Range</u> 3-7%	7.06 g/kg rat, oral

Febreze Air Effects Page 1 of 6

SECTION IV - FIRST AID INFORMATION

First Aid Procedures:

Ingestion: Dilute with fluids and treat symptomatically. Eye Contact: Rinse well with water for at least 15 minutes.

Skin Contact: Rinse with water. Inhalation: Remove to fresh air. **Note to Physician:** (if applicable)

Other: Consumer product package has the following precautionary statement:

US Product Package:

FRONT PANEL: CAUTION: CONTENTS UNDER PRESSURE. Read back panel carefully.

BACK PANEL: **CAUTION:** Intentional misuse by deliberately concentrating and inhaling pressurized product may be harmful or fatal. **KEEP OUT OF REACH OF CHILDREN.** Do not spray towards face. If eye contact occurs, rinse well with water. If irritation persists, get medical attention. Do not expose to heat or open flame or store at room temperatures above 120F. Dispose properly. Do not puncture of incinerate container.

Canadian Product Package:

FRONT PANEL: CAUTION: CONTENTS UNDER PRESSURE.

BACK PANEL: **CAUTION:** CONTAINER MAY EXPLODE IF HEATED. Do not puncture. Do not burn. Store away from heat. Some hard surfaces may become damp when sprayed. Avoid slips or falls. **KEEP OUT OF REACH OF CHILDREN.** Do not spray towards face. If eye contact occurs, rinse well with water.

SECTION V - FIRE FIGHTING INFORMATION

Flash Point (**Method Used**): 125-140°F (cc)/51.66-60°C Althought this product has a flashpoint below 200°F (closed cup), it is an aqueous solution (>50% water) that does **not** sustain combustion.

Aerosol was tested per the appropriate tests in the UN Manual of Tests and Criteria to classify as Aerosols 2.2.

Flammable Properties: Mixture and propellant are not flammable.

Upper Flammable Limit: N/A Lower Flammable Limit: N/A

Explosive Limits: UEL: N/A LEL: N/A

Auto-ignition Temperature: N/K

Hazardous Combustion Products: N/K

Explosion Data (Sensitivity to Mechanical Impact): N/A

Explosion Data (Sensitivity to Static Discharge): N/A

Extinguishing Media:

Suitable: CO₂, water or dry chemical may be used.

Unsuitable: N/K

Protection of Firefighters:

Specific Hazards Arising from the Material: N/K

Protective Equipment and Precautions for Firefighters: Normal fire-fighting gear.

Febreze Air Effects Page 2 of 6

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: Disposal is to be performed in compliance with federal, state/provincial and local regulations. Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some US states because of their potential to explode when heated. Check with your State/provincial environmental agency for guidance. Do not landfill liquid. Incinerate all expelled liquid.

Methods for Containment: Use water spray to dilute and/or wash away spills to avoid exposure and to protect persons working to stop/repair leak. Any spills are to be prevented from entering waterways. Sorbents may be used.

Methods for Cleanup: For individual cans, expel liquid, collect, incinerate, puncture container and send as scrap metal for recycling.

Other Information: (if applicable): N/A

SECTION VII - HANDLING AND STORAGE

Precautions For Safe Handling

For Household Setting: Keep out of reach of children. Do not expose to heat or open flame or store at room temperatures above 120F. Dispose properly. Do not puncture or incinerate container.

For Non – Household Setting: Avoid puncturing or otherwise damaging aerosol containers and packaging when using forklifts or other material handling equipment.

Conditions for Safe Storage: Do not expose to heat or flame.

For Household Setting: Pressurized container. Store at room temperature. Do not expose to temperatures above 43°C / 110°F.

For Non-Household Use: Pressurized container. Store at room temperature. Do not expose to temperatures above 43°C / 110°F. Store in accordance with local requirements for NFPA Aerosol Level 1 products.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ethanol (CAS# 64-17-5) ACGIH-TLV 1000 ppm OSHA Z-1 PEL 1000 ppm

Engineering Controls: N/A

Personal Protective Equipment (PPE):

Eye/Face Protection: None required for normal consumer use.

Industrial setting: If a splash of solution is likely, chemical goggles may be needed.

Skin Protection: None required for normal consumer use.

Industrial setting: Minimize skin contact with protective gloves (rubber or neoprene).

Respiratory Protection: None required with normal consumer use.

Industrial setting: Use ventilation to minimize exposure to vapor or mist (ethanol).

Febreze Air Effects Page 3 of 6

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (color, physical form, shape): Clear **Flash Point (Method Used)**: 125-140°F (cc)/ 51.66- 60°C.

liquid.

Althought this product has a flashpoint below 200°F (closed cup), it is an aqueous solution (>50% water) that does **not**

sustain combustion.

Aerosol was tested per the appropriate tests in the UN Manual

of Tests and Criteria to classify as Aerosols 2.2.

Odor: Perfume Solubility in Water: Soluble

Odor Threshold: N/A **Decomposition Temperature:** N/A Physical State: liquid **Evaporation Rate (nBuOAc=1):** N/K Vapor Pressure (mm Hg): N/A Specific Gravity/Density ($H_2O=1$): ~ 1.0

Vapor Density (Air=1): N/A **Melting/Freezing Point:** N/A **Boiling Point:** 212°F / ~100°C Reserve Alkalinity: N/A

pH (neat): 4.0-5.0 Partition Coefficient (n-octanol/water): N/A

pH (neat): 7.0 (Pet Odor Eliminator, Pure Refreshment and

Clean Citrus)

Volatile Organic Compound (VOC): Product complies with State and Federal regulations for VOC content.

SECTION X - STABILITY AND REACTIVITY

Chemical Stability: Stable.

Conditions to Avoid: Avoid extreme heat.

Incompatible Materials: N/K

Hazardous Decomposition Products: N/K

Possibility of Hazardous Reactions: N/K

SECTION XI - TOXICOLOGICAL INFORMATION

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

LD50 (rats oral) – estimated >5000 mg/kg

Chronic Effects: No chronic health effects reported.

Target Organs: No target organs reported.

Carcinogenicity: This finished consumer product is not carcinogenic.

NTP: No IARC: No

SECTION XII - ECOLOGICAL INFORMATION

This product is intended for dispersive use. The ingredients do not pose a significant hazard to aquatic organisms and will not cause any long-term adverse effects in the environment at environmentally relevant concentrations. The container is compatible with municipal solid waste systems and will not pose a hazard to the environment when properly handled.

Febreze Air Effects Page 4 of 6

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Disposal is to be performed in compliance with federal, state/provincial and local regulations. Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some States because of their potential to explode when heated. Check with your State/provincial environmental agency for guidance. Do not landfill liquid. Incinerate all expelled liquid.

Non-Household Setting (federal): For individual bottles, expel liquid, collect and incinerate. Puncture container and send as scrap metal for recycling.

Non-Household Setting (California): Hazardous, in accordance with 22 CCR 66261.20 through 22 CCR 66261.24

Household Use: Consumer may discard empty container in trash, or recycle where facilities exist.

SECTION XIV - TRANSPORT INFORMATION

Transportation Information – Products covered by this MSDS, in their original form, are regulated for transportation.

For finished packaged product transported by ground (US DOT): Consumer Commodity ORM-D.

For finished packaged product transported by sea (IMDG): UN1950, Aerosols, 2.2

For finished packaged product transported by air (IATA): ID8000 Consumer Commodity, 9

SECTION XV - REGULATORY INFORMATION

UNITED STATES - FEDERAL

All intentionally-added components of this product are listed on the US TSCA Inventory.

EPA Registration Number: Not Applicable

SARA chemicals: This product contains the following SARA 313/302/304/311/312 chemicals: NONE

STATES:

This product is not subject to warning labeling under California Proposition 65.

State Right-to-Know and CERCLA:

The following ingredients present in the finished product are listed on state right-to-know lists or state worker exposure lists:

			States					
Ingredient	CAS#	Level	IL	MA	NJ	PA	RI	CERCLA RQ
Ethanol	64-17-5	3-7%	X	X	X	X	X	100 lbs

Canada

All ingredients are CEPA approved for import to Canada by Procter & Gamble. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and this MSDS contains all information required by the Controlled Products Regulations.

Febreze Air Effects Page 5 of 6

SECTION XVI - OTHER INFORMATION

Perfumes contained within the products covered by this MSDS comply with appropriate IFRA guidance.

P&G Hazard Rating: Health: 1 4=EXTREME

Flammability: 1 3=HIGH

Reactivity: 0 2=MODERATE 1=SLIGHT

0=NOT SIGNIFICANT

Data supplied is for use only in connection with occupational safety and health.

DISCLAIMER: This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Procter & Gamble assumed no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

Febreze Air Effects Page 6 of 6



SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

Fellowes, Inc. 1789 Norwood Avenue Itasca. IL 60143-1095

USA

Telephone: Fax:

630.893.1600 630.893.1648

Toll Free:

800.945.4545

Product Name:

35250 Fellowes Powershred Shredder Lubricant

Description:

Lubricant

SECTION 2: HAZARD IDENTIFICATION

Inhalation:

May cause slight irritation.

Eyes:

May cause slight irritation.

Skin:

May cause slight irritation.

Ingestion:

May cause gastrointestinal discomfort.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name:

CAS No.

EINECS No.

Maximum Weight:

Canola Oil

120962-03-0

>99%

SECTION 4: FIRST AID MEASURES

Inhalation:

Move to fresh air.

Eyes:

Flush with water.

Skin:

Wash with soap and water.

Ingestion:

Do not induce vomiting. Seek medical attention.

SECTION 5: FIREFIGHTING MEASURES

Flash Point:

>500F (260C) Closed Cup

Flammability Limits in Air by volume:

Lower: Not explosive

Upper:

Not explosive

Extinguishing Media:

Do not use water jet. Use dry chemical, halon, carbon dioxode, water spray, fog, or foam.

Special Firefighting

None

Measures:

Unusual Hazards:

None

Page 1 of 3



SECTION 6: ACCIDENTAL RELEASE MEASURES

Use absorbent material and dispose of appropriately. For large spills, keep product out of sewers and advise authorities if product has entered sewers. Surfaces may become slippery after spillage.

SECTION 7: HANDLING AND STORAGE

Handling: Keep away from heat and sources of ignition.

Storage: Do not store near heat or flame. Store away from strong oxidizers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes and Face: None necessary when product is used as intended.

Clothing: No special protective clothing when used as intended.

Respiratory: None necessary when product is used as intended.

Ventilation: Normal ventilation is adequate.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: >575F

Evaporation Rate: Not available

Specific Gravity: 0.92 g/ml (7.67 lb/gal) @ 25C

Solubility in Water: Not soluble

Appearance/Odor: Yellow to amber liquid; faint fatty odor.

SECTION 10: STABILITY AND REACTIVITY

Stable: Stable under normal conditions.

Conditions to Avoid: Keep away from heat and open flame. Avoid strong oxidizing agents.

Chemical Incompatibility: Strong oxidizers

Hazardous Decomposition: Combustion produces carbon monoxide, carbon dioxide, along with thick smoke.

Polymerization: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Not listed on NTP, OSHA, or IARC.



SECTION 12: ECOLOGICAL INFORMATION

This product is biodegradable.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods:

Dispose in accordance with Federal, State, and Local Regulations.

Additional Information:

"Empty" containers should be completely drained.

SECTION 14: TRANSPORT INFORMATION

DOT:

Not regulated as a hazardous material.

IATA:

Not regulated as a hazardous material.

IMO:

Not regulated as a hazardous material.

SECTION 15: REGULATORY INFORMATION

United States:

The components used in this product are listed on the Toxic Substances Control Act.

Canada:

All components are listed on the Canadian DSL.

EU:

Currently not classified according to EEC Directives.

Additional:

None

SECTION 16: OTHER INFORMATION

According to 29 CFR 1910.1200(b)(6)(ix) of the Code of Federal Regulations, amended July 1, 2007, the Fellowes product described in this Material Safety Data Sheet is exempt from the Hazard Communication Standard. The information contained in this MSDS is not meant to imply that this Fellowes product is covered by the OSHA Hazard Communication Standard nor meant to comply with the OSHA Hazard Communication Standard.

HMIS RATING

Health 0

Flammability 1

Physical Hazard 0

Personal Protection N/A

February 10, 2012



The Clorox Company

1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

Material Safety Data Sheet

I Product: FRESH SCENT CLOROX DISINFECTING SPRAY Description: FRAGRANCED AEROSOL Other Designations Distributor Emergency Telephone Nos. For Medical Emergencies call: EPA Reg. No. 5813-67 Clorox Sales Company (800) 446-1014 Clorox Disinfecting Spray 1221 Broadway For Transportation Emergencies Chemtrec Oakland, CA 94612 (800) 424-9300 II Health Hazard Data **III Hazardous Ingredients** EYES: Will cause moderate, reversible eye irritation. Ingredients Concentration Worker Exposure Limit SKIN CONTACT: Will cause minor irritation after prolonged contact. Ethanol 60-80% 1000ppm TLV - TWA Prolonged or frequently repeated skin contact may cause allergic reactions in CAS #64-17-5 some individuals. INGESTION: Low toxicity if ingested. May cause minor irritation of the 5% 1000ppm PEL ~ TWA Propage mouth. Ingestion of large quantities may result in ethanol intoxication. CAS #7409806 (propellant) INHALATION: Intentional misuse by concentrating and inhaling vapors may be harmful or fatal. Inhalation of high concentrations may cause irritation of Isobutane 5-10% Not Established the respiratory tract. Symptoms include headaches, dizziness, nausea, CAS #75-28-3 vomiting, and malaise. MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None of the ingredients in this product are on the (ARC, NTP or OSHA None known. carcinogen lists. EMERGENCY FIRST AID PROCEDURES: EYES: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, call a TLV\TWA: Threshold Limit Value\Time Weighted Average. physician. SKIN: Wash with plenty of soap and water. IF SWALLOWED: Drink a glass of water. Call a physician. PEL: Permissible Exposure Limit. Source: OSHA IV Special Protection and Precautions V Transportation and Regulatory Data No special protection or precautions have been identified for using this U.S. DOT Hazard Class: ORM - D product under directed consumer use conditions. U.S. DOT Proper Shipping Name: Consumer Commodity. The following recommendations are given for production facilities and for other conditions and situations where there is increased potential for EPA - SARA Title III/CERCLA: Bulk product is regulated under sections accidental, large-scale, or prolonged exposure: 311/312. Packaged product is not reportable. Hygienic Practices: Wear safety glasses and protective gloves when TSCA Status: All components of this product are on the TSCA inventory. handling product. Engineering Controls: Use explosion proof ventilation to minimize exposure to vapor or mist. Work Practices: Minimize skin contact and inhalation of vapor or mist. VI Spill Procedures/Waste Disposal VII Reactivity Data Steps to be taken in case material is released or spilled: Eliminate all Stability: Stable sources of ignition. Ventilate area. Mop up excess. Flush off any remaining material with soapy water. Flush again. Respiratory Protection: If handling Conditions to Avoid: Temperatures over 120°F large industrial or warehouse spills, people should use NIOSH approved respiratory protection. Waste Disposal Method: Do not puncture or Incompatibility/Materials to Avoid: Alkalis and acids incinerate (burn) empty or full cans. Dispose of in accordance with state and local regulations for consumer products. Empty cans may be landfilled. Hazardous Polymerization or Decomposition: None known Precautions to be taken in Handling and Storage: Do not store above 120°F. Do not puncture or burn. Keep aerosols from fire or sparks. Store in accordance with NFPA 30B for Level 2 Aerosols. Other Precautions: N/A VIII Fire and Explosion Data IX Physical Data Flashpoint: Flashpoint of liquid is 66° using a closed cup Herzog tester. pH (no propellant9.2 Flame extension is between 16-18 inches with no flashback. Fire Extinguishing Agents: All types. Appearance and Odor Floral/Fruity odor Special Fire Fighting Procedures: N/A Unusual Fire and Explosion Hazards: Alcohol flames may not be readily visible. Exposure to temperatures over 120°F (49') may cause bursting or venting. Keep containers cool. Use equipment or shielding to protect personnel from bursting containers.

@1963, 1991 THE CLOROX COMPANY

DATE PREPARED 2/99

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Revision Date: 28-Nov-2017

SECTION 1 – IDENTIFICATION

Product Identifier

Product Name: Goo Gone

Product Code: 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP,

2095CLIP, 2129, 2139B, 2166D, 2221D

Recommended Use of the Chemical and Restrictions for Use

Recommended Use: Cleaner

Restrictions for Use: Use only as directed.

Details of the Supplier

Manufacturer: Goo Gone

755 Tri-State Parkway Gurnee, IL 60031 855-364-8135

Emergency Phone Number

24-Hour Number: 1-800-535-5053 **International:** 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification

Hazard Class	Category
Flammable Liquid	4
Skin Sensitization	1
Aspiration Hazard	1

Label Elements

Hazard Symbols(s):





Signal Word(s): Danger

Hazard Statement(s): Combustible liquid. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

Precautionary Statement(s): Keep away from flames and hot surfaces. No smoking. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other Hazards

None known

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Petroleum distillates, hydrotreated light	64742-47-8	60-100
D-Limonene	5989-27-5	1-5
Orange, sweet, extract	8028-48-6	0.5-1.5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Document No.: 130529-5 Release Date: 1/10/2014

Page 43 of 144

Page 1 of 5

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

GOO GONE

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Revision Date: 28-Nov-2017

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Eye Contact: Rinse immediately with water for at least 15 minutes. Remove contact lenses, if worn. If irritation persists, seek medical attention immediately.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Skin: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash with soap and water. If irritation persists, seek medical attention.

Most Important Symptoms and Effects (Acute and Delayed)

Inhalation: May cause respiratory track irritation.

Eye Contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Skin: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitization by skin contact.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physician: Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable: Treat for surrounding material.

Unsuitable: None known.

Specific Hazards Arising from Chemical

Products of combustion include but are not limited to: oxides of carbon.

Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protective equipment as required.

Environmental Precautions: See Section 12 for ecological information.

Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). For cleaning up scoop up material and place in a disposal container. Provide ventilation.

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Avoid breathing fume/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

General Hygiene Advice: Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

Document No.: 130529-5
Release Date: 1/10/2014
Page 2 of 5

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Revision Date: 28-Nov-2017

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep container closed when not in use. Store in a dry, cool, and well-ventilated area. Keep out of

reach of children.

Incompatible Materials: None known.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light (64742-47-8)	200 mg/m ³	100 ppm	Not available
D-Limonene (5989-27-5)	Not available	Not available	Not available
Orange, sweet, extract (8028-48-6)	Not available	Not available	Not available

Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Individual Protection Measures

Respiratory Protection: None required under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment.

Skin and Body Protection: Wear suitable protective clothing.

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

General Work/Hygienic Practices: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow clear liquid

Odor: Citrus

Odor threshold: Not determined

pH: Not determined

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: 85°C (185°F) TCC Evaporation rate: Not determined Flammability (solid, gas): Flammable

Upper/lower flammability or explosive limits: Not determined

Vapor pressure: Not determined Vapor density: Not determined

Relative density: 0.80

Solubility(ies): Not determined

Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity: Not determined

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions.

Document No.: 130529-5 Release Date: 1/10/2014

Document No.: 130529-5

Page 45 of 144

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Revision Date: 28-Nov-2017

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Possibility of hazardous reactions: None under normal use.

Conditions to avoid: Heat. Incompatible materials. Sources of ignition.

Incompatible materials: None known.

Hazardous decomposition products: May include and are not limited to: oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Likely Routes of Exposure: Inhalation, skin contact, eye contact, ingestion

Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity: NTP: No IARC: No OSHA: No

Numerical Measures of Toxicity

Product	
ATE (oral)	>2000 mg/kg, rat
ATE (dermal)	>2000 mg/kg, rabbit
ATE (inhalation)	Not available

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light (64742-47-8)	>5000 mg/kg, rat	>2000 mg/kg, rabbit	>5.2 mg/l/4h, rat
D-Limonene (5989-27-5)	4400 mg/kg, rat	>5000 mg/kg, rabbit	Not available
Orange, sweet, extract (8028-48-6)	>5000 mg/kg, rat	>5000 mg/kg, rabbit	Not available

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Not established

Persistence and degradability: Not established
Bioaccumulative potential: Not established

Mobility in soil: No additional information available

Other adverse effects: No additional information available.

SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Note: Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

DOT (Ground): Not Regulated- See 49 CFR 173.150(f)(2) as the product is not bulk packaged.

IATA (Air): Not Regulated IMDG (Vessel): Not Regulated

SECTION 15 - REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

Document No.: 130529-5 Page 4 of 5

Release Date: 1/10/2014

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Revision Date: 28-Nov-2017

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this Safety Data Sheet differ from the requirements of the CPSC and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

SECTION 16 – OTHER INFORMATION

Issue Date: 23-Aug-2017 Revision Date: 28-Nov-2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Document No.: 130529-5 Page 5 of 5



Revision date 23-Jul-2015

Version 4

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code 011.0002400

Product Name GOOF OFF

Other means of identification

No information available

Recommended use of the chemical and restrictions on use

Washing and cleaning products (including solvent based products)

Details of the supplier of the safety data sheet

See section 16 for more information

The Valspar Corporation PO Box 1461 Minneapolis, MN 55440

E-mail address msds@valspar.com

Emergency telephone number

United States of America 1-888-345-5732

American Samoa, Guam, Northern Mariana Islands, Puerto Rico, U.S. Virgin Islands 1-800-255-3924

Section 2: HAZARDS IDENTIFICATION

Classification

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 3

Label elements

Product Code 011.0002400 Page 1/9 AGHS - USA OSHA SDS



Signal word

DANGER

HAZARD STATEMENTS

Flammable liquid and vapor
Harmful in contact with skin
Harmful if inhaled
Causes skin irritation
Suspected of causing cancer
Suspected of damaging fertility or the unborn child
May cause damage to organs through prolonged or repeated exposure
May be fatal if swallowed and enters airways

PREVENTION

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

RESPONSE

IF exposed or concerned: Get medical advice/attention.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin

Call a POISON CENTER or doctor/physician if you feel unwell. Take off all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction.

STORAGE

Store locked up. Store in a well-ventilated place. Keep cool.

DISPOSAL

Dispose of contents/containers in accordance with local regulations.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)

Not applicable.

OTHER HAZARDS

Not applicable.

UNKNOWN ACUTE TOXICITY

0% of the mixture consists of ingredient(s) of unknown toxicity.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	weight-%
Xylenes	1330-20-7	70 - 100

Product Code 011.0002400
Page 2/9
AGHS - USA OSHA SDS

Ethylbenzene	100-41-4	10 - 25
Diethylene glycol monomethyl ether	111-77-3	3 - 5
Toluene	108-88-3	1 - 3

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

First Aid Measures

General advice

IF exposed or concerned: Get medical advice/attention.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact

Call a POISON CENTER or doctor/physician if you feel unwell. Take off all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Strong water jet

Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid breathing vapors or mists. Remove all sources of ignition. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Take precautionary measures against static discharges.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Product Code 011.0002400 Page 3/9 AGHS - USA OSHA SDS Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers.

Section 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep tightly closed in a dry and cool place.

Incompatible materials

Strong oxidizing agents.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

If S* appears in the OEL table, it indicates this chemical contains a skin notation.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Xylenes 1330-20-7	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m ³	
Ethylbenzene 100-41-4	TWA: 20 ppm	TWA: 100 ppm TWA: 435 mg/m³	IDLH: 800 ppm TWA: 100 ppm TWA: 435 mg/m³ STEL: 125 ppm STEL: 545 mg/m³
Toluene 108-88-3	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 560 mg/m³

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear anti-static clothing made of natural fiber or of high temperature resistant synthetic fiber. Wear suitable protective clothing.

Hand Protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Thermal Protection

No information available

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance No information available

Odor Solvent Color colorless

Odor Threshold
pH value
No information available
No information available
Melting point/freezing point
No information available

Boiling point / boiling range No information available °C / °F

flash point 27 °C / 81 °F

evaporation rateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor Pressure
vapor density

No information available
No information available
No information available
No information available

Density (lbs per US gallon) 7.29 specific gravity .87

Solubility(ies)

Partition coefficient

Autoignition temperature

Decomposition temperature

Kinematic viscosity

No information available

Other information

Section 10: STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Product Code 011.0002400 Page 5/9 AGHS - USA OSHA SDS Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerizationNone under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2).

Section 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Not applicable

Skin Contact

Harmful in contact with skin Causes skin irritation

Ingestion

May be fatal if swallowed and enters airways

Inhalation

Harmful if inhaled

Numerical measures of toxicity - Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Xylenes 1330-20-7	= 3500 mg/kg (Rat)	> 4350 mg/kg (Rabbit)	= 29.08 mg/L (Rat) 4 h
Ethylbenzene 100-41-4	= 3500 mg/kg (Rat)	= 15400 mg/kg (Rabbit)	= 17.2 mg/L (Rat) 4 h
Diethylene glycol monomethyl ether 111-77-3	-	= 650 mg/kg (Rabbit)	-
Toluene 108-88-3	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (dermal) 1421 Mg/kg
ATEmix (inhalation-dust/mist) 1.6 mg/l
ATEmix (inhalation-vapor) 12 mg/l

UNKNOWN ACUTE TOXICITY 0% of the mixture consists of ingredient(s) of unknown toxicity.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylbenzene 100-41-4	A3	Group 2B		Х
100-41-4				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen.

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans.

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present.

Skin corrosion/irritation
Serious eye damage/eye irritation
Skin sensitization
Respiratory sensitization
Germ cell mutagenicity

Causes skin irritation
Not applicable
Not applicable
Not applicable

Carcinogenicity Suspected of causing cancer

Reproductive Toxicity Suspected of damaging fertility or the unborn child

Product Code 011.0002400 Page 6/9 AGHS - USA OSHA SDS Specific target organ toxicity (single Not applicable

exposure)

Specific target organ toxicity

(repeated exposure)
Aspiration hazard

May cause damage to organs through prolonged or repeated exposure

Not applicable

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Environmental precautions Prevent product from entering drains.

Persistence and degradability

No information available

Bioaccumulation

No information available

Mobility

No information available

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal. Empty

containers must be scrapped or reconditioned.

Section 14: TRANSPORT INFORMATION

DOT IMDG IATA 14.1 UN/ID no UN1993 UN1993 UN1993

14.2 Proper shipping name Flammable liquid, n.o.s. Flammable liquid, n.o.s. Flammable liquid, n.o.s.

Xylenes Xylenes Xylenes Ethylbenzene Ethylbenzene Ethylbenzene

 14.3 Hazard Class
 3
 3

 14.4 Packing Group
 III
 III

14.5 Environmental hazard Not applicable

14.6 Special Provisions B1, B52, IB3, T4, TP1, TP29 223, 274, 955 A3

Emergency Response Guide EmS-No Number F-E, S-E

128

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: REGULATORY INFORMATION

International Inventories

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

All components are listed or exempt

from listing

DSL - Canadian Domestic Substances List

All components are listed or exempt

from listing

trom listi

US Federal Regulations

Chemical Name	SARA 313 - Threshold Values %	Hazardous air pollutants (HAPs) content
Xylenes	1	Present
1330-20-7		
70 - 100		

Ethylbenzene 100-41-4 10 - 25	0.1	Present
Diethylene glycol monomethyl ether 111-77-3 3 - 5	1	Present
Toluene 108-88-3 1 - 3	1	Present

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xylenes 1330-20-7	100 lb			Х
Ethylbenzene 100-41-4	1000 lb	X	X	Х
Toluene 108-88-3	1000 lb	X	X	Х

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Xylenes	100 lb		RQ 100 lb final RQ
1330-20-7			RQ 45.4 kg final RQ
Ethylbenzene	1000 lb		RQ 1000 lb final RQ
100-41-4			RQ 454 kg final RQ
Toluene	1000 lb		RQ 1000 lb final RQ
108-88-3			RQ 454 kg final RQ

US State Regulations

Rule 66 status of product

Photochemically reactive.

California Proposition 65

WARNING! This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

U.S. EPA Label information

EPA Pesticide registration number Not applicable

U.S. State Right-to-Know Regulations

Chemical Name	
Xylenes	
1330-20-7	
Ethylbenzene	
100-41-4	
Diethylene glycol monomethyl ether	
111-77-3	
Toluene	
108-88-3	

Section 16: OTHER INFORMATION

HMIS

Health hazards

3*

* = Chronic Health Hazard

Product Code 011.0002400 Page 8/9 AGHS - USA OSHA SDS Flammability 3 Physical hazards 0 Personal Protection X

Supplier Address

Valspar ConsumerThe Valspar CorporationValspar Plasti-KoteHeadquarters4999 36th St.1636 Shawsone Dr.8725 W. Higgins Rd. SuiteGrand Rapids, MI 49512Mississauga, Ontario L4W 1N71000800-253-3957905-671-8333

Chicago, IL 60631

773-628-5500

Prepared By Product Stewardship

Revision date 23-Jul-2015

Revision Note No information available

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet

Product: Hand Sanitizers

MSDS Date: 7/20/07

Product Name: Hand Sanitizers
Importer Name: Delta Brands, Inc.

1. Product and Company Description

Delta Brands Inc. 1890 Palmer Avenue Larchmont, NY 10538

For Product Information/Emergency:

914-833-1700

This MSDS covers these hand sanitizers (see page 7 for item descriptions): 3151, 3152, 3153, 3154, 3155, 3157, 3163, 3165, PLDT# 877352, PLDT# 877353, PLDT# 910717, PLDT# 910718, PLSB# 1747

2. Hazards Identification

Emergency Overview

Appearance/Odor: Gel with fragrant odor.

Potential Health Effects:

Acute Eye:

Eye contact may cause irritation. Prolonged exposure may cause visual disturbances.

Acute Skin:

No adverse potential health effects anticipated via this route of entry.

Acute Inhalation:

May be irritating to respiratory tract.

Acute ingestion:

Not considered a route of exposure under anticipated use conditions. May cause irritation to the digestive tract if ingested.

Chronic Exposure:

Not determined

Aggravation of Pre-existing Conditions:

Not determined

Product: Hand Sanitizers

3. Chemical Composition

Component	CAS#	%Composition
Ethyl alcohol	64-17-5	>62
Deionized Water	7732-18-5	33-36
Isopropyl Alcohol	67-63-0	1-1.5
Glycerin	56-81-5	0.5-1

4. First Aid Measures

First Aid Measures for Accidental:

Eye Exposure:

Immediately flush eyes with copious amounts of water for at least 15 minutes. If irritation develops, SEEK MEDICAL ATTENTION.

Skin Exposure:

If irritation develops, seek medical attention.

Inhalation:

Remove to fresh air. Seek medical attention if breathing becomes difficult.

Ingestion:

Give large amounts of water or milk for dilution. Seek medical attention.

5. Fire Fighting Measures

Fire Hazard Data:

Autoignition: ND

Flash Point: ND

Flammability Limits (vol/vol%): Lower: **Upper:** ND ND

Extinguishing Media:

Use extinguishing media suitable for surrounding fire

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Product: Hand Sanitizers

6. Accidental Release Measures

Cleanup and Disposal of Spill:

Vacuum or absorb material and place in a suitable container for reclamation or disposal. Do not discharge into drains or sewers. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations.

7. Handling and Storage

Handling/Storage:

Keep in a tightly closed container, stored in a cool, dry, well ventilated area.

8. Exposure Controls / Personal Protection

Exposure Guidelines:

Component	ACGIH	NIOSH	OSHA-PELs
Ethyl alcohol	1000 ppm TWA	1000 ppm TWA; 1900 mg/m3 TWA	1000 ppm TWA; 1900 mg/m3 TWA
Deionized Water	NA	NA	NA
Isopropyl Alcohol	200 ppm TWA 400 ppm STEL	400 ppm TWA; 980 mg/m3 TWA 500 ppm STEL; 1225 mg/m3 STEL	400 ppm TWA; 980 mg/m3 TWA 500 ppm STEL; 1225 mg/m3 STEL
Glycerin	10 mg/m3 TWA	ND	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

Engineering Controls:

General mechanical ventilation is adequate for normal use. Local exhaust is recommended for confined areas.

Respiratory Protection:

None.

Eye / Face Protection:

None required under anticipated product use conditions.

Skin Protection:

None required under anticipated product use conditions.

9. Physical and Chemical Properties

Physical Appearance: Gel
Odor: Varies
pH: ND
Specific Gravity: >1
Water Solubility: Insoluble
Melting Point: NA

Product: Hand Sanitizers

Freezing Point NA
Boiling Point: ND
Vapor Pressure: ND
Density: ND

Percent Volatiles by Volume: NA

Evaporation Rate: ND Viscosity: ND Density: ND

10. Stability and Reactivity

Chemical Stability:

Stable

Conditions to Avoid:

None

Materials / Chemicals to Be Avoided:

None

Hazardous Decomposition Products:

None

Hazardous Polymerization:

Will not occur.

11. Toxicological Information

Acute Effects

Ethyl alcohol (64-17-5)

Oral LD50 Rat: 7060 mg/kg

Water (7732-18-5)

Oral LD50 Rat: >90 mL/kg

Isopropyl alcohol (67-63-0)

Inhalation LC50 Rat: 72.6 mg/L/4H; Oral LD50 Rat:4396 mg/kg; Dermal LD50 Rat:12800 mg/kg; Dermal LD50 Rabbit:12870 mg/kg

Glycerin (56-81-5)

Inhalation LC50 Rat: >570 mg/m3/1H; Oral LD50 Rat:12600 mg/kg; Dermal LD50 Rat:>21900 mg/kg

Chronic Effects

Carcinogenicity:

Ethyl alcohol (64-17-5)

ACGIH: A4 - Not Classifiable as a Human Carcinogen

Product: Hand Sanitizers

Isopropyl alcohol (67-63-0)

ACGIH: A4 - Not Classifiable as a Human Carcinogen

IARC: Monograph 71 [1999], Supplement 7 [1987], Monograph 15 [1977] (Group 3 (not classifiable))

Mutagenicity: No data

Reproductive Effects: No data Developmental Effects: No data

12. Ecological Information

Environmental Fate:

No information found.

Environmental Toxicity:

Ecotoxicity - Aquatic Toxicity

Ethyl alcohol (64-17-5)

Test & Species Conditions 30 days old

96 Hr LC50 Oncorhynchus mykiss 12900 mg/L [flow-

through] 14.2 mg/L

96 Hr LC50 Pimephales promelas 5 min EC50 Photobacterium 35470 mg/L

phosphoreum

30 min EC50 Photobacterium 34634 mg/L

phosphoreum

48 Hr EC50 Daphnia magna 9268 mg/L 24 Hr EC50 Daphnia magna 10800 mg/L

Isopropyl alcohol (67-63-0)

Test & Species Conditions

96 Hr LC50 Pimephales promelas 9640 mg/L [flow-

through]

94900 mg/L [flow-96 Hr LC50 Pimephales promelas 29 days old through]

61200 mg/L [flow-96 Hr LC50 Pimephales promelas 31 days old

through] 96 Hr EC50 Scenedesmus >1000 mg/L

subspicatus

72 Hr EC50 Scenedesmus >1000 mg/L

subspicatus

5 min EC50 Photobacterium 35390 mg/L

phosphoreum

48 Hr EC50 Daphnia magna 13299 mg/L

Glycerin (56-81-5)

Conditions Test & Species

96 Hr LC50 Oncorhynchus mykiss 51000-57000 ma/L

24 Hr EC50 Daphnia magna >500 mg/L

13. Disposal Considerations

Waste Disposal Method:

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste

Product: Hand Sanitizers

management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transportation Information

US Department of Transportation Shipping Name:

US Department of	Proper Shipping Name	Not Regulated
Transportation	Hazard Class	Not Regulated
	ID Number	Not Regulated
	Packaging Group	Not Regulated

15. Regulatory Information

Federal Regulations:

SARA Title III Hazard Classes:

Fire Hazard: No Reactive Hazard: No Release of Pressure: No Acute Health Hazard: No Chronic Health Hazard: No

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

Isopropyl alcohol (67-63-0)

SARA 313: 1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)

TSCA

All components of this product are on the TSCA inventory or are exempt from TSCA Inventory requirements

Other Regulations:

Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
Ethyl alcohol	64-17-5	Yes	Yes	Yes	Yes	Yes	Yes
Isopropyl alcohol	67-63-0	Yes	Yes	Yes	Yes	Yes	Yes
Glycerin	56-81-5	No	Yes	Yes	No	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

Product: Hand Sanitizers

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects.

16. Other Information

National Paint & Coating Hazardous Materials Identification System – HMIS(R):

Health Hazard: 1
Flammability: 0
Reactivity: 0

Products covered by this MSDS:

Lucky Super Soft®	3151	Hand Sanitizer - Classic - 8 fl. oz.
Lucky Super Soft®	3152	Hand Sanitizer - Citrus Zest 8 fl. oz.
Lucky Super Soft®	3153	Hand Sanitizer - Aloe Vera - 8 fl. oz.
Lucky Super Soft®	3154	Hand Sanitizer - Lavender 8 fl. oz.
Lucky Super Soft®	3155	Hand Sanitizer - Classic 2-pack 2 fl. oz.
Lucky Super Soft®	3157	Hand Sanitizer - Aloe vera 2-pack 2 fl. oz.
Lucky Super Soft®	3163	Hand Sanitizer - Classic in tube - 5 fl. oz.
Lucky Super Soft®	3165	Hand Sanitizer - Aloe vera in tube - 5 fl. oz.
Generic Brand	PLDT# 877353	Hand Sanitizer Fresh Citrus – 12 fl oz
Generic Brand	PLDT# 877352	Hand Sanitizer Aloe Vera – 12 fl. oz
Generic Brand	PLDT# 910717	Hand Sanitizer Tube - Lime Zest - 5 fl. oz.
Generic Brand	PLDT# 910718	Hand Sanitizer Tube - Aloe Zest - 5 fl. oz.
Select Brand®	PLSB# 1747	Hand Sanitizer 8 fl oz

The information on this sheet is limited to the material identified and is believed by Delta Brands, Inc. to be correct based on knowledge and information as of the date noted. Delta Brands, Inc. makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material.

Key Legend Information:

NA – Not Applicable
ND – Not Determined
ACGIH – American Conference of Governmental
Industrial Hygienists
OSHA – Occupational Safety and Health
Administration

TLV – Threshold Limit Value
PEL – Permissible Exposure Limit
TWA – Time Weighted Average
STEL – Short Term Exposure Limit
NTP – National Toxicology Program
IARC – International Agency for Research on Cancer



Office Products Group

MATERIAL SAFETY DATA SHEET

MSDS # 56301

Section One: Identification

800-323-0749 or 630-481-2000

Newell Rubbermaid, Inc. (Sanford L.P.) 2707 Butterfield Road Oak Brook, IL 60523 USA **EMERGENCY MEDICAL NUMBER:**

888-786-0972

Product Name: Liquid Paper Correction Fluid Products; Smooth Coverage, 2-in-1, Pen&Ink, Fast Dry, PMOP, Ledger Colors, Stock Colors.

Colors: White, Buff, Green, Pink, Blue, Ivory, Yellow.

Section Two: Hazard Identification

WARNING! FLAMMABLE. Do not use or store near heat or flame. IRRITANT. May cause skin or eye irritation. May cause allergic reaction. VAPOR HARMFUL. May be harmful by inhalation or ingetion. Do not ingest. Use only with proper ventilation. KEEP OUT OF REACH OF CHILDREN.

Section Three: Composition

Solvent: Naphtha(petroleum), hydrotreated light (64742-49-0)

Naphtha(petroleum), heavy alkylate (64741-65-7)

Additives: Titanium Dioxide (13563-67-7)

Resin Surfactant Pigments Fragrance

Section Four: First Aid Measures

Inhalation: If symptoms occur remove person(s) to fresh air. If symptoms persist seek medical attention.

Skin Contact: Wash with soap and water for at least 15 min. If irritation persists seek medical attention.

Eye Contact: Wash throughly with water for at least 15 min. If irritation persists seek medical attention.

Ingestion: DO NOT induce vomiting. Contact a physician or poisin control center immediately. Do not give anything by mouth unless

directed to do so by a physician. NOTE TO PHYSICIAN: Contains solvent naphtha which may cause chemical

oneumonitis.

Section Five: Fire Fighting Measures

Flash Point: $> 10^{\circ} F$

Flammability Limits (% by volume):

Extinguishing Media: Dry chemical, foam, carbon dioxide.

N/A

Special Fire Fighting Measures: In Small quantities: Treat as appropriate for surroundings.

Hazardous Combustion Products: Acrid smoke/fumes. Oxides of Carbon, Nitrogen.

Section Six: Accidental Release Measures

In Case of Spill or Accidental Release: Take up with absorbent non-combustable material.

Section Seven: Handling and Storage

Handling: Do not use near heat or flame. Replace cap after use. Avoid contact with skin. Use only in well ventilated area.

Storage: Do not store near heat or other sources of ignition. In large quantities, store in a well-ventilated area.

Section Eight: Exposure Controls and Personal Protection

Eye Protection: None under normal use conditions.

June 2, 2010 Page 1 of 2



Office Products Group

MATERIAL SAFETY DATA SHEET

MSDS # 56301

Clothing: None under normal use conditions.

Respirator: None under normal use conditions.

Section Nine: Physical and Chemical Properties

Boiling Point: >95 ° F
Specific Gravity: N/A
Vapor Pressure: N/A
Solubility in Water: N/A
Evaporation Rate: N/A

Appearance/Odor: Viscous liquid / Paraffinic

Section Ten: Stability and Reactivity

Stability: Normally stable

Conditions to Avoid: Avoid exposure to heat, flame or other sources of ignition. Avoid contact with strong acids or oxidizers.

Hazardous Polymerization: N/A

Section Eleven: Toxicological Information

See Section Two: Hazard Identification for any hazards

Section Twelve: Ecological Information

Not available

Section Thirteen: Disposal Considerations

Dispose of in accordance with all Federal, State, and Local Regulations.

Section Fourteen: Transport Information

DOT: ORM-D Consumer Commodity

IATA: Not Available

IMDG: Not Available

Section Fifteen: Regulatory Information

United States: All components in this product are listed on or exempt from reporting under the Federal Toxic Substances Control Act

(TSCA).

Section Sixteen: Other Information

HMIS Code

Health 2
Flammability 3
Reactivity 0
Personal Protection N/A

0=Minimal / 4 = Severe

NewellRubbermaid, Inc has been advised by Counsel that the OSHA Hazard Communication Standard and the Health Canada Workplace Hazardous Materials Information Standard do not apply to the Sanford Product described in this Material Safety Data Sheet. The reasons for the exemptions are contained in 29 CFR 1910.1200(b)(6)(ix) as amended Sept 14, 2009 per the Code of Federal Regulations and also Canadian Hazardous Products Act part 12 section (f) as amended June 1, 2009. The information contained in this MSDS is forwarded to you for your information, but is not meant to imply that the product is covered by nor is this MSDS meant to comply with all requirements of the hazard communication standards.

June 2, 2010 Page 2 of 2



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Lysol Brand® (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents

UPC CODES Refer to Section 16

CAS # Mixture
Product use Disinfectant
Distributed by Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway P.O. Box 225

Parsippany, NJ 07054-0225


In Case of Emergency: 1-800-228-4722 Transportation Emergencies: 24 Hour Number:

North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





2. Hazards Identification

Emergency overview

This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

lobacco.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May irritate eye.

Skin Non-irritating to the skin.

InhalationNone expected.IngestionNot orally toxic.

Target organs Blood. Eyes. Liver. Respiratory system. Skin.

Chronic effects The finished product is not expected to have chronic health effects.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Ethanol	64-17-5	2.5 - 10
Alkyl (50%C14, 40%C12, 10%C16) dimethyl benzyl ammonium chlorides	Not Applicable	0.1 - 1

#20512 Page 1 of 7 Issue date 09-Jul-2010

4. First Aid Measures

First aid procedures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for treatment advice.

Skin contact In keeping with good hygienic practices, wash exposed areas thoroughly with soap and

water.

Inhalation None required under recommended use conditions. Remove to fresh air.

Ingestion Rinse mouth with water. Contact a physician or poison control center if symptoms

develop. NEVER give an unconscious person anything to ingest.

Notes to physician Symptoms may be delayed.

General advice Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice

(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of

children.

5. Fire Fighting Measures

Flammable properties Not flammable by OSHA criteria.

Extinguishing media

Suitable extinguishing media Water spray. Foam. Dry chemical.

Unsuitable extinguishing media

Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Explosion data

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Sensitivity to mechanical impact Not available
Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not

Do not allow product to enter sewer or waterways.

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Methods for cleaning up

Remove sources of ignition. Never return spills in original containers for re-use.

Other information Pick up and discard towel.

7. Handling and Storage

Handling CAUTION

May cause eye irritation. Avoid contact with eyes. Wash hands after handling and before eating.

Use good industrial hygiene practices in handling this material.

DO NOT PUSH FINGER THROUGH OPENING. Use according to package label instructions.

Storage Store in original container in a cool, secure area inaccessible to children and pets.

Do not store at temperatures above 120°F (49°C).

Store in a closed container away from incompatible materials. Food contact surfaces must be rinsed with potable water.

Unplug small appliances before cleaning.

Not recommended for polished or bare wood floors.

Not intended for personal hygiene.

It is a violation of Federal law to use this product in a manner inconsistent with its

labeling.

8. Exposure	Controls /	' Personal	Protection
-------------	------------	------------	-------------------

Exposure limits			
Ingredient(s)		Exposure Limits	
Alkyl (50%C14, 40%C12, 10%C16) dimerammonium chlorides	C16) dimethyl benzyl	ACGIH-TLV	
		Not established	
		OSHA-PEL	
		Not established	
Ethanol		ACGIH-TLV	
		TWA: 1000 ppm	
		STEL: 1000 ppm	
		OSHA-PEL	
		TWA: 1000 ppm	
Engineering controls	Conoral ventilation	n normally adequate	

Engineering controls General ventilation normally adequate.

Personal protective equipment

Eye / face protection Avoid contact with eyes.

Emergency responders should wear full eye and face protection.

Hand protection Wash hands after use.

Emergency responders should wear impermeable gloves.

Skin and body protection As required by employer code.

Emergency responders should wear impermeable clothing and footwear when

responding to a situation where contact with the liquid is possible.

Respiratory protection Not normally required under normal use conditions.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Appearance Liquid saturated on wipe

Color clear liquid

Form Pre-moistened towelette.

Odor Various
Odor threshold Not available
Physical state Not available
pH 6 - 8.5 (Liquid)
Freezing point Not available
Pour point Not available
Boiling point Not available

Flash point > 200 °F (> 93.33 °C) (Liquid) Tagliabue

Evaporation rateNot available **Flammability limits in air, lower, %**Not available

by volume

Not available

Flammability limits in air, upper, %

by volume

140t available

Vapor pressure

Vapor density

Specific gravity

Octanol/water coefficient

Solubility (H2O)

Auto-ignition temperature

Not available

Not available

Not available

10. Stability and Reactivity

Chemical stability Stable under recommended storage conditions.

Conditions to avoid DO NOT MIX WITH BLEACH or use in conjunction with other household products.

Heat, open flames, static discharge, sparks and other ignition sources.

Incompatible materials Oxidizers.

Hazardous decomposition products May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Possibility of hazardous reactions Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s) LC50

Alkyl (50%C14, 40%C12, 10%C16) dimethyl benzyl Not available

ammonium chlorides

Ethanol 31623 ppm rat

Component analysis - Oral LD50

Ingredient(s) LD50

Alkyl (50%C14, 40%C12, 10%C16) dimethyl benzyl 426 mg/kg rat ammonium chlorides

Ethanol 3450 mg/kg mouse; 7060 mg/kg rat

Effects of acute exposure

Eye May irritate eye.

Skin Non-irritating to the skin.

InhalationNone expected.IngestionNot orally toxic.

SensitizationThe finished product is not expected to have chronic health effects.Chronic effectsThe finished product is not expected to have chronic health effects.CarcinogenicityThe finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethanol 64-17-5 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

MutagenicityThe finished product is not expected to have chronic health effects.Reproductive effectsThe finished product is not expected to have chronic health effects.TeratogenicityThe finished product is not expected to have chronic health effects.

Synergistic Materials Not available

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

Ecotoxicity - Freshwater Fish Species Data

Ethanol 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales

promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400-15100 mg/L

[flow-through]

Ecotoxicity - Water Flea Data

Ethanol 64-17-5 48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800

mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]

Environmental effects

Aquatic toxicity

Persistence / degradability

Bioaccumulation / accumulation

Partition coefficient

Mobility in environmental media

Chemical fate information

Not available
Not available
Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructionsDo not reuse empty container. Rinse container and offer for recycling where facilities

exist.

Review federal, state/provincial, and local government requirements prior to disposal.

Discard with solid waste.

Waste from residues / unused

products

Not available

Contaminated packaging

Not available

14. Transport Information

UN/ID N.o. Not applicable

U.S. Department of Transportation (DOT): Classification: Not regulated

Proper shipping name Not applicable
U.S. DOT Hazard Class Not applicable
Subsidiary Risk Not applicable
Packing group Not applicable
DOT RQ (lbs) Not applicable
ERG NO Not applicable

Transportation of Dangerous Goods (TDG - Canada): Classification: Not regulated

Proper shipping name Not applicable

Status Not applicable
Packing group Not applicable

IMDG (Marine Transport): Classification: Not regulated

Proper shipping name Not applicable Class Not applicable **Subsidiary Risk** Not applicable Packing group Not applicable **IMDG Page** Not applicable Marine pollutant Not applicable **EMS** Not applicable **MFAG** Not applicable **Maximum Quantity** Not applicable

IATA/ICAO (Air): Classification: Not regulated Proper shipping name Not applicable
Class Not applicable
Subsidiary Risk: Not applicable
Packing group Not applicable

Maximum Quantity Not applicable

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

Product Registration: Registered with EPA, EPA Reg. No. 777-68

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous Yes

chemical

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely No.

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - Massachusetts - Right To Know List

Ethanol 64-17-5 Teratogen

U.S. - Minnesota - Hazardous Substance List

Ethanol 64-17-5 Present
U.S. - New Jersey - Right to Know Hazardous Substance List
Ethanol 64-17-5 sn 0844

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol 64-17-5 Present

U.S. - Rhode Island - Hazardous Substance List

Ethanol 64-17-5 Toxic; Flammable

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

Issue date

Effective date

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

19200-81145-3 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 35 ct - Citrus - 0059368

19200-77182-5 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 80 ct - Citrus - 0059368

19200-81360-0 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 2x35 ct. - Citrus - 0059368

19200-80296-3 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 2x80 ct - Citrus - 0059368

19200-78849-6- LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 110 ct - Citrus - 0059368

19200-81146-0 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 35 ct - Spring Waterfall - 0059302

19200-77925-8 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 80 ct - Spring Waterfall - 0059302

09-Jul-2010 15-Jun-2010

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.

#20512 Page 7 of 7 Issue date 09-Jul-2010

REMATERIAL SAFETY DATA SHEET

LYSOL(R*) BRAND DISINFECTANT SPRAY - ALL SCENTS

REV. DATE: 09/30/94

L & F PRODUCTS 225 SUMMIT AVENUE MONTVALE, NJ 07645

Riverview Regional Medical Center

TELEPHONE NUMBER: (201)573-5700 (24 HRS)

EMERGENCY CONTACT: CHEMTREC-FOR DOT EMERGENCIES ONLY

EMERGENCY PHONE NUMBER: (800)424-9300

-----SECTION #1 - IDENTIFICATION -----

PRODUCT: LYSOL(R*) BRAND DISINFECTANT SPRAY - ALL SCENTS

EPA REG. NO.: 777-53

SPECIAL HAZARDS: FLAMMABLE. CONTENTS UNDER PRESSURE.

HAZARD RATINGS:

NFPA

HEALTH: 1 SLIGHT FIRE: LEVEL 1 AEROSOL REACTIVITY: 0 NEGLIGIBLE

HMIS

HEALTH: 1 SLIGHT

FLAMMABILITY: 3 SERIOUS* REACTIVITY: 0 MINIMAL

*THIS IS A LEVEL 1 AEROSOL. THIS RATING APPLIES TO THE PRODUCT CONCENTRATE

AND NOT THE FINISHED, SEALED AEROSOL PRODUCT.

PRODUCT DESCRIPTION: AEROSOL DISINFECTANT

FORMULA NO.	PRODUCT NO.	SCENT
Z2381	01-C0111-000	ORIGINAL
56-036	01-C0508-000	ORIGINAL
4Z1961	01-C0115-000	FRESH
73-004	01-C0505-000	FRESH
7Z1511	01-C0123-000	FRESH
8Z0531	01-C0131-000	LIGHT (I.C.)
3AB1122	01-C0134-000	LIGHT (I.C.)
Z047A-10	01-C0144-000	COUNTRY
76-054B	01-C0673-000	COUNTRY
AE3-090B	01-C0335-000	MOUNTAIN
75-013B	01-C0339-000	MOUNTAIN
75-018	01-C0736-000	BAYBERRY PINE

THIS PRODUCT IS A REGISTERED PESTICIDE. USE OF THIS PRODUCT IN A MANNER NOT CONSISTENT WITH THE LABEL INSTRUCTIONS IS A VIOLATION OF FEDERAL LAW.

-----SECTION #2 - HAZARDOUS CHEMICAL COMPONENTS -----

Return to Index

COMPONENT: CARBON DIOXIDE (AS PROPELLANT)

CAS NUMBER: 124-38-9 PERCENT OF MIXTURE: 4.0

ACGIH TLV-STEL: 30,000 PPM ACGIH TLV-TWA: 5000 PPM OSHA PEL-TWA: 5,000 PPM

COMPONENT: ETHANOL

CAS NUMBER: 64-17-5 PERCENT OF MIXTURE: 79.0

ACGIH TLV-TWA: 1000 PPM OSHA PEL-TWA: 1000 PPM

COMPONENT: ORTHO-PHENYLPHENOL

CAS NUMBER: 90-43-7 PERCENT OF MIXTURE: .1

NO EXPOSURE LIMITS ESTABLISHED

BY ACGIH OR OSHA

-----SECTION #3 - PHYSICAL DATA -----

BOILING POINT: NOT APPLICABLE DEG C

VAPOR PRESSURE: 95 - 105 PSIG

VAPOR DENSITY (AIR=1): >1

SPECIFIC GRAVITY: 0.835 @ 25 DEG C (CONC)

SOLUBILITY (H2O): COMPLETE

PH: APPROX. 10 AT A CONCENTRATION OF: 50%

APPEARANCE:

AEROSOL CONTAINER

-----SECTION #4 - FIRE FIGHTING & EXPLOSION DATA -----

FLASH POINT: 70 DEG F TCC (CONCENTRATE)

LOWER EXPLOSIVE LIMIT (%): NOT DETERMINED UPPER EXPLOSIVE LIMIT (%): NOT DETERMINED

FIRE AND EXPLOSION HAZARDS

FLAMMABLE. CONTENTS UNDER PRESSURE. DO NOT USE NEAR HEAT, SPARK OR FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER. EXPOSURE TO TEMPERATURES ABOVE 130 DEG F MAY CAUSE BURSTING.

EXTINGUISHING MEDIA

WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE. USE MEDIA SUITABLE FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

SPECIAL FIRE FIGHTING INSTRUCTIONS

WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE EQUIPMENT APPROPRIATE FOR FIGHTING A TYPICAL CHEMICAL FIRE. MOVE CONTAINERS AWAY FROM FIRE IF POSSIBLE AND SAFE TO DO SO. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. PROVIDE SHIELDING FOR VENTING, RUPTURING OR BURSTING CONTAINERS.

-----SECTION #5 - EXPOSURE EFFECTS AND FIRST AID -----

Return to Index

ROUTE OF EXPOSURE - INHALATION:

NONE EXPECTED. SUSCEPTIBLE INDIVIDUALS MAY EXPERIENCE DIZZINESS, DROWSINESS, NAUSEA AND VOMITING IF EXPOSED TO EXTREMELY HIGH CONCENTRATIONS OF THE VAPORS.

FIRST AID - INHALATION:
IF REQUIRED, REMOVE TO FRESH AIR.

ROUTE OF EXPOSURE - SKIN: NONE EXPECTED.

FIRST AID - SKIN: RINSE WITH WATER.

ROUTE OF EXPOSURE - EYES: AVOID CONTACT WITH EYES.

FIRST AID - EYES:

IMMEDIATELY FLUSH EYES THOROUGHLY WITH WATER, REMOVE ANY CONTACT LENSES AND CONTINUE TO FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

ROUTE OF EXPOSURE - INGESTION:

INGESTION IS VERY UNLIKELY THROUGH THE NORMAL ANTICIPATED USE OF THIS PRODUCT. INGESTION OF SMALL QUANTITIES IS NOT EXPECTED TO CAUSE ANY SIGNIFICANT ADVERSE EFFECTS. AVOID CONTACT WITH FOOD.

FIRST AID - INGESTION: CONTACT A PHYSICIAN.

MISCELLANEOUS TOXICOLOGICAL INFORMATION:

CARCINOGENICITY: NTP: NO IARC: NO OSHA: NO

HEALTH CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN

-----SECTION #6 - REACTIVITY & POLYMERIZATION -----

STABILITY: STABLE

CONDITIONS TO AVOID (STABILITY): AVOID TEMPERATURES ABOVE 130 DEG F

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON DIOXIDE, CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING THERMAL DECOMPOSITION.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

-----SECTION #7 - SPILL, LEAK, & DISPOSAL PROCEDURES -----

STEPS TO BE TAKEN IN THE EVENT OF SPILLS, LEAKS, OR RELEASE: FOR LARGE SPILLS DUE TO RUPTURED CONTAINERS, ELIMINATE ALL SOURCES OF IGNITION AND VENTILATE THE AREA WITH EQUIPMENT RATED FOR USE IN FLAMMABLE

Retinit Remembers. Collect Liquid and Store in Metal Containers for Disposal.

WASTE DISPOSAL METHODS:

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

CONTAINER DISPOSAL:

REPLACE CAP AND DISCARD IN TRASH. DO NOT PUNCTURE OR INCINERATE. DO NOT REUSE EMPTY CONTAINER.

OTHER ENVIRONMENTAL INFORMATION:

NONE OF THE INGREDIENTS IN THIS PRODUCT MEET THE REPORTING REQUIREMENTS OF THE SARA TITLE III, SECTION 313 LIST OF TOXIC CHEMICALS.

-----SECTION #8 - SPECIAL PROTECTIVE MEASURES -----

VENTILATION: NONE REQUIRED.

EYE PROTECTION: NONE REQUIRED.

SKIN PROTECTION: NONE REQUIRED.

RESPIRATORY PROTECTION: NONE REQUIRED.

-----SECTION #9 - SPECIAL PRECAUTIONS - STORAGE & HANDLING -----

STORAGE & HANDLING CONDITIONS:

STORE IN ORIGINAL CONTAINER IN AREAS INACCESSIBLE TO SMALL CHILDREN. FLAMMABLE. CONTENTS UNDER PRESSURE. DO NOT USE NEAR FIRE, SPARKS OR FLAME. EXPOSURE TO TEMPERATURES ABOVE 130 DEG F MAY CAUSE BURSTING.

-----SECTION #10 - SHIPPING INFORMATION -----

PROPER SHIPPING NAME: CONSUMER COMMODITY

DOMESTIC COMMERCE - SURFACE ONLY HAZARD CLASS: ORM-D

STATE REGULATED COMPONENTS

COMPONENT: CARBON DIOXIDE (AS PROPELLANT)

CAS NUMBER: 124-38-9 PERCENT OF MIXTURE: 4.0

STATE REGULATIONS: ILL MAS NJW PAW

COMPONENT: ETHANOL

CAS NUMBER: 64-17-5 PERCENT OF MIXTURE: 79.0

STATE REGULATIONS: ILL MAS NJS NJW PAW P65

COMPONENT: ORTHO-PHENYLPHENOL CAS NUMBER: 90-43-7 PERCENT OF MIXTURE: .1

STATE REGULATIONS: NJE NJW

ILL - ILLINOIS TOXIC SUBSTANCE

MAS - MASSACHUSETTS HAZARDOUS SUBSTANCE

NJE - NEW JERSEY ENVIRONMENTAL HAZARDOUS SUBSTANCE

NJS - NEW JERSEY SPECIAL HEALTH HAZARDOUS SUBSTANCE

NJW - NEW JERSEY WORKPLACE HAZARDOUS SUBSTANCE

PAE - PENNSYLVANIA ENVIRONMENTAL HAZARDOUS SUBSTANCE

Retundo Indernnsylvania special hazardous substance

PAW - PENNSYLVANIA WORKPLACE HAZARDOUS SUBSTANCE P65 - CALIFORNIA PROPOSITION 65



CHURCH & DWIGHT CO., INC.

CONSUMER PRODUCTS - SPECIALITY PRODUCTS

MATERIAL SAFETY DATA SHEET

Product Code(s) MSDS-1603 Revision Date 14-Feb-2012 Page 1/6

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Orange Glo 2 in 1 Furniture Polish

Product Code(s) MSDS-1603

Recommended Use Furniture polish.

Product Type Mixture. **Synonyms** Wood polish

Manufactured by Church & Dwight Co., Inc.

469 N. Harrison Street Princeton, NJ 08543

Emergency Telephone Number

1-800-424-9300

Poison Information Center

Telephone Number 1-888-234-1828 Telephone inquiry

1-800-524-1328

For further information, please also consult our Internet site www.churchdwight.com

2. HAZARDS IDENTIFICATION

Appearance Orange, Clear Physical State Liquid Odor As per label

May cause eye irritation. Repeated exposure may cause skin dryness or cracking

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). However, the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. Therefore, the requirements of the Occupational Safety and Health Administration applicable to this MSDS differ from the labeling requirements of the CPSC, and this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

HMIS Health Hazard 1 Flammability 0 Reactivity 0

Potential Health Effects

Principle Routes of Exposure Eyes, skin contact, inhalation, ingestion.

Acute Toxicity

Eyes Irritating to eyes.

Skin Repeated exposure may cause skin dryness or cracking.

Inhalation May cause irritation of respiratory tract. May cause central nervous system depression with

nausea, headache, dizziness, vomiting, and incoordination.

Ingestion No known effect based on information supplied

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions None known

Environmental Hazard See Section 12 for additional Ecological Information

Furniture Polish

Revision Date 14-Feb-2012 Page 2/6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Solvent naphtha (petroleum), heavy aliphatic	64742-96-7	50-70
Polydimethylsiloxane	63148-62-9	1-4

Bitrex has been added to prevent ingestion.

4. FIRST AID MEASURES

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician

Inhalation Get medical attention if person has difficulty breathing.

Skin Contact Wash skin with soap and water

Ingestion Do NOT induce vomiting. Call a physician immediately.

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable

Flash Point 98°C / 208.4°F Flammability Limits in Air Not flammable

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment

Hazardous Combustion Products Carbon oxides

Explosion Data

Sensitivity to Mechanical Impact Not sensitive
Sensitivity to Static Discharge Not sensitive

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

NFPA Health Hazard 1 Flammability 1 Stability 0 Physical and Chemical

Hazards -

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation

Methods for Containment Prevent further leakage or spillage if safe to do so

Methods for Cleaning Up Pick up and transfer to properly labeled containers

7. HANDLING AND STORAGE

Furniture Polish

Revision Date 14-Feb-2012 Page 3/6

7. HANDLING AND STORAGE

Handling Avoid contact with skin and eyes. Avoid breathing vapors or mists. Ensure adequate

ventilation. Keep out of reach of children and domestic animals.

Keep containers tightly closed in a dry, cool and well-ventilated place **Storage**

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Engineering Measures Showers

> Eyewash stations Ventilation systems

Personal Protective Equipment

Eye/Face Protection If splashes are likely to occur, wear goggles or face shield where eye contact may occur. Skin and Body Protection

No special protective equipment required. Wear chemical resistant gloves where prolonged or

repeated contact may occur.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations

Handle in accordance with good industrial hygiene and safety practice **Hygiene Measures**

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Orange Clear Odor As per label **Odor Threshold** No information available **Physical State** Liquid

Not applicable рH

Flash Point 98°C / 208.4°F **Autoignition Temperature** N/A **Boiling Point/Range Decomposition Temperature** N/A No information available

Melting Point/Range NA Freezing Point NA

Flammability Limits in Air Not flammable **Explosion Limits** No information available

0.797-0.817 Insoluble in water **Specific Gravity** Solubility **Vapor Pressure** No data available Vapor Density No data available

VOC Content 3%

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions

Incompatible Products Strong oxidizing agents.

Conditions to Avoid Application to hot surfaces, exposure to open flame.

Hazardous Decomposition Products Carbon monoxide (CO). Sulfur oxides. Aldehydes.

Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Furniture Polish

Revision Date 14-Feb-2012 Page 4/6

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Solvent naphtha (petroleum), heavy aliphatic	5000 mg/kg (Rat)	2000 mg/kg (Rabbit)	5.28 mg/L (Rat) 4 h
Polydimethylsiloxane	17 g/kg (Rat)	2 g/kg(Rabbit)	

Chronic Toxicity

Target Organ Effects

None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Persistence and Degradability Product is biodegradable

Bioaccumulation/Accumulation Not likely to bioaccumulate

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated Packaging Dispose of

Dispose of in accordance with local regulations

Product Name: Orange Glo 2 in 1 Revision Date 14-Feb-2012 Page 5/6

Furniture Polish

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	EIN/ELN	ENCS	IECSC	KECL	PICCS	AICS
Solvent naphtha (petroleum), heavy aliphatic	Present	Х	X	-	X	KE-31655	Х	Х
Polydimethylsiloxane	XU	Х	-	(7)-476	X	-	Х	X

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Sudden Release of Pressure Hazard No
Fire Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

Furniture Polish

Revision Date 14-Feb-2012 Page 6 / 6

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Mexico - Grade

No information available.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

Prepared By Church & Dwight Co. Inc.

Product Stewardship 469 North Harrison Street Princeton, New Jersey 08543

609.279.7705

Revision Date 14-Feb-2012

Reason for Revision No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS

PURELL® Hand Sanitizer



 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 02/10/2015

 1.2
 03/19/2015
 46955-00003
 Date of first issue: 01/13/2015

SECTION 1. IDENTIFICATION

Product name : PURELL® Hand Sanitizer

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500

Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use : Hand Sanitizer

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.

H319 Causes serious eye irritation.

PURELL® Hand Sanitizer



 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 02/10/2015

 1.2
 03/19/2015
 46955-00003
 Date of first issue: 01/13/2015

Precautionary Statements : **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention. Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

PURELL® Hand Sanitizer



Version **Revision Date:** MSDS Number: Date of last issue: 02/10/2015 03/19/2015 46955-00003 Date of first issue: 01/13/2015 1.2

Get medical attention.

If swallowed, DO NOT induce vomiting. If swallowed

> Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

: Causes serious eye irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

: Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

: Carbon oxides

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.

PURELL® Hand Sanitizer



 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 02/10/2015

 1.2
 03/19/2015
 46955-00003
 Date of first issue: 01/13/2015

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust

ventilation.

Advice on safe handling : Do not breathe vapors or spray mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

PURELL® Hand Sanitizer



 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 02/10/2015

 1.2
 03/19/2015
 46955-00003
 Date of first issue: 01/13/2015

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

•	•					
Ingredients	CAS-No.	Control	Biological	Sam-	Permissible	Basis
		parameters	specimen	pling	concentratio	
				time	n	
Propan-2-ol	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH
				shift at		BEI
				end of		
				work-		
				week		

Engineering measures : Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust

ventilation.

Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

PURELL® Hand Sanitizer



Version **Revision Date:** MSDS Number: Date of last issue: 02/10/2015 03/19/2015 46955-00003 Date of first issue: 01/13/2015 1.2

> use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

> circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material Impervious gloves

Material : Flame retardant gloves

Remarks : Choose gloves to protect hands against chemicals depending

> on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

: Wear the following personal protective equipment: Eye protection

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures Ensure that eye flushing systems and safety showers are

> located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, Colorless to pale yellow

Odor : citrus

Odor Threshold : No data available

pΗ : 6.0 - 9.2

Melting point/freezing point : No data available

Initial boiling point and boiling

range

: No data available

PURELL® Hand Sanitizer



Version Revision Date: MSDS Number: Date of last issue: 02/10/2015 1.2 03/19/2015 46955-00003 Date of first issue: 01/13/2015

Flash point : 25 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 0.89 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 1,000 - 35,000 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Flammable liquid and vapor.

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

PURELL® Hand Sanitizer



Version **Revision Date:** MSDS Number: Date of last issue: 02/10/2015 03/19/2015 46955-00003 Date of first issue: 01/13/2015 1.2

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

: Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

Ingredients:

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l

Exposure time: 4 h Test atmosphere: vapor

Propan-2-ol:

: LD50 (Rat): > 5,000 mg/kg Acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l

> Exposure time: 4 h Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Ethanol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Propan-2-ol: Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

PURELL® Hand Sanitizer



 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 02/10/2015

 1.2
 03/19/2015
 46955-00003
 Date of first issue: 01/13/2015

Ethanol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Propan-2-ol: Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Ethanol:

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse Result: negative

Propan-2-ol:

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

PURELL® Hand Sanitizer



 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 02/10/2015

 1.2
 03/19/2015
 46955-00003
 Date of first issue: 01/13/2015

Carcinogenicity

Not classified based on available information.

Ingredients:
Propan-2-ol:
Species: Rat

Application Route: inhalation (vapor)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 416

Result: negative

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

Ingredients:

Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

PURELL® Hand Sanitizer



Version Revision Date: MSDS Number: Date of last issue: 02/10/2015 1.2 03/19/2015 46955-00003 Date of first issue: 01/13/2015

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat

NOAEL: 2,400 mg/kg Application Route: Ingestion

Exposure time: 2 y

Propan-2-ol:

Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapor)

Exposure time: 104 w

Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to algae : ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800

mg/l

PURELL® Hand Sanitizer



 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 02/10/2015

 1.2
 03/19/2015
 46955-00003
 Date of first issue: 01/13/2015

Exposure time: 8 d

Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Persistence and degradability

Ingredients:

Ethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Propan-2-ol:

Biodegradability : Result: rapidly degradable

Bioaccumulative potential

Ingredients:

Ethanol:

Partition coefficient: n-

octanol/water

: log Pow: -0.35

Propan-2-ol:

Partition coefficient: n-

octanol/water

: log Pow: 0.05

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

PURELL® Hand Sanitizer



Version Revision Date: MSDS Number: Date of last issue: 02/10/2015
1.2 03/19/2015 46955-00003 Date of first issue: 01/13/2015

(Ethanol, Propan-2-ol)

Class : 3
Packing group : III
Labels : 3

IATA-DGR

UN/ID No. : UN 1987
Proper shipping name : Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo : 366

aircraft)

Packing instruction : 355

(passenger aircraft)

IMDG-Code

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(Ethanol, Propan-2-ol)

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

Class : 3 Packing group : III

Labels : FLAMMABLE LIQUID

ERG Code : 127 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

PURELL® Hand Sanitizer



 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 02/10/2015

 1.2
 03/19/2015
 46955-00003
 Date of first issue: 01/13/2015

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Propan-2-ol 67-63-0 3.013 %

US State Regulations

Pennsylvania Right To Know

 Ethanol
 64-17-5
 50 - 70 %

 Water
 7732-18-5
 30 - 50 %

 Propan-2-ol
 67-63-0
 1 - 5 %

New Jersey Right To Know

 Ethanol
 64-17-5
 50 - 70 %

 Water
 7732-18-5
 30 - 50 %

 Propan-2-ol
 67-63-0
 1 - 5 %

California Prop 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

PURELL® Hand Sanitizer




Version Revision Date: MSDS Number: Date of last issue: 02/10/2015 1.2 03/19/2015 46955-00003 Date of first issue: 01/13/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

Sources of key data used to compile the Material Safety

Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



MATERIAL SAFETY DATA SHEET

IN CASE OF EMERGENCY CALL CHEMTREC AT 1-800-424-9300

1. PRODUCT IDENTIFICATION AND COMPANY IDENTIFICATION:

Product Name: PURELL® Instant Hand Sanitizer Ocean Mist

GOJO Industries, Inc.

Company Name & Address: One GOJO Plaza, Suite 500

Akron, OH 44311

Emergency Phone: 1-800-424-9300 CHEMTREC

Non-Emergency Phone: (330) 255-6000

MSDS Request Phone: (330) 255-6000 x8804

2. INFORMATION ON INGREDIENTS:

HAZARDOUS INGREDIENTS	CAS NUMBER	OSHA PEL	ACGIH TLV	% RANGE
Ethanol	64-17-5	1000 ppm	1000 ppm	62
Isopropanol	67-63-0	400 ppm	200 ppm	<5

Other ingredient(s) with notification requirements:	CAS NUMBER	List
Ethanol	64-17-5	MA 1; NJ 1S; PA 1; CN 2
Isopropanol	67-63-0	MA 1; NJ 1S; PA; CN 1

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW

When used according to instructions, the product applicable to this MSDS is safe and presents no immediate or long-term health hazard. However, abnormal entry routes, such as gross ingestion, may require immediate medical attention.

Potential Health Effects:

HMIS: Health 2 Flammability 3 Reactivity 0 Personal Protection None

Eye Contact: May cause eye irritation.

Skin Contact: No irritation or reaction expected.

Inhalation: Not applicable.

Ingestion: May cause upset stomach, nausea (Abnormal entry route). Carcinogenicity: Not listed as a carcinogen by NTP, IARC, OSHA or ACGIH.

4. FIRST AID MEASURES:

Eye Contact: Do not rub eyes. Flush eyes thoroughly with water for 15 minutes. If condition

worsens or irritation persists, contact physician.

Skin Contact: Not applicable. Inhalation: Not applicable.

Ingestion: Do not induce vomiting. Contact a physician or Poison Control Center.

5. FIRE FIGHTING MEASURES:

NFPA: Health <u>2</u> Fire <u>3</u> Reactivity <u>0</u>

Flashpoint °F/°C (PMCC method): 74°F/23°C

Unusual Fire and Explosion Hazards: Product is flammable due to alcohol content.

Special Fire Fighting Procedures: None known.

Extinguishing Media: X Water Fog X Alcohol Foam X CO₂ X Dry Chemical Other

6. ACCIDENTAL RELEASE MEASURES:

Avoid contact with ignition sources since product is flammable. Absorb onto inert material and dispose in appropriate manner. Water clean up and rinse. CAUTION – WILL CAUSE SLIPPERY SURFACES.

7. HANDLING AND STORAGE:

Keep away from fire or flame. Store at normal room temperature away from reach of small children. Keep containers sealed. Use older containers first. Avoid freezing conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

Eye Protection:

Skin Protection:

Respiratory Protection:

Ventilation:

Protective Equipment or Clothing:

None required under normal conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance and Odor Clear blue gel, melon fragrance

pH (undiluted): 4.5 – 9.5 VOC, %: 65

10. STABILITY AND REACTIVITY:

Stable/Non reactive product. Avoid ignition sources.

11. TOXICOLOGICAL INFORMATION:

No acute or chronic toxic effects expected when used according to directions.

12. ECOLOGICAL CONSIDERATIONS:

No ecological or special considerations when used according to directions. Not considered environmentally harmful from normal dilution, expected usage and typical drainage to sewers, septic systems and treatment plants.

13. DISPOSAL CONSIDERATIONS:

Characteristic hazardous waste-flammable liquid. Dispose according to local, state and Federal regulations.

14. TRANSPORT INFORMATION:

Hazardous by transport regulations. When transported by ground modes in the U.S., this product is typically shipped as Consumer Commodity ORM-D. When transported by air, this product, depending on the inner container size, is shipped as ID8000 or UN1170. Consult ICAO/IATA regulations. When transported by water, this product is typically shipped as a UN1170 in Limited Quantities. Refer to all current transport regulations for exact requirements.

15. REGULATORY AND OTHER INFORMATION:

TSCA: All ingredients are listed or exempt per reference 15 USC 2602 (2)(B)(iv).

Complies with current FDA regulations for cosmetic and/or over-the-counter drug products.

WHMIS: Not Controlled

Notice: The information herein is based on data considered to be accurate as of the date of preparation of this material safety data sheet. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information. The user assumes all liability for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

Document#: 9652-510

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Recommended use : Insecticide

Manufacturer, importer,

supplier

S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.
Gases under pressure	Liquefied gas	Contains gas under pressure; may explode if heated.

Labelling

Hazard symbols

Flame

Gas cylinder

Signal word

Warning

Hazard statements

Flammable aerosol.

Contains gas under pressure; may explode if heated.

Precautionary statements

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Protect from sunlight. Store in a well-ventilated place.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Other hazards None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	64742-47-8	10.00 - 30.00
Propane	74-98-6	5.00 - 10.00
Butane	106-97-8	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00
Isopropanol	67-63-0	1.00 - 5.00
Imiprothrin	72963-72-5	0.10 - 1.00
Cypermethrin	52315-07-8	0.0001 - 0.10

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

: No special requirements Eye contact

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

firefighting

Specific hazards during : Aerosol Product - Containers may rocket or explode in heat of

fire. Do not allow run-off from fire fighting to enter drains or

water courses.

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Further information : Fight fire from maximum distance or protected area. Cool and

use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or

explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.

Wear personal protective equipment. Wash thoroughly after handling.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Use appropriate containment to avoid environmental

contamination.

Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

If damage occurs to aerosol can:

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

Do not enter places where used or stored until adequately

ventilated.

For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Pressurized container.

Do not pierce or burn, even after use.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source.

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Storage

areas and containers

Requirements for storage : Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F.

Keep away from food, drink and animal feedingstuffs.

Keep in a dry, cool and well-ventilated place.

Protect from sunlight.

Store in a well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3 ppm		Non- standard units	Basis
Hydrocarbons, C14-C18, n- alkanes, isoalkanes, cyclics, <2% aromatics	64742-47-8	1,200 mg/m3	152 ppm	1	SUPPLIER
Propane	74-98-6	-	1,000 ppm	ı	ACGIH TWA
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Butane	106-97-8	-	1,000 ppm	-	ACGIH STEL
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL
Isopropanol	67-63-0	980 mg/m3	400 ppm	-	OSHA TWA
Isopropanol	67-63-0	-	400 ppm	-	ACGIH STEL
Isopropanol	67-63-0	-	200 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection Do not spray in enclosed areas.

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Hand protection : No special requirements.

Eye protection No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color clear

Odor pleasant

Odour Threshold : No data available

pН : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

: -7 °C Flash point

19.4 °F

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper/lower flammability or : No data available

explosive limits

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Vapour pressure : No data available

Vapour density : No data available

Relative density : 0.877 g/cm3 at 21.11 °C

Solubility(ies) : partly soluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature :

Decomposition temperature : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

Volatile Organic Compounds

12.1 % - additional exemptions may apply

*as defined by US Federal and State Consumer Product

Total VOC (wt. %)* Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Warning

Acute oral toxicity : NA GHS LD50

estimated > 5,000 mg/kg

Acute inhalation toxicity : NA GHS LC50 (dust and mist)

estimated > 5.1 mg/l

Acute dermal toxicity : NA GHS LD50

estimated > 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	LC50	Fish	> 1,028 mg/l	96 h
Propane	LC50	Fish	27.98 mg/l	96 h
Butane	No data available			
Isobutane	LC50	Fish	27.98 mg/l	96 h
Isopropanol	LC50	Pimephales promelas (fathead minnow)	9,640 mg/l	96 h
Imiprothrin	LC50	Oncorhynchus mykiss (rainbow trout)	0.038 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Cypermethrin	LC50	Oncorhynchus mykiss (rainbow trout)	0.00283 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	0.00001 mg/l	28 d

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC50 No data available		> 3,193 mg/l	48 h
Propane	LC50	Daphnid	14.22 mg/l	48 h
Butane	No data available			
Isobutane	LC50	Daphnid	16.33 mg/l	48 h
Isopropanol	EC50	Daphnia magna (Water flea)	13,299 mg/l	48 h
Imiprothrin	EC50	Daphnia magna (Water flea)	0.051 mg/l	48 h
Cypermethrin	EC50	Daphnia magna (Water flea)	0.00471 mg/l	48 h

9/14

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

NOEC Daphnia magna (Water 0.00004 right) 21 d

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC50	Skeletonema costatum	3,198 mg/l	72 h
Propane	No data available			
Butane	No data available			
Isobutane	EC50	Green algea	8.57 mg/l	96 h
Isopropanol	EC50	Desmodesmus subspicatus (green algae)	> 1,000 mg/l	72 h
Imiprothrin	NOEC	Pseudokirchneriella subcapitata (green algae)	1.3 mg/l	72 h
Cypermethrin	ErC50 No data available		> 0.0033 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available		
Propane	70 %	< 10 d	Readily biodegradable
Butane	100 %	385.5 h	Readily biodegradable
Isobutane	70 %	< 10 d	Readily biodegradable
Isopropanol	53 %	5 d	Readily biodegradable
Imiprothrin	58 %	28 d	Not readily biodegradable.

10/14

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Cypermethrin	0.6 - 1.4 %	33 d	Not readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available	No data available
Propane	No data available	2.36
Butane	No data available	2.89
Isobutane	1.57 - 1.97	2.8
Isopropanol	0.96 estimated	0.05
Imiprothrin	58.2 Calculated	2.9
Cypermethrin	373.4 Measured	5.3 - 5.6

Mobility

Component	End point	Value
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available	-
Propane	No data available	
Butane	No data available	
Isobutane	No data available	
Isopropanol	No data available	
Imiprothrin	Koc	268
Cypermethrin	Koc	80653 - 574360

PBT and vPvB assessment

Component	Results
Propane	Not fulfilling PBT and vPvB criteria
Butane	Not fulfilling PBT and vPvB criteria
Isobutane	Not fulfilling PBT and vPvB criteria

11/14

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

Isopropanol	Not fulfilling PBT and vPvB criteria
Imiprothrin	Not fulfilling PBT and vPvB criteria
Cypermethrin	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

PESTICIDAL WASTE:

For disposal information, please read and follow Disposal

instructions on the pesticide label.

Consumer may discard empty container in trash, or recycle

where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper	AEROSOLS,	AEROSOLS,	AEROSOLS,
shipping name	Flammable, 2.1	Flammable, 2.1	Flammable, 2.1
Transport hazard	2.1	2	2.1
class(es)			
Packing group	-	-	-
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport	transport documents.
		documents.	

15. REGULATORY INFORMATION

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Following is the hazard information as required on the pesticide label:

CAUTION:

Contents under pressure.

Flammable.

Exposure to temperatures above 130° F may cause bursting.

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Registration # / Agency

4822-447/US/EPA

16. OTHER INFORMATION

HMIS Ratings

rimio ratings	
Health	2
Flammability	4
Reactivity	0

according to Hazard Communication Standard; 29 CFR 1910.1200



RAID® ANT & ROACH KILLER 17 (OUTDOOR FRESH®)

Version 1.0 Print Date 03/04/2015

Revision Date 02/24/2015 SDS Number 350000017507

NFPA Ratings

iti i A italiligo		
Health	2	
Fire	4	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

"IONAL SANITARY SUPPLY CO. 3217 S. Figueroa Street os Angeles, California 90061 mergency No. 1-800-535-5053 (INFOTRAC) all nearest Sales Office for MSDS Information ATERIAL SAFETY DATA SHEET IDENTIFICATION OF PRODUCT CTION 1. Product Name: REAL LEMON OIL FURNITURE POLISH Date Issued: 08/22/90 Supercedes: 11/25/85 National Item#: 3212XX SECTION 2. INGREDIENTS CAS NUMBER PERCENT TLV UNITS EXPOSURE LIMITS IN AIR OSHA PEL ACGIH TLV OTHER OSHA PEL AND ACGIH. 17-29 TLV HAS NOT BEEN ESTABLISHED PETROLEUM DISTILLATES 64741-65-7 70-80 MINERAL OIL 8042-47-5 NOT BEEN N/P = Not Applicable; N/D = Not DeterminedSECTION 3. PHYSICAL DATA Bo ling Point (F): 361-381
Va: or Pressure (mm Hg.): < 1
Vator Density (Air=1): < 5
Solubility in Water: INSOLUBLE
Appearance and Odor: Specific Gravity (Water=1): 79
Percent Volatile (By Volume): 80%
Evaporation Rate (BUAC =1): < 1
ph Range: N/A Section 4. FIRE AND EXPLOSION HAZARD DATA Flash Point (Test Method): (TTC) 132 F

Flatmable Limits: LEL= 1.0%

Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER FOG.

Special Fire Find Procedures: FOR FIRES INVOLVING THIS PROTECTIVE EQUIPMENT. THIS MAY INCLUDE SELF CONTAINED FOR COMPARATUS TO PROTECT AGAINST THE HAZARDOUS EFFECTS OF INCLUDE SUAL FIRE & Explosion Hazards: NONE ECTION 5. REACTIVITY DATA _ability: STABLE
Incompatibility - Materials to Avoid: MAY REACT WITH STRONG OXIDIZING
MATERIALS.
Hazardous Polymerization: WILL NOT OCCUR
Conditions to Avoid: DO NOT MIX THIS PRODUCT WITH OTHER CHEMICALS
Hazardous Decomposition Products: NORMAL COMBUSTION FORMS CARBON DIOXIDE
AND WATER VAPOR, INCOMP[LETE COMBUSTION MAY PRODUCE CARBON MONOXIDE. SECTION 6. SPILL, LEAK AND DISPOSAL PROCEDURES Spill Response: ELIMINATE ALL OPEN FLAMES IN VICINITY OF SPILL. DIKE AREA TO CONTAIN SPILL. CLEAN UP AREA BY MOPPING OR ABSORBENT MATERIAL WILL ONLY ABSORB LIQUID, IT WILL NOT ABSORB VAPOR. PLACE ALL CONTAMINATED MATERIAL IN CLOSED CONTAINERS FOR DISPOSAL. AVOID CONTAMINATION OF GROUND AND SURFACE WATERS. DO NOT FLUSH TO SEWER. PRODUCT DISPOSAL: RECOVERED LIQUID MAY BE SENT TO A LICENSED INCINERATION FACILITY. CONTAMINATED MATERIAL MUST BE DISPOSED OF IN A DISPOSAL AUTHORITIES FOR APPROVED PROCEDURES. CONSULT FEDERAL, STATE, OR LOCAL CONTAINER DISPOSAL AUTHORITIES FOR APPROVED PROCEDURES.

PAGE 2 MATERIAL SAFETY DATA SHEET Product Name: REAL LEMON OIL FURNITURE POLISH Date Issued: 08/22/90 TION 7. HEALTH HAZARD DATA Primary Route(s) of Entry: INHALATION, SKIN, EYES Symptoms of Overexposure:

Symptoms of Overexposure:

Eye Contact: THIS PRODUCT IS NOT EXPECTED TO BE AN EYE IRRITANT.

Eye Contact: THIS PRODUCT MAT CAUSE SKIN IRRITAION ON PROLONGED OR SKIN CONTACT: THIS PRODUCT MAT CAUSE SKIN IRRITAION ON PROLONGED OR FREQUENTLY REPEATED SKIN FREQUENTLY REPEATED CONTACT: PROLONGED DRY OR CRAKED FROM DEFATTING CONTACT MAY CAUSE THE SKIN TO BECOME DRY OR CRAKED FROM DEFATTING ACTION OF THE PRODUCT.

Inhalation: PROLONGED EXPOSURE TO HIGH VAPOR CONCENTRATIONS OF THIS PRODUCT MAY CAUSE SIGNS AND SYMPTOMS OF HEADACHE OR DIZZINESS.

PRODUCT MAY CAUSE SIGNS AND SYMPTOMS OF HEADACHE OR DIZZINESS.

AFFECTED PERSONS NORMALLY EXPERIENCE COMPLETE RECOVERY WHEN REMOVED FROM THE EXPOSURE AREA.

INGESTION:

INGESTION:

INGESTION:

INGESTION:

THE PETROLEUM DISTILLATE LISTED IN SECTION 2 IS NOT LISTED ON THE OSHA, NTP, OR IARC CARCINOGEN LISTS.

OSHA, NTP, OR IARC CARCINOGEN LISTS. EMERGENCY AND FIRST AID PROCEDURES Eye Contact: Flush Eye With Plenty OF WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION: SOAP AND WATER. USE A GOOD SKIN CREAM AFTER Skin Contact: WASH WITH SOAP AND WATER. USE A GOOD SKIN CREAM AFTER WASHING AND THOUROGHLY DRYING SKIN. WASH CONTAMINATED CLOTHING BEFORE WASHING AND THOUROGHLY DRYING SKIN. WASH CONTAMINATED CLOTHING BEFORE REUSE: EXCESSIVE INHALATION CAN CAUSE HEADACHE MOVE PERSON TO AN Inhalation: EXCESSIVE INHALATION CAN CAUSE HEADACHE MOVE PERSON TO AN INHALATION: EXCESSIVE INHALATION CAN CAUSE HEADACHE MOVE PERSON TO AN INHALATION. DRINK MILK OR WATER AND UNCONTAMINATED AREA AND GET MEDICAL REQUIRES IMMEDIATE MEDICAL MANAGEMENT. DRINK MILK OR WATER AND INDUCED ONLY ON RECOMMENDATION GET MEDICAL ADVICE. VOMITING SHOULD BE INDUCED ONLY ON RECOMMENDATION OF MEDICAL PERSONNEL. SPECIAL PROTECTION INFORMATION Respiratory Protection: NONE REQUIRED
Intilation: NORMAL VENTILATION
Totection Gloves: NONE REQUIRED
TYPE Protection: NONE REQUIRED
Other Protective Clothing/Equipment: NONE REQUIRED SECTION 9. ADDITIONAL INFORMATION AND PRECAUTIONS SARA TITLE III HEP RATINGS: Acute YES; Chronic, NO; Fire, YES; Press. Release, NO; Reactive, NO; FIRE -1 REACTIVITY -0 NFPA RATINGS: HEALTH -1 Handling and Storage Precautions: AVOID OPEN FLAMES AND SPARK SOURCES STORE IN COOL DRY PLACE. KEEP OUT OF REACH OF CHILDREN. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET REPRESENTS THE LATEST DATA AND BEST OPINION AS TO THE PROPER USE AND HANDLING OF THIS PRODUCT UNDER NORMAL CONDITIONS. ANY USE OF THIS PRODUCT OR METHOD OF APPLICATION WHICH IS NOT IN CONFORMANCE WITH THIS DATA SHEET AND THE PRODUCT LABEL DIRECTIONS, IS THE RESPONSIBILITY OF THE USER. THIS PRODUCT LABEL DIRECTIONS, IS THE RESPONSIBILITY OF THE USER. ANY WATERIAL SAFETY WAS PREPARED TO COMPLY WITH THE OSHA HAZARD COMMUNICATION REGULATION. NON REGULATED PRODUCT.



MATERIAL SAFETY DATA SHEET

SECTION I - MATERIAL IDENTIFICATION AND USE

PRODUCT NAME:

Screen Cleaning Fluid

Part numbers X80012

DISTRIBUTOR:

STAPLES INC.

500 STAPLES DRIVE

FRAMMINGHAM, MA 01702

SUPPLIER:

KENSINGTON TECHNOLOGY GROUP

2000 Alameda de Las Pulgas SAN MATEO, CA 94403

FOR MEDICAL OR FIRST AID EMERGENCY CALL INFOTRAC

1-800-535-5053 or 1-352-323-3500

24 HOURS PER DAY; 7 DAYS PER WEEK

MANUFACTURER:

ACL, Inc.

Phone: (847) 981-9212

1960 E. Devon Ave. Elk Grove Village, IL 60007 U.S.A.

Fax: (847) 981-9278

Chemical Name: Proprietary
Chemical Family: Solvents
Chemical Formula: Proprietary

Molecular Weight: Not Available

Synonym(s): None

Material Use: Cleaner

SECTION II - HAZARDOUS INGREDIENTS

Hazardous Ingredients	Approximate Concentration %	C.A.S., N.A., or U.N. Numbers	Exposure Limits	LD ₅₀ /LC ₅₀ (Species and Route)
Butyl Cellusoive	L.T. 2	111 - 76 - 2	50 ppm OSHA/PEL	Guinea pig (dermal) 230 mg/kg

SECTION III - PHYSICAL DATA

Physical State	Liquid	Boiling Point (C)	Over 93
Evaporation Rate	Greater than 1 (Water = 1)	Freezing Point (C)	Less than 0
Odor Threshold (ppm)	Unknown	Solubility in Water (20°C)	Miscible
Specific Gravity	1.0	% Volatile (by Volume)	

Vapor Pressure	(mm)	20°C = 18 est.		Coefficient of Water	Oil Distribution	Miscible		
Vapor Density (a	air = 1)	Greater than 2		Density (g/ml)		1.0		
Odor & Appeara	Odor & Appearance Blue liquid with pleasant odor. pH 7							
SECTION IV -	SECTION IV - FIRE AND EXPLOSION HAZARD							
Flammable:	, Y	es <u>X</u> No						
Means of Ex	dinction:	Not flammable.						
Special Proc	cedures:	None.						
TDG Flammabil	ity Classific	ation	Unknown	Sensitivity to Sta	atic Discharge	Unknown		
Explosion Data ((Sensitivity	to Chemical Impact)	Unknown	Rate of Burning		Unknown		
Auto Ignition Te	mperature ((°C)	Unknown	Explosive Power		Unknown		
Flashpoint (C) 8	Method	Greate	than 200 TCC Lipper Explosion	Limit /% by Volume)	Unknown	I.ower Explo	sion Limit (% by V	(olume) Unknown
Hazardous Com			Oxides			•		
SECTION V	DEACT							
SECTION V -								
	•							
incompatibili	ity to Othe	er Substances: No.						
Reactivity an	d Under \	What Conditions: Ur	known					
Hazardous D	ecompos	ition Products: Unk	nown.					
Material Nam	ne: KENS	INGTON SCREE	N GUARDIAN #12163					
SECTION VI - T	OXICOLO	GICAL PROPERTIE	S OF PRODUCT					
Route of Entr	ry: S	kin Contact S	kin Absorption X Eye Contac	t Inhalation	Acute Inhal	ation Chron	ic X Ingest	ion
Effects of Ac	ute Expos	sure to Product: Sol	ution trritate eyes and skin. May t	e harmful and fat	al if swallowed.		_	
Effects of Chi	ronic Exp	osure to Product: U	nknown.					
Synergistic Mate	erials U	nknown		LD ₅₀ of Product (Route)	Species and	Unknov	vit	
Exposure Limits	; u	nknown		LC ₅₀ of Product (Route)	Species and	Unknov	m	
Irritancy								
•	Carcinogenicity Reproductive Effects Teratogenicity Mutagenicity							
Effects of abo								
	—is a maiser visual	VE MEASURES uipment: With propo	er usage, none is required.					
Gloves				E	N			
Respiratory	None			Footwear	None			
veshignik	None			Clothing	None			

None

Engineering Controls: Normal room ventilation.

Leak and Spill Procedure: Small amounts may be rinsed away with water to sewer or mopped up.

Waste Disposal: Rinse into sewer with copious amounts of water or dispose of in landfill.

Handling Procedures and Equipment: No special requirements.

Storage Requirements: Store in cool, dry place out of direct sun.

Special Shipping Information: None required. Material is not regulated by D.O.T.

SECTION VIII - FIRST AID MEASURES

Skin: Flush with water, wash with scap.

Eye: Wash with water. Contact a physician if necessary.

Inhalation: Remove to fresh air and contact a physician if necessary.

ingestion: Drink copious amounts of water/milk and contact physician.

General Advice: Do not smoke while using, keep away from children, wash hands after using.

SECTION IX - PREPARATION OF M.S.D.S.

Flammability

0

Reactivity

0

Health Other

á

Additional Information/Comments: est. = estimate

TCC = Tag Closed Cup

L.T. = Less Than

Sources Used:

"Hazardous Products Act" - SOR/88-64

"Dangerous Properties of Industrial Materials" - Sax

Prepared By: Kensington (with information from ACL, Inc.)

Phone Number: 650-572-2700 Original Release Date: 8/13/91

Revision Date: 8/15/2002



Acco Part # Description

X40827D Static and Dust Control Kit

This item is a kit consisting of the X12873 Dust Blaster (3.5 oz) and the X81288 Dust Guardian Multipurpose Antistatic Spray. Each of these items has its own MSDS.

You should consult the individual MSDS for each item. They are attached for your convenience.

Please let us know if you have any further questions.

Attachments: X12873D MSDS and X81288D MSDS

MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND INDENTIFICATION

PRODUCT NAME: X12873D - DUST BLASTER TRIAL SIZE 3.5 OZ.

SUPPLIER: KENSINGTON TECHNOLOGY GROUP

2000 ALAMEDA DE LAS PULGAS

SECOND FLOOR

SAN MATEO, CA 94403

EMERGENCY TELEPHONE (INFOTRAK): 800-535-5053

24 HOUR EMERGENCY PHONE

MANUFACTURER: AEROFIL TECHNOLOGY, INC.

225 INDUSTRIAL PARK DRIVE

SULLIVAN, MO 63080

EMERGENCY TELEPHONE (INFOTRAK): 800-535-5053

24 HOUR EMERGENCY PHONE

SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

ITEM LESS T		MICAL NAME	CA	S NUMBER	-WT/WT %
01	ETHANE, 1,	1, 1, 2-TETRAFL	UORO	811-97-2	100.0%
		EXP	OSURE LIMITS		
ITEM SKIN	AC TLV-TWA	GIH TLV-STEL	OS PEL-TWA	SHA PEL-CEILING	COMPANY TLV-TWA
01 NO	NO INFO	NO INFO	NO INFO	NO INFO	1000 ppm

(See Section 16 for abbreviation legend)

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: KEEP FROM REACH OF CHILDREN. DO NOT PUNCTURE, INCINERATE, OR PLACE AEROSOL PRODUCT CONTAINERS IN COMPACTORS. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED SINCE CONTAINERS RETAIN PRODUCT RESIDUES (VAPOR, LIQUID, AND/OR SOLID). ALL HAZARD PRECAUTIONS GIVEN MUST BE OBSERVED. DO NOT FLAME CUT, BRAZE, OR USE WELDING TORCH. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THIS PRODUCT MAY BE HARMFUL OR FATAL.

EFFECTS OF OVEREXPOSURE – EYE CONTACT: MAY CAUSE IRRITATION, REDNESS, TEARING, BLURRED VISION.

EFFECTS OF OVEREXPOSURE – SKIN CONTACT: CONTACT WITH LIQUID FROM THIS PRODUCT MAY CAUSE FROST BITE. PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION DEFATTING, DERMATITIS.

EFFECTS OF OVEREXPOSURE – INHALATION: EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS, AND EVEN ASPHYXIATION.

EFFECTS OF OVEREXPOSURE – INGESTION: THIS IS NOT AN ANTICIPATED ROUTE OF ENTRY.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: No Information.

PRIMARY ROUTE S) OF ENTRY: SKIN CONTACT, INHALATION, EYE CONTACT

SECTION 4 – FIRST AID MEASURES

FIRST AID – EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER AND LOWER LIDS OCCASIONALLY, GET MEDICAL ATTENTION.

FIRST AID – SKIN CONTACT: FLUSH THOROUGHLY WITH WATER TO WARM SKIN, TREAT FOR FROSTBITE IF NECESSARY.

FIRST AID – INHALATION: REMOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. KEEP PERSON WARM AND OUIET. GET MEDICAL ATTENTION.

FIRST AID - INGESTION: THIS IS NOT AN ANTICIPATED ROUTE OF ENTRY.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT: N.A. LOWER EXPLOSIVE LIMIT: N.A. UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: N.D.

EXTINGUISHING MEDIA: C02, DRY CHEMICAL, WATER - FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: VAPORS ARE HEAVIER THAN AIR AND TRAVEL ALONG THE GROUND OR MAY BE MOVED BY VENTILATION TO LOCATIONS DISTANT FROM THE MATERIAL HANDLING POINT.

SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE WHEN FIGHTING FIRES. KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER FOG.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: VENTILATE AREA. PERSONS NOT PROPERLY EQUIPPED SHOULD BE EXCLUDED FROM AREA. STOP STILL AT SOURCE IF POSSIBLE. AVOID INHALATION OF VAPORS. AVOID CONTACT WITH LIQUID. THIS PRODUCT CONSISTS OF MATERIALS WHICH ARE GASES AT ROOM TEMPERATURE. IN THE EVENT OF AN ACCIDENTAL RELEASE, THE CONTENTS OF THIS PRODUCT WILL EVAPORATE. IF UNEMPTIED AEROSOLS ARE TO BE DISPOSED OF, DO SO IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

SECTION 7 – HANDLING AND STORAGE

HANDLING: No Information.

STORAGE: DO NOT STORE ABOVE 120F. DO NOT STORE IN DIRECT SUNLIGHT.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: PROVIDE SUFFICIENT MECHANICAL VENTILATION (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

RESPIRATORY PROTECTION: IF WORK PLACE EXPOSURE LIMITS OF PRODUCT OR ANY COMPONENT IS EXCEEDED, USE A NIOSH/MSHA APPROVED RESPIRATOR. CONSULT YOUR SAFETY EQUIPMENT SUPPLIER FOR RECOMMENDATIONS.

SKIN PROTECTION: NOT NECESSARY UNDER NORMAL CONDITIONS. WEAR INSULATED RUBBER GLOVES IF THERE IS ANTICIPATED EXPOSURE TO LIQUID PRODUCT.

EYE PROTECTION: SAFETY GLASSES ARE RECOMMENDED TO PROTECT AGAINST FLYING DIRT AND OTHER OBJECTS DISPLACED BY AIR DUSTER.

OTHER PROTECTIVE EQUIPMENT: NONE KNOWN

HYGIENIC PRACTICES: WASH HANDS BEFORE EATING OR SMOKING. SMOKE IN DESIGNATED AREAS ONLY. REMOVE AND LAUNDER CLOTHING IF CONTAMINATED.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE : -16 to -16F VAPOR DENSITY : Is heavier

than air

ODOR : SLIGHT ETHER-LIKE ODOR THRESHOLD : N.D. APPEARANCE : COLORLESS GAS EVAPORATION DATE: Is faster

than Butyl

SOLUBILITY IN H2O: NEGLIGIBLE Acetate FREEZE POINT: N.D. SPECIFIC GRAVITY: 1.2104 VAPOR PRESSURE: N.D. pH @ 0.0%: N.A. PHYSICAL STATE: LIQUID VISCOSITY: N.D.

COEFFICIENT OF WATER/OIL DISTRIBUTION: N.D.

(See Section 16 for abbreviation legend)

SECTION 10 – STABILITY AND REACTIVITY

CONDITIONS TO AVOID: EXTREME HEAT OR FLAMES.

INCOMPATIBILITY: ALKALI, AKALINE EARTH METALS.

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROFLUORIC ACID AND POSSIBLY CARBONYL FLUORIDE. CARBON MONOXIDE AND CARBON DIOXIDE

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

SECTION 11 – TOXICOLOGICAL PROPERTIES

No product or component toxicological information is available.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No Information.

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: No Information.

SECTION 14 – TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Consumer Commodity ORM-D

DOT TECHNICAL NAME: 1, 1, 1, 2-TETRAFLUOROETHANE

DOT HAZARD CLASS: 2.2 HAZARD SUBCLASS: NONE

DOT UN/NA NUMBER: UN3159 PACKING GROUP: NONE RESP. GUIDE

PAGE: 126

ADDITIONAL INFORMATION: This product is packaged under DOT Exemption Number

DOT-E 10232.

SECTION 15 – REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: AS FOLLOWS -

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

CERCLA – SARA HAZARD CATEGORY: This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment

and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

======CHEMICAL NAME======CAS NUMBER======WT/WT % IS LESS THAN

No SARA Section 313 components exist in this product.

TOXIC SUBSTANCES CONTROL ACT: This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

======CHEMICAL NAME======CAS NUMBER No information is available.

INTERNATIONAL REGULATIONS: AS FOLLOWS -

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

CANADIAN WHMIS CLASS: No information available.

SECTION 16 – OTHER INFORMATION

HMIS RATINGS – HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 1

PREVIOUS MSDS REVISION DATE: 08/15/00

REASON FOR REVISION: NEW PRODUCT

VOC CONTENT: 0.0% BY WEIGHT, 0 GRAMS/LITER TOTAL PRODUCT, 0 GRAMS/LITER LESS WATER AND EXEMPT, 0.00 LBS/GAL

LEGEND: N.A. – Not Applicable

N.E. – Not Established N.D. – Not Determined

DISCLAIMER

The information contained on this MSDS has been checked and should be accurate. However, it is the responsibility of the user to comply with all Federal, State, and Local laws and regulations. The environmental information and hazardous materials identification system have been included by Aerofil Technology, in order to provide additional health and hazard classification information. The ratings recommended are based upon the criteria supplied by the developers of these rating systems, together with Aerofil Technology's interpretation of the available data. Proper personal protective equipment varies widely with conditions of use and anticipated

exposure. We recommend that a supervisor or other qualified person determine proper PPE for

intended use.

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: X81288D – Dust Guardian w/ Anti-Static Cleaner

MANUFACTURER: KENSINGTON TECHNOLOGY GROUP

2000 ALAMEDA DE LAS PULGAS

SECOND FLOOR

SAN MATEO, CA 94403

EMERGENCY TELEPHONE: 1-800-255-3924

24 HOUR EMERGENCY PHONE

PACKAGER: AEROFIL TECHNOLOGY, INC.

225 INDUSTRIAL PARK DRIVE

SULLIVAN, MO 63080

SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

ITEN	И TEL	CAS #	%	OSHA PEL	ACGIH TLV
0.1	AOUA AMMONIA 26	01226 21 6		25	25
01	AQUA AMMONIA 26	01336-21-6	>1	35ppm	25ppm
02	ETHYLENE GLYCOL MONOBUTYL E	ETHER 111-76-2	4	25ppm	25ppm
03	ISOPROPYL ALCOHOL	67-63-0	8	400ppm	400ppm
500p	pm				
04	193 SURFACTANT	None Known	>1		
05	DEIONIZED WATER		71		
06	PERFUME (optional)				
07	ISOBUTANE	75-28-5	15	none estab.	none
	estab				

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEWCONTACT YOUR LOCAL POISON INFORMATION CENTER.

EFFECTS OF OVEREXPOSURE – EYE CONTACT: CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION.

EFFECTS OF OVEREXPOSURE – SKIN CONTACT: PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION, DEFATTING, DERMATITIS. SKIN ABSORPTION OCCURS READILY.

EFFECTS OF OVEREXPOSURE – INHALATION: EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS, AND EVEN ASPHYXIATION. PROLONGED BREATHING OF NONE-IRRITATING CONCENTRATIONS MAY RESULT IN DAMAGE TO THE LIVER, KIDNEYS, LUNGS, AND RED BLOOD CELLS CAUSING BLOOD IN THE URINE.

EFFECTS OF OVEREXPOSURE - INGESTION: Not Determined.

PRIMARY ROUTE(S) OF ENTRY: SKIN ABSORPTION & CONTACT INHALATION EYE CONTACT INGESTION

SECTION 4 – FIRST AID MEASURES

FIRST AID – EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER AND LOWER LIDS OCCASIONALLY, GET MEDICAL ATTENTION.

FIRST AID – SKIN CONTACT: IF THIS CHEMICAL CONTACTS THE SKIN, PROMPTLY WASH THE CONTAMINATED SKIN WITH SOAP AND WATER. IF THIS CHEMICAL PENETRATES THE CLOTHING, PROMPTLY REMOVE THE CLOTHING AND WASH THE SKIN WITH SOAP AND WATER. GET MEDICAL ATTENTION PROMPTLY.

FIRST AID – INHALATION: IF A PERSON BREATHES LARGE AMOUNT OF THIS CHEMICAL, MOVE THE EXPOSED PERSON TO FRESH AIR AT ONCE. IF BREATHING HAS STOPPED, PERFORM MOUTH-TO-MOUTH RESUSCITATION. KEEP THE AFFECTED PERSON WARM AND AT REST. GET MEDICAL ATTENTION AS SOON AS POSSIBLE.

FIRST AID- INGESTION: IF THIS CHEMICAL HAS BEEN SWALLOWED, GET MEDICAL ATTENTION IMMEDIATELY.

SECTION 5 – FIRE FIGHTING MEASURES

CONCENTRATE INFORMATION:

FLASH POINT 75° F

EXTINGUISHING MEDIA : WATER SPRAY, DRY CHEMICAL, FOAM, OR

CARBON DIOXIDE

FIRE AND EXPLOSION HAZARDS: VAPORS ARE HEAVIER THAN AIR AND TRAVEL ALONG THE GROUND OR MAY BE MOVED BY VENTILATION AND IGNITED BY IGNITION SOURCES AT LOCATIONS DISTANT FROM MATERIAL HANDLING POINT. FOR AEROSOL PRODUCTS – EXPOSURE TO TEMPERATURES OVER 130 F MAY CAUSE CONTAINERS TO BURST, RELEASING HIGHLY FLAMMABLE GAS.

SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACE PIECE OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE WHEN FIGHTING FIRES. KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER FOG.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: ELIMINATE SOURCES OF IGNITION AND VENTILATE AREA. PERSONS NOT PROPERLY EQUIPPED SHOULD BE EXCLUDED FROM AREA. STOP SPILL AT SOURCE – PREVENT SPREADING. AVOID INHALATION OF VAPORS. AVOID SKIN CONTACT WITH LIQUID. SOAK UP ON ABSORBENT MATERIAL AND PLACE INTO PROPER CONTAINER FOR DISPOSAL. USE NON-SPARKING SCOOPS FOR FLAMMABLE MATERIALS. CLEAN WALKING SURFACES THOROUGHLY TO REDUCE SLIPPING HAZARD. IF UNEMPTIED AEROSOLS ARE TO BE DISPOSED OF, DO SO IN ACCORDANCE WITH ALL LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

SECTION 7 – HANDLING AND STORAGE

HANDLING: DO NOT DROP OR PUNCTURE CONTAINER.

STORAGE: DO NOT STORE ABOVE 120 F. DO NOT STORE IN DIRECT SUNLIGHT. KEEP AWAY FROM HEAT SOURCES, OPEN FLAME, SPARKS.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: PROVIDE SUFFICIENT MECHANICAL VENTILATION (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

RESPIRATORY PROTECTION: IF WORK PLACE EXPOSURE LIMITS OF PRODUCT OR ANY COMPONENT IS EXCEEDED, USE A NIOSH/MSHA APPROVED RESPIRATOR. CONSULT YOUR SAFETY EQUIPMENT SUPPLIER FOR RECOMMENDATIONS.

SKIN PROTECTION: WEAR IMPERVIOUS GLOVES IF METHOD OF USE INVOLVES SKIN CONTACT WITH PRODUCT. CONSULT YOUR SAFETY VENDOR FOR GLOVE RECOMMENDATIONS.

EYE PROTECTION: WEAR SAFETY GLASSES AT MINIMUM, MORE EXTENSIVE PROTECTION MAY BE NECESSARY DEPENDING ON HOW THE PRODUCT IS TO BE USED.

OTHER PROTECTIVE EQUIPMENT: WEAR IMPERVIOUS CLOTHING IF BODILY EXPOSURE IS ANTICIPATED. CONSULT YOUR SAFETY SUPPLY VENDOR FOR RECOMMEDATIONS.

HYGIENIC PRACTICES: WASH HANDS BEFORE EATING OR SMOKING. SMOKE IN DESIGNATED AREAS ONLY. REMOVE AND LAUNDER CLOTHING IF CONTAMINATED.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPROXIMATE BOILING POINT: 180 F SOLUBILITY IN H2O: 100% FREEZING POINT : -128% APPEARANCE/ODOR: Cloudy

liquid/Sweet

VOLATILITY/VOLUME % : 27% Ammonia

Smell

VAPOR PRESSURE (mm Hg) : Not Determined SPECIFIC GRAVITY(H2O = 1):

.9866

VAPOR DENSITY (Air = 1) : >1 PH: 11.21

EVAPORATION RATE (Butyl Acetate = 1): Not Determined

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE

INCOMPATIBLE MATERIALS: STRONG ACIDS; AVOID USE OF NON-FERROUS METALS; STRONG OXIDIZING AGENTS; STRONG ALKALIES; HEAT; CAUSTICS; AMINES; ALKANOLAMINES; ALDEHYDES; CHLORINATED COMPOUNDS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION 11 – TOXICOLOGICAL PROPERTIES

No product or component toxicological information is available.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No Information.

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Material must be disposed of in compliance with all federal, state, and local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

CONSUMER COMMODITY, ORM-D

SECTION 15 – REGULATORY INFORMATION

HAZARD CLASS NUMBER:

DOT SHIPPING NAME : CONSUMER COMMODITY, ORM-D

DOT UN/NA NUMBER : PACKAGING GROUP :

CPSC designation: NOT FLAMMABLE per 16 CFR 1500.3(c) (6)(viii), Contents of Self-Pressurized Containers.

Reportable quantity (RQ) EPA Regulation 40 CFR 302 (CERCLA Section 102): 1000# Ammonium Hydroxide.

Threshold planning quantity (TPQ), EPA Regulation 40 CFR 355 (SARA Sections 301-304): N/A

Toxic chemical release reporting, EPA Regulation 40 CFR 372 (SARA Sections 311-313): Isopropyl Alcohol

Volatility/% Volume– 27% (finished product)

SECTION 16 – OTHER INFORMATION

HMIS RATINGS – HEALTH: 2 FLAMMABILITY: 2 REACTIVITY: 0

DISCLAIMER

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this information or the product, the safety of this product, or the hazard related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.

Revision Date: 7/17/02

MATERIAL SAFETY DATA SHEET

Ultra Duster Revised: 1/11/2016

SECTION I - CHEMICAL INFORMATION

Trade Name: HFC-152a

Chemical Name: Difluoroethane, R152a Product Supplied By: AW Distributing, Inc.

Address & Phone #: 2024 Middlefield Rd., Redwood City, CA 94063

Emergency Phone #: Chemtrec 1-800-424-9300

Mfg. Model No.: AE420BWON

SECTION II - HAZARDOUS INGREDIENTS

Ingredients CAS # % TLV PEL UNITS

1,1-Difluoroethane 75-37-6 100

SECTION III - PHYSICAL DATA

Boiling Point (°F) -25 C (-13F) Specific Gravity (H2O=1)

Vapor Pressure (MM Hg) 87 psia at 25 deg C (77

deg F)

Percent Volatile by Vol. 100 WT %

Vapor Density (Air=1) 2.4 at 25 deg C (77 deg F) Density 0.90 g/cc at 25 deg C (77

deg F) - Liquid

Solubility in Water 0.28 WT% at 25 deg C (77

deg F)

Evap Rate (Ether = 1)

Appearance and Odor Slight ethereal, Clear,

colorless

Form Gas

SECTION IV - HAZARDOUS REACTIVITY

Instability - Stable, however, avoid open flames and high temperatures.

Incompatibility - Incompatible with alkaline or alkaline earth metals.

Decomposition - Decomposition products are hazardous. This material can be decomposed by high temperatures (open flames, glowing metal surfaces, etc.) forming hydrofluoric acid and possible carbonyl fluoride.

Polymerization - Polymerization will not occur.

SECTION V - FIRE AND EXPLOSION HAZARD DATA

Flash Point -<-50 C (<-58 F) Flammable Limits LEL - 3.9 Auto Ig. 454C UEL - 16.9

Fire and Explosion Hazards - Flammable. Cylinders are equipped with temperature and pressure relief devices but still may rupture under fire conditions. Use water spray to cool cylinders and tanks.

 $\textbf{Extinguishing Media -} \ \textbf{Water spray}, \ \textbf{Water fog, Dry chemical}.$

Special Fire Fighting Procedures - Keep container cool with water spray. If gas exiting container ignites, stop flow of gas. Do not put out the fire unless leak can be stopped immediately. Self-contained breathing apparatus (SCBA) is required if containers rupture and contents are released under fire conditions.

National Fire Protection Association (NFPA 30B) - Level 1 Aerosols (lowest flammability rating)

Consumer Products Safety Commission (CPSC 1500.3 (c)(6).16CFR - Not flammable

SECTION VI - HEALTH HAZARD INFORMATION

Potential Health Effects:

Inhalation of high concentrations of vapor is harmful and may cause heart irregularities, unconsciousness, or death. Intentional misuse or deliberate inhalation may cause death without warning. Vapor reduces oxygen available for breathing and is heavier than air. Liquid contact can cause frostbite.

Human Health Effects:

Contact with the liquid may cause frostbite. Overexposure by inhalation may include nonspecific discomfort, such as nausea, headache, or weakness; or temporary nervous system depression with anesthetic effects such as dizziness, headache, confusion, incoordination and loss of consciousness. Higher exposures (>20%) may cause temporary lung irritation effects with cough, discomfort, difficulty breathing, or shortness of breath; or temporary alteration of the heart's electrical activity with irregular pulse, palpitations, or inadequate circulation, abnormal kidney function as detected by laboratory tests. Gross overexposure may be fatal.

Individual with preexisting diseases of the central nervous or cardiovascular system may have increased susceptibility to the toxicity of excessive exposures.

First Aid

Eyes: Immediately flush eyes with large amounts of water for at least 15 minutes while holding the eyelids open. Get prompt medical attention.

Skin: Immediately remove contaminated clothing; wash skin with large amounts of water for at least 15 minutes. Treat for frostbite with gentle warming affected area if necessary. Get prompt medical attention.

Inhalation: Move victim to fresh air and restore breathing if necessary. Stay with victim until arrival of emergency medical personnel.

Ingestion: Contact local Poison Control Center or physician immediately!

SECTION VII - TOXICOLOGICAL INFORMATION

The compound is untested for skin or eye irritation, and for animal sensitization. Effects in animals from single, high exposure by inhalation include labored breathing, lung irritation, lethargy, incoordination, and loss of consciousness. Cardiac sensitization occurred in dogs exposed to a concentration of 150,000 ppm in air and given an intravenous epinephrine challenge. Effects of repeated exposure include increased urinary fluorides, reduced kidney weight, and reversible kidney changes. The effects of a single, high oral dose include weight loss and lethargy.

Tests in animals demonstrate no carcinogenic activity or developmental effects. Tests in animals for reproductive effects have not been performed. This compound does not produce genetic damage in bacterial cell cultures but has not been tested in animals.

SECTION VIII - TRANSPORTATION INFORMATION

Shipping Information

DOT - Domestic Ground Transportation

Proper Shipping Name DIFLUOROETHANE, R152a

Hazard Class 2.1

I.D. No. (UN/NA) UN 1950

Shipping Paper Information: None required

Mark Packages with: DIFLUOROETHANE, R152a, UN 1950, ORM-D

Placarding: None required

SECTION IX - SPECIAL PROTECTION INFORMATION

Waste Disposal Method - Reclaim by distillation, incinerate, or remove to a permitted waste facility. Comply with Federal, State and Local regulations.

This material may be a RCRA Hazardous waste upon disposal due to the ignitability characteristic.

PPE-PERSONAL PROTECTIVE EQUIPMENT REQUIRED: NONE

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : WINDEX® ORIGINAL GLASS CLEANER

Recommended use : Hard Surface Cleaner

Restrictions on use Use only as directed on label

Manufacturer, importer, : S.C. Johnson and Son, Limited

supplier

1 Webster Street

Brantford ON N3T 5R1

Telephone : +1-800-558-5566

Emergency telephone

number

: 24 Hour Transport & Medical Emergency Phone (866) 231-5406

24 Hour International Emergency Phone (952) 852-4647 24 Hour Canadian Transport Emergency Phone (CANUTEC)

(613) 996-6666

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to the Canadian Hazardous Products Regulation

Labelling

Precautionary statements

Other hazards None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain hazardous chemicals at or above a reportable level as defined by Canadian Hazardous Products Regulation

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

Most important symptoms and effects, both acute and delayed

Eyes : No adverse effects expected when used as directed.

Skin effect : No adverse effects expected when used as directed.

Inhalation : No adverse effects expected when used as directed.

Ingestion : No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

Further information : Fight fire with normal precautions from a reasonable distance.

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage

areas and containers

: Keep container closed when not in use.

Other data : Stable under normal conditions.

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection : No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : blue

Odour : floral

Odour Threshold : Test not applicable for this product type

pH : 10.7

at (25 C)

Melting point/freezing point : 0 C

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

Initial boiling point and

boiling range

: 100 C

Flash point : does not flash

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Does not sustain combustion.

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure : Calculated31.7 hPa

Vapour density : Test not applicable for this product type

Relative density : 1.00 g/cm3 at 25 C

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

Decomposition temperature: Heating can release hazardous gases.

Viscosity, dynamic : similar to water

Viscosity, kinematic : similar to water

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)* : 0.2 % - additional exemptions may apply

*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified

10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known.

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

Condition

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

No environmental data required.

No environmental data required.

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Canada Regulations : This product has been classified in accordance with the hazard

criteria of the Hazardous Products Act and Regulations.

16. OTHER INFORMATION

HMIS Ratings

Health	1	
Flammability	0	
Reactivity	0	

classification according to Canadian Hazardous Products Regulation



WINDEX® ORIGINAL GLASS CLEANER

Version 1.0 Print Date 06/20/2017

Revision Date 05/23/2017 SDS Number 350000014153

NFPA Ratings

Health	1	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with Canada's Workplace Hazard Material Information System. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
·	Regulatory Affairs (GSARA)