

Safety Data Sheets

Superior Court



RSC, Sierra Vista

11/26/2019



Safety Data Sheet Index
Binder: RSC, Sierra Vista - Superior Court

Product Name	CAS Number	Manufacturer	Version Date	Page
7353 Protect Disinfectant Spray (for Bloodborne Pathogen Cleanup Kit) - 7353 Protect Disinfectant Spray (for Bloodborne Pathogen Cleanup Kit)		Impact Products, LLC	04/01/2011	3
ABSORB-O-GEL - ABSORB-O-GEL		Impact Products, Inc.	06/07/2005	5
Ajax Oxygen Bleach Cleanser - Ajax Oxygen Bleach Cleanser		Colgate-Palmolive Company	05/17/2012	6
CLOROX DISINFECTANT WIPES - CLOROX DISINFECTANT WIPES		The Clorox Company	07/01/2006	13
Compucessory Power Duster - Compucessory Power Duster	75-37-6	Falcon Safety Products, Inc	10/26/2017	14
Dust-Off Compressed Gas Duster - Dust-Off Compressed Gas Duster		Falcon Safety Products, Inc	05/15/2018	20
Germ-X Hand Sanitizer - Germ-X Hand Sanitizer		Vi-Jon Incorporated	04/23/2008	26
Great Value Disinfecting Wipes - Great Value Disinfecting Wipes		U.S. Nonwovens Corp.	06/16/2010	32

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

MSDS DATE: 04/01/11

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 7353 Protect Disinfectant Spray (for Bloodborne Pathogen Cleanup Kit)
PRODUCT CODES: 57606
MANUFACTURER CODE: HY01000
DOT DESCRIPTION: ORM-D

MANUFACTURED FOR: Impact Products, LLC
ADDRESS: 2840 Centennial Road, Toledo, OH 43617

MEDICAL EMERGENCY: 800-752-7869
TRANSPORTATION EMERGENCY:
PRODUCT INFORMATION: 312-376-8981
CHEMTREC PHONE:

CHEMICAL NAME:
CHEMICAL FAMILY:
CHEMICAL FORMULA:

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT:</u>	<u>CAS NO.</u>	<u>% WT</u>	<u>TLV/PEL</u>
Ethanol	64-17-5	50-60	OSHA PEL: 1,000 ppm ACGIH TLV: 1,000 ppm
Butane	106-97-8	10-20	OSHA PEL: 800 ppm ACHIG TLV: 800 ppm
Propane	74-98-6	5-10	OSHA PEL: 1,000 ppm ACHIG TLV: n/a

SECTION 3: HAZARDS IDENTIFICATION

ROUTES OF ENTRY: n/a

POTENTIAL HEALTH EFFECTS

EYES: Causes temporary eye irritation

SKIN:

INGESTION:

INHALATION:

ACUTE/CHRONIC HEALTH HAZARDS:

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Unknown

CARCINOGENICITY

OSHA: No NTP: No IARC: No OTHER: No

SECTION 4: FIRST AID MEASURES

EYES: Flush eyes with plenty of water. Contact a physician should irritation persists.

SKIN:

INGESTION:

INHALATION:

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS: LEL - n/a UEL - n/a

FLASH POINT: 103 degrees F

METHOD USED: n/e

HAZARD CLASSIFICATION: HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0

EXTINGUISHING MEDIA: Water, foam

SPECIAL FIRE FIGHTING PROCEDURES: n/a

UNUSUAL FIRE AND EXPLOSION HAZARDS: Treat liquid as combustible

HAZARDOUS DECOMPOSITION PRODUCTS:

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

MSDS DATE: 04/01/11

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Warning. Contents under pressure. Keep out of reach of children. Flammable. Keep in a cool, dry, Locked area away from flames, sparks, and other sources of heat or ignition. Do not spray on or towards eyes or face. Avoid breathing spray mist or vapors.

MAINTENANCE PRECAUTIONS: n/a

OTHER PRECAUTIONS: Read entire label before using. Follow all label directions. Detectable amounts of "chemicals known to the state of California to cause cancer. Birth defects or other reproductive harm may be found in these products and their vapors or result from their use. Read and follow label directions and other product safety and health information which you have been provided with when handling or using our products

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	None required	
VENTILATION :	Local - None required	Special - n/a
	Mechanical - Adequate	Other - n/a
RESPIRATORY PROTECTION:	None required	
EYE PROTECTION:	Safety glasses	
SKIN PROTECTION:	Gloves: none required	
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	n/a	
WORK HYGIENIC PRACTICES:	Always follow safe work practices	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOR:	Clear, colorless liquid pleasantly scented
BOILING POINT:	180 degrees F
MELTING POINT:	
VAPOR PRESSURE (mmHg):	30
VAPOR DENSITY (AIR = 1):	>1
SPECIAL GRAVITY (H2O = 1):	0.87
EVAPORATION RATE:	>1
SOLUBILITY IN WATER:	Appreciable
PERCENT VOLATILE:	
VISCOSITY:	

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	<u>STABLE</u>	<u>UNSTABLE</u>
	X	
CONDITIONS TO AVOID (STABILITY):	Avoid heating to abnormal temperatures	
INCOMPATIBILITY (MATERIAL TO AVOID):	None	
HAZARDOUS DECOMPOSITION:	Oxides of carbon may be formed upon combustion	
HAZARDOUS POLYMERIZATION:	No	
CONDITIONS TO AVOID (POLYMERIZATION):	None	

SECTION 11: DISPOSAL CONSIDERATIONS/PROCEDURES FOR SPILL OR LEAK CLEANUP

WASTE DISPOSAL METHOD: Replace cap and discard container in trash. Do not puncture or incinerate.

PROCEDURE FOR SPILL OR LEAK CLEANUP: Remove sources of flame, spark or heat. Provide adequate ventilation. Wipe up spills.

OTHER INFORMATION:

DISCLAIMER: The information furnished herein is believed to be accurate and represents the best data currently available to us.

No warranty, expressed or implied is made and Impact Products LLC assumes no legal responsibility or liability resulting from its use.

Impact Products
Material Safety Data Sheet

May be used to comply with
 OSHA's Hazard Communication Standard.
 29 CFR 1910.1209 Standard must be
 consulted for specific requirements.

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory form)
 Form Approved
 CMB No. 1218-00072

IDENTIFICACION (Usado con en etiqueta y lista) ABSORB-O-GEL		Note: Espacios en blanco no es permitido. Si algun espacio no es aplicable o no existe la informacion, necesita indicarlo.	
Seccion I		Telefono de Emergencia 419-841-2891	
Impact Products		Telefono para informacion 800-535-5035	
Address (Number, Street, City, State, and ZIP Code) 2840 Centennial Rd.		Fecha Preparada June 7, 2005 NA = Not Applicable NE = Not Established	
Toledo, Ohio 43617		Firme (Opcional)	

Seccion II - Ingredientes de Riesgo **Other Limits**

Polymer, N.J. Trade Secret Reg #99783600 Non-Hazardous
 CAS Number 51661
 Limits in Air for Respirable Particulate = 0.05mg/m

Informacion del Producto		
Nombre Quimico	CAS Number	%
Sodium Polyacrylate, lightly crosslinked	076774-25-9	92 to 98
Water	7732-18-5	2 to 8
Hydrophobic Silicon Dioxide, amorphous	68611-44-9	0 to 0.3
Acrylic Acid	79-10-7	<0.08
Fragancia	Proprietary	
DOT Class No Regulada		

SARA Seccion 313 Quimicos Toxicos Reportables - Ninguna

Seccion III - Caracteristicas Fisicas/Quimicas

Punto de Eritir	NA	Gravedad Especifica (H20 = 1)	Densidad G/G
Presion de Vapor (mm Hg)	NA	Punto de desrotr	NA
Solubilidad en Agua	Se infla al contacto con agua	Evaporacion	(Butyl Acetate = 1) NA
Apariencia y olor	Crema, un poco de olor a fragancia		

Seccion IV - Datos de Fuego y Explotion

Punto Flash (Método Usado)	NA	Limites Flamables	LEL	NA	UEL	NA
Medio de Extinguidor	Agua, Co2, quimico seco, espuma					
Proceso especial contra fuego	ranguna-uy resvaloso si se moja					
Riesgo de fuego o explotion	Suficiente concentracion de polvo puede resultar explotion mezclandose con aire					
cualquier recurso de ignicion	disminuya el uso de polvo o					

Seccion V - Datos de Reactividad

Estabilidad	Inestable	Evitar Condiciones
Estabilidad	X	None known
Incompatibilidad	Evitar Condiciones	
Evite el contacto con fuertes agentes oxidizantes	No Conocida	
Riesgos de Productos y descomposicion	X	
Carbon, oxidos de carbon & soot, agua		
Riesgo	pueden ocurrir	
Polymerization	No pueden ocurrir	

Seccion VI - Datos de riesgos de salud

Ruta(s) de Entrada	Inhalacion?	Piel?	Indigestion?
	Si	No	No
Riesgo Salud (Agudo y Cronico)	Experimentos de inatacion con animals o similar polycrylate polymer (usando particulas pequenas de 10 micros) produce tela inflamatoria en los pulmones		
Car	NTP? No	IAFC Monographs? No	OSHA Required? No
Sintomas de exposicion	Polvo cause irritacion con posible quemadura y sensacion descomforante. Irritacion en la traque respiratoria y ojos		
Condiciones Medicas dadas por exposicion	Condiciones respiratorias y condiciones de alergias		
Primeros Auxilios Ojos:	Lavesa con agua y consulte a su medico si irritacion persiste. Piel. Limpie con agua. Inhalacion. Muevase a aire limpio y consulte a su medico.		

Seccion VII - Precauciones para uso y manejo

Pasos en caso de derramo
 Colecte material y evite mesclano con agua. Polymer cambia muy resvaloso con agua

Método de disposo
 Siga las regulaciones locales, estatales y federate. Non-toxicos materiales se puede desposar en lugares aprovados.

Precauciones para el manejo y aimacen
 Manajeo como irritante. Evite el contacto de ojos y piel no inhale o indigesta.

Otras Precauciones
 Condiciones de polvo puede ser irritante para el sistema respiratorio. Use lentees y mascara donde el polvo es creado

Seccion VIII - Control Measures

Proteccion respiratoria (tipo Especifico)	
Donde el polvo es creado, use use mascara para particulas mas de 0.05mg/m	
Exhausto Local	Especial
Asegureca particulas en aire son removidas	Not required
Mecanical (General)	Otro
Recomendados	Use estacion de lavado de ojos
Guantes	Proteccion de ojos
Recomendados	Use lentees o goggles
Otra proteccion de ropa o equipo	
Ninguna	
Precaucion de Higiene/Trabajo	
Lavesa bien despues de uso	



Ajax Oxygen Bleach Cleanser

This industrial Material Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date 05/17/2012

Print Date 05/17/2012

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ajax Oxygen Bleach Cleanser
MSDS Number : 200000025181
CAS-No. : Not applicable - product is a mixture
General Use : A formulated multi-purpose cleaner

Company : Colgate-Palmolive Co
 300 Park Avenue
 New York, NY 10022

Telephone :
Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Medical Emergency (24HR): For MEDICAL EMERGENCIES involving this product call: (888) 489-3861

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : White

Potential Health Effects

Eye contact : Causes eye irritation on direct contact.

Skin contact : May cause skin irritation upon prolonged contact.

Inhalation : No adverse effects due to inhalation are expected.

Ingestion : May be harmful if swallowed in large quantities.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

OSHA-REGULATED COMPONENTS (present at a concentration of > or = 1%)

Chemical Name	CAS-No.	Concentration *
LIMESTONE	1317-65-3	60.00 - 100.00
SODIUM CARBONATE	497-19-8	5.00 - 10.00
SODIUM DODECYL BENZENE SULFONATE	25155-30-0	1.00 - 5.00



Ajax Oxygen Bleach Cleanser

This industrial Material Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date 05/17/2012

Print Date 05/17/2012

*All concentrations are present by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Carcinogenicity:

Listed Carcinogens: The following components, present at a concentration of > or = 0.1%, are listed as carcinogens or potential carcinogens by either the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), OSHA or ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

SECTION 4. FIRST AID MEASURES

First aid procedures

- Eye contact** : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- Skin contact** : Flush skin with large amounts of water. If irritation develops and persists, get medical attention.
- Inhalation** : Remove victim to fresh air. Get medical attention, if symptoms persist.
- Ingestion** : Drink 8 ounces of clear water. Get medical attention.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

- Flash point** : Remarks: not applicable

Fire fighting

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Protective equipment and precautions for firefighters

- Special protective** : Self-contained breathing apparatus and full protective clothing



Ajax Oxygen Bleach Cleanser

This industrial Material Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date 05/17/2012

Print Date 05/17/2012

equipment for firefighters should be worn when fighting chemical fires.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Use personal protection recommended in Section 8 of the MSDS.

Methods for containment / Methods for cleaning up : Cover with inert, absorbent material and remove to disposal container. Spill area may be slippery. Flush with plenty of water.

SECTION 7. HANDLING AND STORAGE

Storage

Requirements for storage areas and containers : Store at controlled room temperature at 20-25°C (68-77°F).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

Chemical Name	CAS-No.	Value	Exposure Limits	Source	Notes
LIMESTONE	1317-65-3	REL	10 mg/m3	NIOSH/GUIDE	Total
		REL	5 mg/m3	NIOSH/GUIDE	Respirable.
		PEL	15 mg/m3	OSHA_TRANS	Total dust.
		PEL	5 mg/m3	OSHA_TRANS	Respirable fraction.
		TWA	15 mg/m3	Z1A	Total dust.
		TWA	5 mg/m3	Z1A	Respirable fraction.

Engineering Controls : In an industrial work environment, no special precautions or control measures are required.



Ajax Oxygen Bleach Cleanser

This industrial Material Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date 05/17/2012

Print Date 05/17/2012

Personal protective equipment

Protective measures : In an industrial work environment, if a splash is likely, chemical goggles may be needed. Prolonged skin contact may require protective goggles. For consumer use, no unusual precautions are necessary.

General Hygiene Considerations : In an industrial work environment, avoid eye and prolonged skin contact.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid
Appearance : White

Flash point : Note: not applicable

pH : 10.5

Density : 1.04 g/cm³

SECTION 10. STABILITY AND REACTIVITY

Materials to avoid : Remarks: Strong oxidizing agents

Hazardous decomposition products : Note: None known.

Hazardous reactions : Hazardous polymerisation does not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the MSDS.

SECTION 12. ECOLOGICAL INFORMATION

No data available



Ajax Oxygen Bleach Cleanser

This industrial Material Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date 05/17/2012

Print Date 05/17/2012

SECTION 13. DISPOSAL CONSIDERATIONS

Further information : Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environment agency for specific rules). Do not dump in sewers, any body of water or on the ground.

SECTION 14. TRANSPORT INFORMATION

DOT : Not regulated.

TDG : Not regulated.

IATA : Not regulated.

IMDG : Not regulated.

SECTION 15. REGULATORY INFORMATION

US Regulations

SARA

Section 302 Extremely Hazardous Substances (40 CFR 355, Appendix A) : SULFUR DIOXIDE

CERCLA Hazardous Substance List (40 CFR 302.4) - Reportable Quantity : 58411 lbs

SODIUM DODECYL BENZENE SULFONATE

Clean Air Act

Clean Water Act



Ajax Oxygen Bleach Cleanser

This industrial Material Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date 05/17/2012

Print Date 05/17/2012

**Clean Water Act Section 311
Hazardous Substances (40 CFR
117.3)** : SODIUM DODECYL BENZENE
SULFONATE

State Regulations

**Massachusetts Right-To-
Know List** : LIMESTONE
SODIUM DODECYL BENZENE SULFONATE
SULFUR DIOXIDE

**New Jersey Right-To-
Know List** : SODIUM CARBONATE
LIMESTONE
SODIUM DODECYL BENZENE SULFONATE

**Pennsylvania Right-To-
Know List** : SODIUM CARBONATE
LIMESTONE
SODIUM DODECYL BENZENE SULFONATE

Canada

**Canadian Workplace Hazardous Materials
Information System (WHMIS) Listed Material** : SODIUM CARBONATE
SODIUM DODECYL BENZENE SULFONATE

Canadian Controlled Products Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Other Information

SECTION 16. OTHER INFORMATION

Further information

MSDS Number : 200000025181



Ajax Oxygen Bleach Cleanser

This industrial Material Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date 05/17/2012

Print Date 05/17/2012

Disclaimer: The information on this sheet is limited to the material identified and is believed by the Colgate-Palmolive Company to be correct based on its knowledge and information as of the date noted. Colgate makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material.



The Clorox Company
 1221 Broadway
 Oakland, CA 94612
 Tel. (510) 271-7000

Material Safety Data Sheet

I Product:	CLOROX® DISINFECTING WIPES	
Description:	FRAGRANCED, MOISTENED TOWELETTE	
Other Designations	Distributor	Emergency Telephone Nos.
EPA Reg. No. 5813-58	Clorox Sales Company 1221 Broadway Oakland, CA 94612	For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrac (800) 424-9300

II Health Hazard Data	III Hazardous Ingredients														
<p>Eye Contact: Can cause moderate eye irritation.</p> <p>Ingestion: Liquid should be practically non-toxic if ingested.</p> <p>Skin Contact: Prolonged skin contact may produce minor irritation.</p> <p>FIRST AID: EYES- Flush with plenty of water. Call a physician if irritation persists. IF SWALLOWED- Drink a glassful of water. Call a physician or poison control center. SKIN- Wash thoroughly with soap and water after handling. INHALATION- If breathing is affected, move to fresh air.</p> <p>Under normal consumer use conditions the likelihood of any adverse health effects are low.</p>	<table border="1"> <thead> <tr> <th>Ingredient</th> <th>Concentration</th> <th>Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td>n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride</td> <td>0.145%</td> <td>Not established</td> </tr> <tr> <td>n-Alkyl (C12, 68%, C14, 32%) Dimethyl Ethylbenzyl ammonium chloride</td> <td>0.145%</td> <td>Not established</td> </tr> <tr> <td>Isopropanol CAS #67-63-0</td> <td>1- 5%</td> <td>400 ppm/500 ppm¹ 400 ppm²</td> </tr> </tbody> </table> <p>¹1998 ACGIH, TLV-TWA/STEL TLV-TWA- Threshold Limit Value-Time Weighted Average. STEL- Short Term Exposure Limit ²PEL- OSHA Permissible Exposure Limit</p> <p>None of the ingredients in this product are on the IARC, NTP or OSHA carcinogen lists.</p>	Ingredient	Concentration	Worker Exposure Limit	n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride	0.145%	Not established	n-Alkyl (C12, 68%, C14, 32%) Dimethyl Ethylbenzyl ammonium chloride	0.145%	Not established	Isopropanol CAS #67-63-0	1- 5%	400 ppm/500 ppm ¹ 400 ppm ²		
Ingredient	Concentration	Worker Exposure Limit													
n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride	0.145%	Not established													
n-Alkyl (C12, 68%, C14, 32%) Dimethyl Ethylbenzyl ammonium chloride	0.145%	Not established													
Isopropanol CAS #67-63-0	1- 5%	400 ppm/500 ppm ¹ 400 ppm ²													

IV Special Protection and Precautions	V Transportation and Regulatory Data
<p>No special protection or precautions have been identified for using this product under directed consumer use conditions.</p> <p>The following recommendations are given for production facilities and for other conditions and situations where there is increased potential for accidental, large-scale or prolonged exposure.</p> <p>Hygienic Practices- Wear safety glasses. Use rubber or nitrile gloves if in contact liquid, especially for prolonged periods.</p> <p>Engineering Controls: Use general ventilation to minimize exposure to vapor or mist.</p> <p>Work Practices: Avoid eye and skin contact and inhalation of vapor or mist. Avoid contact with food. Not for personal cleansing.</p> <p>KEEP OUT OF THE REACH OF CHILDREN</p>	<p>U.S. DOT, IATA, IMG Hazard Class: Not restricted.</p> <p>U.S. DOT Proper Shipping Name: None</p> <p>EPA- SARA Title III/CERCLA: Product may be regulated under Sections 311/312. This product contains no chemicals regulated under Section 304/CERCLA or Section 313.</p> <p>TSCA/DSL: All chemicals in this product are listed on the TSCA Inventory. The DSL status for some components has not been determined.</p>

VI Spill Procedures/Waste Disposal	VII Reactivity Data
<p>Spill Procedures: Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed down material.</p> <p>Waste Disposal: Disposal must be made in accordance with applicable federal, state and local regulations.</p>	<p>Stability: Mixing with sodium hypochlorite may release small amounts of formaldehyde gas.</p> <p>Storage/Disposal: Do not use or store near heat or open flame.</p>

VIII Fire and Explosion Data	IX Physical Data
<p>Flashpoint: >119°F Method: Closed cup. Unusual Fire and Explosion Hazards: None</p>	<p>Flashpoint..... >119°F Specific Gravity..... 0.99 g/cc. pH..... 5.0-6.0 Solubility in Water..... Liquid is completely dispersible</p>

©1963, 1991 THE CLOROX COMPANY
 DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH DATE PREPARED 7/06



Compucessory Power Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 10/13/2015

Revision date: 10/26/2017

Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Substance name : Compucessory Power Duster
Product code : CCS24300/SPJR; CCS24305/SPXL; CCS24302/SPXL2; CCS24306/SPXL6; CCS24313/SPM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Dust Removal

1.3. Details of the supplier of the safety data sheet

Falcon Safety Products, Inc.
25 ImClone Drive
Branchburg, NJ 08876 - USA
T (908) 707-4900

1.4. Emergency telephone number

Emergency number : (800) 498-7192

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US and GHS-CA classification

Flam. Aerosol 2
Press. Gas (Liquified Gas)

2.2. Label elements

GHS-US and GHS-CA labelling

Hazard pictograms (GHS-US/GHS-CA) :



Signal word (GHS-US/GHS-CA) : Warning
Hazard statements (GHS-US/GHS-CA) : Flammable aerosol. Contains gas under pressure; may explode if heated.
Precautionary statements (GHS-US/GHS-CA) : Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.

2.3. Other hazards

Do not store in enclosed vehicle.

2.4. Unknown acute toxicity (GHS US/GHS CA)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%
1,1-Difluoroethane	(CAS No) 75-37-6	100

3.2. Mixture

Not applicable.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. May cause frostbite.

Compucessory Power Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

- First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
- First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
- Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
- Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
- Symptoms/injuries after ingestion : Not a normal route of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Advice for firefighters

- Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.
- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

6.2. Methods and material for containment and cleaning up

- For containment : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
- Methods for cleaning up : Leave the product to evaporate. Provide ventilation.

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.
- Precautions for safe handling : Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Keep out of the reach of children. Keep container dry and in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place. Store in original container. Do not store in enclosed vehicle.

7.3. Specific end use(s)

Not available.

Compucessory Power Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,1-Difluoroethane (75-37-6)	
ACGIH	Not applicable.
OSHA	Not applicable.
NIOSH	Not applicable.
IDLH	Not applicable.

8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses with side shields.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Clear
Color	: Colourless
Odor	: Slight, ether-like
Odor threshold	: No data available
pH	: Neutral
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -13 °F (- 25 °C)
Flash point	: < 58 °F (<14.4 °C)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable
Explosion limits	: 3.9-16.9
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 5960 kPa at 77 °F (25 °C)
Relative density	: 0.91
Relative vapor density at 20 °C	: 2.4 at 77 °F (25 °C)
Specific gravity / density	: 0.9
Solubility	: Slightly
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available.

Compucessory Power Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Do not expose to temperatures exceeding 50 °C/ 122 °F.

10.5. Incompatible materials

Alkali and alkaline earth metals. Powdered metals. Powdered metallic salts.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Compucessory Power Duster	
LD50 oral rat	1500 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	64000 ppm

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Compucessory Power Duster	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Compucessory Power Duster	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Compucessory Power Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. Container under pressure. Do not drill or burn even after use.
- Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

- In accordance with DOT
- UN-No. (DOT) : UN1030
- Proper Shipping Name (DOT) : 1,1-Difluoroethane
- Transport hazard class(es) (DOT) : 2.1
- Hazard labels (DOT) :



- Packaging Exceptions : Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.

Transportation of Dangerous Goods (TDG)

- In accordance with TDG
- UN-No.(TDG) : UN1030
- Proper Shipping Name (TDG) : 1,1-Difluoroethane
- Class (TDG) : 2.1
- Hazard labels (TDG) :



- Packaging Exceptions : TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren. 1) by the TCSS, TDGD to offer for transport by road, rail and marine.

Transport by sea

- UN-No. (IMDG) : UN1030
- Proper Shipping Name (IMDG) : 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)
- Class (IMDG) : 2.1

Air transport

- UN-No. (IATA) : UN1030
- Proper Shipping Name (IATA) : 1,1-Difluoroethane
- Class (IATA) : 2.1

Additional information

- Other information : No supplementary information available.
- Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

1,1-Difluoroethane (75-37-6)

Listed on the Canadian DSL (Domestic Substances List)

15.2. US State regulations

Compucessory Power Duster

State or local regulations : This product does not contain a chemical known to the State of California to cause cancer,

Compucessory Power Duster

Safety Data Sheet


according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Compucessory Power Duster	
	birth defects or other reproductive harm.

SECTION 16: Other information

Date of issue : 10/13/2015
Revision date : 10/26/2017
Other information : None.

Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



Dust-Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 10/15/2015

Revision date: 5/15/2018

Version: 2.0

SECTION 1: Identification

1.1. Product identifier

Substance name : Dust-Off Compressed Gas Duster
Product code : 3.5 oz., 7 oz., 10 oz., Professional 12 oz., Jumbo 17 oz., Classic and Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Dust Removal

1.3. Details of the supplier of the safety data sheet

Falcon Safety Products, Inc.
25 ImClone Drive
Branchburg, NJ 08876 - USA
T (908) 707-4900

1.4. Emergency telephone number

Emergency number : (800) 498-7192

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US and GHS-CA classification

Flam. Aerosol 2
Press. Gas (Liquified Gas)

2.2. Label elements

GHS-US and GHS-CA labelling

Hazard pictograms (GHS-US/GHS-CA) :



Signal word (GHS-US/GHS-CA) : Warning
Hazard statements (GHS-US/GHS-CA) : Flammable aerosol. Contains gas under pressure; may explode if heated.
Precautionary statements (GHS-US/GHS-CA) : Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.

2.3. Other hazards

Do not store in enclosed vehicle.

2.4. Unknown acute toxicity (GHS US/GHS CA)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%
1,1-Difluoroethane	(CAS No) 75-37-6	100

3.2. Mixture

Not applicable.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. May cause frostbite.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

- | | |
|--------------------------------------|---|
| First-aid measures after eye contact | : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention. |
| First-aid measures after ingestion | : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

- | | |
|--------------------------------------|---|
| Symptoms/injuries after inhalation | : May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression. |
| Symptoms/injuries after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid. |
| Symptoms/injuries after eye contact | : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid. |
| Symptoms/injuries after ingestion | : Not a normal route of exposure. |

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide. |
| Unsuitable extinguishing media | : None known. |

5.2. Special hazards arising from the substance or mixture

- | | |
|------------------|--|
| Fire hazard | : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride. |
| Explosion hazard | : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |

5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors. |
| Protection during firefighting | : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. |
|------------------|---|

6.2. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). |
| Methods for cleaning up | : Leave the product to evaporate. Provide ventilation. |

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|--|
| Additional hazards when processed | : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. |
| Precautions for safe handling | : Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools. |
| Hygiene measures | : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|--------------------|--|
| Technical measures | : Proper grounding procedures to avoid static electricity should be followed. |
| Storage conditions | : Keep out of the reach of children. Keep container dry and in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place. Store in original container. Do not store in enclosed vehicle. |

7.3. Specific end use(s)

Not available.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,1-Difluoroethane (75-37-6)	
ACGIH	Not applicable.
OSHA	Not applicable.
NIOSH	Not applicable.
IDLH	Not applicable.

8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses with side shields.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Clear
Color	: Colourless
Odor	: Slight, ether-like
Odor threshold	: No data available
pH	: Neutral
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -13 °F (- 25 °C)
Flash point	: < 58 °F (<14.4 °C)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable
Explosion limits	: 3.9-16.9
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 5960 kPa at 77 °F (25 °C)
Relative density	: 0.91
Relative vapor density at 20 °C	: 2.4 at 77 °F (25 °C)
Specific gravity / density	: 0.9
Solubility	: Slightly
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Do not expose to temperatures exceeding 50 °C/ 122 °F.

10.5. Incompatible materials

Alkali and alkaline earth metals. Powdered metals. Powdered metallic salts.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Dust Off Compressed Gas Duster	
LD50 oral rat	1500 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	64000 ppm

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Dust Off Compressed Gas Duster	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Dust Off Compressed Gas Duster	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. Container under pressure. Do not drill or burn even after use.
- Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

- In accordance with DOT
- UN-No. (DOT) : UN1030
- Proper Shipping Name (DOT) : 1,1-Difluoroethane
- Transport hazard class(es) (DOT) : 2.1
- Hazard labels (DOT) :



- Packaging Exceptions : Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.

Transportation of Dangerous Goods (TDG)

- In accordance with TDG
- UN-No.(TDG) : UN1030
- Proper Shipping Name (TDG) : 1,1-Difluoroethane
- Class (TDG) : 2.1
- Hazard labels (TDG) :



- Packaging Exceptions : TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren. 1) by the TCSS, TDGD to offer for transport by road, rail and marine.

Transport by sea

- UN-No. (IMDG) : UN1030
- Proper Shipping Name (IMDG) : 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)
- Class (IMDG) : 2.1

Air transport

- UN-No. (IATA) : UN1030
- Proper Shipping Name (IATA) : 1,1-Difluoroethane
- Class (IATA) : 2.1

Additional information

- Other information : No supplementary information available.
- Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

1,1-Difluoroethane (75-37-6)

Listed on the Canadian DSL (Domestic Substances List)

15.2. US State regulations

Dust Off Compressed Gas Duster

State or local regulations : This product does not contain a chemical known to the State of California to cause cancer,

Dust Off Compressed Gas Duster

Safety Data Sheet


according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Dust Off Compressed Gas Duster	
	birth defects or other reproductive harm.

SECTION 16: Other information

Date of issue : 10/15/2015
Revision date : 5/15/2018
Other information : None.

Mexico Classification:



Blue = Health **Red = Flammability** **Yellow = Reactivity** **White = Special**

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Material Safety Data Sheet



Section 1: PRODUCT AND COMPANY IDENTIFICATION

Vi-Jon Incorporated
8515 Page Avenue
Saint Louis, MO 63114

Phone: 314-427-1000
In Case of Spill Emergency Contact:
Chemtrec: 1-800-424-9300

Product Name: Germ-X Hand Sanitizer

Product Code: 028

Product Use: Hand Sanitizer

Issue Date: 04/23/2008

Supersedes Date: July 2007

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Keep out of reach of children.

Appearance/Odor: Clear gel with alcohol/citrus odor.

WARNING:

Flammable (ethyl alcohol and isopropyl alcohol)

Target (ethyl alcohol and isopropyl alcohol) respiratory system, skin, eyes, CNS, liver, blood and reproductive system.

Potential Health Effects: See Section 11 for more information.

Symptoms of Exposure:

Inhalation: May cause irritation of the respiratory tract.

Ingestion: May cause nausea, vomiting and diarrhea.

Eyes: May cause irritation to the eyes.

Skin: None expected.

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

This material contains components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Environmental Effects: See Section 12 for more information.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS#	% by Wt.
Ethyl Alcohol	64-17-5	59%
Isopropyl Alcohol	67-64-0	3%

Section 4: FIRST AID MEASURES

Emergency first aid procedures by route of exposure:

- Inhalation:** If symptoms are experienced, remove source of contamination or move victim to fresh air. If affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
- Ingestion:** Do not induce vomiting. If the material is swallowed, get medical attention or advice.
- Skin:** If irritation is experienced, flush with water. If irritation persists, get medical attention.
- Eyes:** Immediately flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, get medical attention.

Section 5: FIRE FIGHTING MEASURES

Flash Point: 71°F (21.6°C)

Method Used: ASTM D-93

Lower Flammable Limit: 3.3 (Volume % in air)

Upper Flammable Limit: 19.0 (Volume % in air)

Auto Ignition: (Ethyl Alcohol) 363°C

Flammability Classification: Flammable Liquid IB

Extinguishing Media: Use methods appropriate for the surrounding fire. Consider water spray or fog, carbon dioxide, dry chemical powder, or alcohol resistant foam.

Products of Combustion: Upon decomposition this product may emit carbon dioxide, carbon monoxide and/or low molecular weight hydrocarbons.

Fire Fighting Equipment/Instructions: Wear protective clothing and equipment suitable for the surrounding fire, including helmet, facemask, and self contained breathing apparatus.

NFPA Rating: Health:2 Fire: 3 Reactivity:0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: For large spills wear gloves, safety glasses and when levels exceed OSHA PEL use appropriate NIOSH approved respiratory protection. Keep unnecessary personnel away. Eliminate all sources of ignition or flammables that may come into contact with a spill of this material.

Environmental Precautions: Prevent discharge to open waters.

Method for Containment: Absorb spilled liquid in suitable non-flammable inert material such as clay, vermiculite or diatomaceous earth.

Methods for Clean-Up: Ventilate area of leak or spill. Use spark-proof tools to sweep or scrape up and containerize in approved chemical waste container. Wash spill area with water.

Section 7: HANDLING AND STORAGE

Handling: Keep away from heat, sparks and flame. Prevent contact with eyes. Avoid inhalation.

Storage: Keep the container tightly closed and in a cool, well ventilated place.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Ethyl Alcohol (64-17-5)

ACGIH: 1,000 ppm TWA
OSHA: 1,000 ppm TWA; 1,900 mg/m³ TWA

Isopropyl Alcohol (67-63-0)

ACGIH: 200 ppm TWA
OSHA: 400 ppm TWA; 980 mg/m³ TWA

Engineering Controls: Normal room ventilation is usually adequate under normal use.

Personal Protective Equipment (PPE)

Eye/Face Protection: None needed under normal use.

Skin Protection: None needed under normal use.

Respiratory Protection: None needed under normal use.

General Hygiene Considerations: None needed under normal use.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Color: Clear Translucent

Odor: Alcohol/Citrus

Physical State: Gel

pH: Not Available.

Vapor Density: (Ethyl Alcohol) 1.6

Boiling Point: (Ethyl Alcohol) 78.5°C

Vapor Pressure: (Ethyl Alcohol) 57.3 hPa at 20°C

Melting Point: (Ethyl Alcohol) -114.1°C

Freezing Point: Not Available

Flash Point (see section 5)

Flammability Properties (see section 5)

Solubility (in water): Soluble

Specific Gravity @ 25°C: 0.88-0.92

Evaporation Rate: Not Available

Octanol/Water partition coefficient (K_{ow}): (Ethyl Alcohol): - 0.32

Auto-ignition temperature: (Ethyl Alcohol) 363°C

Decomposition temperature: Not Available

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal ambient temperatures 70°C (21°C)

Condition to Avoid: Avoid excessive heat or sources of ignition.

Incompatible Materials: This product reacts with strong acid, strong bases, and oxidizing agents.

Hazardous Decomposition: upon decomposition, this product evolves carbon monoxide, carbon dioxide, and/or low weight hydrocarbons.

Hazardous Reactions: Hazardous polymerization will not occur.

Section 11: TOXICOLOGY INFORMATION

ACUTE EFFECTS:

A: General Product information

Product contains ethyl alcohol and isopropyl alcohol.

B: Component Analysis LD50

Ethyl Alcohol (64-17-5)
Oral LD50 Rat: 7060 mg/kg

Isopropyl Alcohol (67-63-0)
Inhalation LC50 Rat: 72.6 mg/L/4H
Oral LD50 Rat: 4396 mg/kg
Dermal LD50 Rat: 12800 mg/kg
Dermal LD50 Rabbit: 12870 mg/kg

CHRONIC EFFECTS:

Component

Ethyl Alcohol (64-17-5)

Carcinogenicity: ACGIH A4 – Not Classifiable as a Human Carcinogen

Neurotoxicity: This product contains ethyl alcohol, a central nervous system target.

Mutagenicity: No information available for product.

Reproductive: No information available for product.

Developmental: Ethyl alcohol is a developmental toxin when consumed during pregnancy.

Target Organs: When consumed, ethyl alcohol can target the respiratory system, skin, eyes, CNS, liver, blood and reproductive system.

Isopropyl Alcohol (67-63-0)

Carcinogenicity: ACGIH A4 – Not Classifiable as a Human Carcinogen

Neurotoxicity: This product contains isopropyl alcohol, a central nervous system target.

Mutagenicity: No information available for product.

Reproductive: No information available for product.

Developmental: No information available for product.

Target Organs: skin, eyes, CNS, Kidney, Developmental and respiratory system.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Ethyl Alcohol (64-17-5)

96 hour LC50 Oncorhynchus mykiss: 12,900 mg/L (flow-through) (30days old)
96 hour LC50 Pimephales promelas 14.2 mg/L
5 min EC50 Photobacterium phosphoreum: 35,470 mg/L
30 min EC50 Photobacterium phosphoreum: 34,634 mg/L
48 hour EC50 Daphnia magna: 9,268 mg/L
24 hour EC50 Daphnia magna: 10,800 mg/L

Ecotoxicity: Isopropyl Alcohol (67-63-0)

96 Hr EC50 Scenedesmus Subspicatus: >1000 mg/L
72 Hr EC50 Scenedesmus subspicatus:>1000 mg/L
96 Hr LC50 Pimephales promelas: 9640 mg/L [flow through]
96 Hr LC50 Pimephales promelas: 94900 mg/L [flow through] (29 days old)
96 Hr LC50 Pimephales promelas: 61200 mg/L [flow through] (31 days old)
5 min EC50 Photobacterium phosphoreum: 35390 mg/L
48 Hr EC50 Daphnia magna: 13299 mg/L

Section 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, state, and local regulations.

Section 14: TRANSPORTATION INFORMATION

Shipping Name: Consumer Commodity ORM-D

Proper Shipping Name for Non-Consumer Commodity: Ethyl Alcohol Solutions, 3, UN1170, PGIII.

IMDG: UN1170, Ethanol Solutions (Ethyl Alcohol Solution), Class 3, PG II (21.6C cc) EmS # F-E S-D, Limited Quantity

Section 15: REGULATORY INFORMATION

Ethyl alcohol and isopropyl alcohol, components of this product, are on the TSCA inventory.

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This material contains ethyl alcohol a developmental toxicity when in alcoholic beverages.

The following components appear on one or more of the following state hazardous substance lists:

Component	CAS#	CA	MA	MN	NJ	PA
Isopropyl Alcohol	67-63-0	YES	YES	YES	YES	YES
Ethyl alcohol	64-17-5	YES	YES	YES	YES	YES

Section 16: Other Information

Prepared by: Vi-Jon Inc.

Disclaimer:

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY VI-JON HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this MSDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.

MATERIAL SAFETY DATA SHEET

Section 1. Chemical Product and Company Information

Product Name: Great Value Disinfecting Wipes
Chemical Family: Quaternary Ammonium Chlorides
Product Use: Disinfecting Wipes
Distributor Name: WalMart Inc.
Distributor Address: 702 SW 8th Street
 Bentonville, AR 72716
Emergency Phone #: 631-952-0100 / 1-888-401-5450
Date: 6-16-2010

Prepared/Updated:

Hazardous Material Information System (HMIS)

Health: 2
Fire Hazard: 1
Reactivity: 0
Precautionary Label: Caution
Statements:

Section 2. Composition and Information on Ingredients

Ingredients	CAS#	%	Exposure Limits
Water	7732-18-5	99.768	N/A
Quaternary Ammonium Chloride Sol	N/A	0.093	N/A

Section 3. Hazards Identification

Route of Entry: Eyes , Skin, Ingestion
Potential Acute Health Effects: None known

Section 4. First Aid Measures

Eye Contact: Flush immediately with water for 15-30 minutes being careful to flush behind the eyelids.
Inhalation: Move to air. Seek medical attention.
Skin Contact: Wash with soap and water. Seek medical attention if irritation persists or develops.
Ingestion: Prolonged or repeated contact may dry skin and cause irritation. Immediately drink plenty of water. Seek medical attention.

Section 5. Fire Fighting Measures

Flashpoint: >200 F **Method:** Tag Open Cup
Fire Fighting Media and Instructions: Extinguish with water spray or carbon dioxide; dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Unusual Fire and Explosion Hazards: None Known

Section 6. Accidental Release Measures

Personal Precautions: Put on appropriate personal protective equipment (see section 8).
Environmental Precautions: In the event of major spillage: Use appropriate containment to avoid environmental contamination. Collect spilled material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage

Handling: Avoid contact with eyes. Use appropriate hygiene methods when handling product. For industrial use only.
Storage: Store in a cool well ventilated area. Protect from freezing. Keep out of reach of children.

Section 8. Exposure Controls & Personal Protection:

Engineering Controls: None usually needed. General room ventilation is adequate.
Personal Protection:
Eyes: N/A
Hands: N/A
Respiratory: N/A
Additional Measures: N/A
Listed Carcinogen: No ingredients listed by NTP, IARC or OSHA Subpart Z.
Medical Condition Aggravated: Persons with pre-existing skin disorders may be susceptible to irritating effects.

Section 9. Physical and Chemical Properties

Fragrance: Lemon or Fresh
Physical State: Wipes-Impregnated material
Color: N/A
pH: 9.5-10.5
Specific Gravity: 1.00
% Volatile by Weight: -79%
Freezing Point: 32 F
Solubility in Water: N/A

Section 10. Stability and Reactivity

Stability and Reactivity: Stable
Conditions of Instability: None Known
Incompatibility with Various Substances: None Known

Decomposition Products Hazardous

Polymerization: When exposed to fire: Produces normal products of combustion. NH₃, NO₂, CO, CO₂

Section 11. Toxicological Information

Effects of Chronic Exposure: None Known

Section 12. Ecological Information: None Known

Section 13. Disposal Considerations: Dispose of all wastes according to all federal, state and local legislation.

Section 14. Transport Information

DOT: NOI Non-Hazardous Consumer Commodity

Classification:

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

U.S. Regulation: Not Regulated.

Federal: Not Regulated.

State: Not Regulated.

Registered Product Information: EPA Registered. 6836-313-41348

Sara Section 312:

Immediate (Acute) Health

Sara Section 313: Toxic Release Inventory Reporting

Registered Product Information: N/A

Section 16. Other Information: None reported.

Other Special Considerations: None reported.

Manufacturer: U.S. Nonwovens

Address: 100 Emjay Blvd.
 Brentwood, NY 11717

Version: 1

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and must comply with all federal, state, Provincial and Local Laws and Regulations.

Great Value Disinfecting Wipes