Safety Data Sheets

CD-HF/PZ



RSC, Benson

04/17/2018



Safety Data Sheet Index Binder: RSC, Benson - CD-HF/PZ

Product Name	CAS Number	Manufacturer	Version Date	Page
ABC Dry Chemical Fire Extinguishant - ABC Dry Chemical Fire Extinguishant		AMEREX CORPORATION	05/04/2016	3
Toner Cartridge -Black - Toner Cartridge -Black		Xerox Corporation	05/20/2011	16



SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Other Identifiers:	ABC Dry Chemical Fire Extinguishant Multi-purpose Dry Chemical
Product Code(s):	CH550, F15, F18
Model Code(s) for Extinguishers:	411, 417, 419, 423, 424, 425, 441, 443, 450, 456,
	461, 464, 467, 470, 473, 476, 481, 487, 488, 491,
	495, 500, 564, 567, 573, 581, 589, 592, 594, 668,
	692, 720, 760, 763, 781.
Recommended Use:	Fire suppression, not for human
	or animal drug use.
Manufacturer:	AMEREX CORPORATION
Internet Address:	www.amerex-fire.com
Address:	7595 Gadsden Highway, P.O. Box 81
	Trussville, AL 35173-0081
Company Telephone:	(205) 655-3271
E-mail Address:	info@amerex-fire.com
Emergency Contacts:	Chemtrec 1(800) 424-9300 or
	(703) 527–3887
Revised:	May, 2016

Section 2. HAZARDS IDENTIFICATION

GHS – Classification

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Category 3	None	None
Skin Sensitization: NO	None	None
Eye: Category 2B	None	Warning
STOT –Category 3	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s):





GHS – Signal Word(s):

Warning

Other Hazards Not Resulting in Classification: None

GHS – Hazard Phrases

GHS Hazard	GHS Codes(s)	Code Phrase(s)	
Physical	None		
Health	H303	May be harmful if swallowed	
	316	Causes mild skin irritation	
	320	Causes eye irritation	
	333	May be harmful if inhaled	
Environmental	None		
Precautionary:			
General	P101	If medical advice is needed, have product container or label at hand	
Prevention	P261	Avoid breathing dust.	
	264	Wash hands and face thoroughly after handling.	
Response	P304+340	If inhaled, remove person to fresh air and keep comfortable for breathing.	
	305+351+313	If in eyes, rinse cautiously with water for several minutes. Get immediate medical	
		advice/attention (as appropriate).	
	337+338	If eye irritation persists: remove contact lenses, if present and easy to do. Continue	
		rinsing.	
	P312	Call a POISON CENTER/doctor if you feel unwell (as appropriate).	
Storage	None		

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %
Mono-ammonium phosphate	NA	NA	7722-76-1	55-75
Ammonium sulfate	231-984-1	NA	7783-20-2	20-40
Fullers earth	NA	Not Available	8031-18-3	<3
magnesium aluminum silicate				
Mica-	NA	Not Available	12001-26-2	1-2
potassium aluminum silicate				
Silicone oil	NA	Not Available	63148-57-2	<1
methyl hydrogen polysiloxane				
Calcium carbonate	215-279-6	Not Available	1317-65-3	<1
Amorphous silica	262-373-8	Not Available	112926-00-8	<1
precipitated synthetic zeolite				
Yellow 14 pigment – diazo dye	228-767-9	Not Available	5468-75-7	<1

Emergency overview:

Light yellow, fine solid powder, odorless.

Adverse health effects and symptoms:

Irritant to the respiratory system; Irritating to eyes and skin. Symptoms may include coughing, shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

Cut-off Levels

Chemical Name	Reproductive Toxicity	Carcinogenicity	Mutagenicity	Other Hazard Classes
Mono-ammonium Phosphate	NA	NA	NA	NA
Ammonium Sulfate	NA	NA	NA	NA

Fullers earth magnesium aluminum silicate	NA	NA	NA	NA
Mica- potassium aluminum silicate	NA	NA	NA	NA
Silicone oil methyl hydrogen polysiloxane	NA	NA	NA	NA
Calcium carbonate	NA	NA	NA	NA
Amorphous silica precipitated synthetic zeolite	NA	NA	NA	NA
Yellow 14 pigment – di-azo dye	NA	NA	NA	NA

Section 4. FIRST AID MEASURES

Eye Exposure:	May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.
Skin Exposure:	May cause skin irritation. In case of contact, wash with plenty of soap and water. Seek medical attention if irritation persists.
Inhalation:	May cause irritation, along with coughing. If respiratory irritation or distress occurs, remove victim to fresh air. Seek medical attention if irritation persists.
Ingestion:	Overdose symptoms may include numbness or tingling in hands or feet, uneven heart rate, paralysis, feeling faint, chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, diarrhea, sweating, general ill feeling, or seizure (convulsions). If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist.
Medical conditions possibly	
aggravated by exposure:	Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

Section 5. FIRE-FIGHTING MEASURES

Flammable Properties: Flash Point: Suitable Extinguishing Media:

Hazardous Combustion Products:

Explosion Data: Sensitivity to Mechanical Impact: Sensitivity to Static Discharge: Unusual fire/explosion hazards:

Protective Equipment and Precautions for Firefighters:

Not flammable Not determined Non-combustible. Use extinguishing media suitable for surrounding conditions. Carbon and sulfur oxides

Not sensitive Not sensitive In a fire this material may decompose, releasing oxides of carbon, sulfur, potassium and nitrogen (see Section 10).

As in any fire, wear self-contained breathing apparatus in pressure-demand, NIOSH approved or equivalent and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes, and clothing. Minimum - safety glasses, gloves, and a dust Personal Protective Equipment: respirator. **Emergency Procedures:** NA Methods for Containment: Prevent further leakage or spillage if safe to do so. Methods for Clean Up: Avoid dust formation. Clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is complete. **Environmental Precautions:** Prevent material from entering waterways. If product is contaminated, use PPE and containment Other: appropriate to the nature of the most toxic chemical/material in the mixture.

Section 7. HANDLING AND STORAGE

Personal Precautions:	Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8).
Conditions for Safe Storage/Handling:	Keep product in original container or extinguisher. Contents may be under pressure – inspect extinguisher consistent with product labeling to ensure container integrity.
Incompatible Products:	Do not mix with other extinguishing agents, particularly potassium bicarbonate and sodium bicarbonate. Incompatible with strong oxidizing agents and strong acids. Do not store in high humidity. Do not combine with chlorine compounds.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Mono- ammonium phosphate	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Ammonium Sulfate	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Mica	6 mg/m ³	3 mg/m3	NR	NA
Fullers Earth	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	
Silicone oil	NR**	NR	NR	NA
Calcium carbonate	PNOC Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³		NA
Amorphous silica	80 mg/m ³ % silica	10 mg/m ³	4 mg/m ³	NA
Yellow 14 pigment	NR	NR	NR	NA

*German regulatory limits **PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) *** NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:


Showers Eyewash stations Ventilation systems

Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.







Hygiene Measures:





Tightly fitting safety goggles Wear protective gloves/coveralls If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use P100 respirators for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current safety and health requirements. The need for respiratory protection is not likely for short-term use in well ventilated areas. Good personal hygiene practice is essential, such as avoiding food, tobacco products, or other hand-tomouth contact when handling. Wash thoroughly after handling.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Molecular Weight:

Light yellow powder, finely divided odorless solid NH4H2PO4: 115.03; (NH4)2SO4: 132.14

Page 6 of 13 Pages <u>ABC</u>

Odor: Odor Threshold: Decomposition Temperature °C: Freezing Point °C: Initial Boiling Point °C: Physical State: pH: Flash Point °C: Auto-ignition Temperature °C: Boiling Point/Range °C: Melting Point/Range °C: Flammability: Flammability Limits in Air °C: Explosive Properties: Oxidizing Properties: Volatile Component (%vol) Evaporation Rate: Vapor Density: Vapor Pressure: Specific gravity at 25 C: Solubility: Partition Coefficient:	Odorless No information available 100 - 120 No information available No information available Crystalline Powder Mixture approximately 4 to 5; NH4H2PO4: 4.2 in 0.2 molar solution; (NH4)2SO4: 5.5 in 0.1 molar solution None None Not Applicable NH4H2PO4: 190; (NH4)2SO4: 280 Not Flammable Upper – Not Flammable; Lower-Not Flammable None None None Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable NH4H2PO4: 1.80; (NH4)2SO4:: 1.77 Coated-Not Immediately Soluble in Water NH4H2PO4 Est: -4.11: (NH4)2SO4: Est: -0.48
Partition Coefficient: Viscosity:	NH4H2PO4 Est: -4.11; (NH4)2SO4: Est: -0.48 Not Applicable

NOTE: NH4H2PO4 - Monoammonium Phosphate; (NH4)2SO4: - Ammonium Sulfate

Section 10. STABILITY AND REACTIVITY

Stability:

Reactivity: Incompatibles:

Conditions to Avoid: Hazardous Decomposition Products:

Possibility of Hazardous Reactions: Hazardous Polymerization Stable under recommended storage and handling conditions.

Strong alkalis (bases), magnesium, strong oxidizers, isocyanuric acids and chlorine compounds. Storage or handling near incompatibles. Heat of fire may release carbon monoxide, carbon dioxide, and sulfur dioxide. Also ammonia, oxides of phosphorous and nitrogen oxides may be released during decomposition. Slight

Does not occur

Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms: Immediate: Inhalation: Eyes: Skin: Delayed: Acute Toxicity: Chronic Toxicity: Short-term Exposure: Long-term Exposure: Inhalation, skin, and eye contact.

Irritation, coughing. Irritation. Irritation. Symptoms appear to be relatively immediate Relatively non-toxic.

None known. As with all dusts, pneumoconiosis, or "dusty lung" disease, may result from chronic exposure.

Acute Toxicity Values - Health

Chemical Name	LD50		LC50 (Inhalation)
	Oral	Dermal	
Mono-ammonium phosphate	5750 mg/kg (rat)	>7940 mg/kg (rabbit)	Not available
Ammonium Sulfate	2840 mg/kg (rat)	Not available	Not available
Mica	None	None	None
Fullers Earth	None	None	None
Silicone oil	None	None	None
Calcium carbonate	6450 mg/kg (rat)	500 mg/24 hr (rabbit)	Not available
Amorphous silica	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	>2.2 mg/L (rat)
Yellow 14 pigment	>17000 mg/kg (rat)	>3000 mg/kg (rat)	>4448 mg/m3 (rat)

Reproductive Toxicity:

Target Organs and Effects (TOST):

This product's ingredients are not known to have reproductive or teratogenic effects. Respiratory system irritant).

This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization.

Other Toxicity Categories

Chemical Name	Germ Cell Mutagenicity	Carcino- genicity	Repro- ductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Mono-ammonium phosphate	None	None	None	Cat 3	None	None
Ammonium Sulfate	None	None	None	Cat 3	None	None
Fullers earth	None	None	None	None	None	None
Mica	None	None	None	None	None	None
Silicone oil	None	None	None	None	None	None

Calcium carbonate	None	None	None	None	None	None
Amorphous silica	None	None	None	None	None	None
Yellow 14 pigment	None	None	None	None	None	None

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity:	Negative effects unknown. Provides nutrient nitrogen and phosphorus to plant life.
Persistence/Degradability:	Degrades rapidly in humid/wet environment.
Probability of rapid biodegradation:	NH4H2PO4 Est: 0.693 (Rapid);
	(NH4)2SO4: Est: 0.684 (Rapid)
Anaerobic biodegradation probability:	NH4H2PO4 Est: 0.398 (Slow);
.	(NH4)2SO4: Est: 0.398 (Slow)
Bioaccummulation potential:	Low.
Bioconcentration factor:	NH4H2PO4: 3.16 L/kg; (NH4)2SO4: 3.16 L/kg (wet weight)
Bioaccummulation:	Extent unknown.
Mobility in soil:	Slow evaporation rate; water soluble, may leach to groundwater
Log Koc:	NH4H2PO4 Est: -1.25: (NH4)2SO4: Est: 1.35
Log Koa:	NH4H2PO4 Est: 16.72; (NH4)2SO4: Est: 20.10
Log Kaw:	NH4H2PO4 Est: -20.86; (NH4)2SO4: Est: -19.62

NOTE: NH4H2PO4 – Mono-ammonium Phosphate; (NH4)2SO4: – Ammonium Sulfate

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values – Environment – Research

Chemical Name	Acute (LC50)	Chronic (LC50)
Mono-ammonium phosphate	N/A	N/A
Ammonium Sulfate	N/A	N/A
Mica	N/A	N/A
Fullers Earth	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Aquatio Toxicity Values		
Chemical Name	Acute (LC50)	EC50
Mono-ammonium phosphate	2,91e+07 mg/L Fish 96 hr; 9.4e+06 mg/l Daphnid 48 hr;	6.70e+05 mg/L Gr. Algae 96 hr
Ammonium Sulfate	2521 mg/L Fish 96 hr; 1244 mg/l Daphnid 48 hr;	518 mg/L Gr. Algae 96 hr
Mica	N/A	N/A
Fullers Earth	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Aquatic Toxicity Values – Environment – Estimates

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling

Waste Disposal Considerations

Contaminated Packaging

Use appropriate PPE when handling, and wash thoroughly after handling (see Section 8). Dispose in accordance with federal, state, and local regulations. Dispose in accordance with federal, state, and local

regulations.

NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION					
UN Number:	NA				
UN Proper Shipping Name: Transport Hazard Class:	NA NA				
Packing Group:	NA				
Marine Pollutant?:	NO				
ΙΑΤΑ	Not regulated				
DOT	Not regulated				
NOTES.					

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, nontoxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class is 2.2, non-flammable, when shipped via highway or rail.

Section 15. REGULATORY INFORMATION

International Inventory Status:	All ingredients are on the foll	owing inventories
Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

REACH Title VII Restrictions:

No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Mono-ammonium Phosphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ammonium Sulfate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Mono-ammonium Phosphate 7722-76-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ammonium Sulphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Fullers earth magnesium aluminum silicate 8031-18-3 (>4)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

| Mica-
potassium
aluminum silicate
120001-26-2 (>2) | Not Applicable |
|---|----------------|----------------|----------------|----------------|----------------|
| Calcium carbonate
471-34-1 | Not Applicable |
| Amorphous silica
69012-64-2 | Not Applicable |
| Yellow 14 pigment 5468-75-7 | Not Applicable |

European Risk and Safety phrases:

EU Classification:	XN	Irritant
R Phrases:	20	Harmful by inhalation.
	36/37	Irritating to eyes, respiratory system.
S Phrases:	22	Do not breath dust.
	24/25	Avoid contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

U.S. Federal Regulatory Information:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312	Hazard Categories:

<u>Laia Gategorioo</u>	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard-*	Yes
Reactive Hazard	No

* - Only applicable if material is in a pressurized extinguisher.

Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None California – Permissible Exposure Limits for Chemical Contaminants: None Florida – Substance List: Mica Dust Illinois – Toxic Substance List: None Kansas – Section 302/303 List: None Massachusetts – Substance List: Mica Dust Minnesota – List of Hazardous Substances: None Missouri – Employer Information/Toxic Substance List: None New Jersey – Right to Know Hazardous Substance List: None North Dakota – List of Hazardous Chemicals, Reportable Quantities: None Pennsylvania – Hazardous Substance List: None Rhode Island – Hazardous Substance List: Mica Dust Texas – Hazardous Substance List: None West Virginia – Hazardous Substance List: None Wisconsin – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

<u>Other</u>: Mexico – Grade Canada – WHMIS Hazard Class

No component listed No component listed

Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

Issuing Date Revision Date Revision Notes 17-June-2012 4-May-2016 None

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by William F. Garvin, CIH.



Material Safety Data Sheet

SDS # : A-1030	Toner Cartridge -Bla	ick	
Issuing Date 2006-04-13	Revision Date 2011-05-20 Version		Version 1
1. PRODUCT AND COMPAN	Y IDENTIFICATION		
Trade Name: Toner	for HP LaserJet 4250 Series, HP LaserJet 4350 Series, Q5942X, HP LaserJet 4200 Series, HP LaserJet 4000, HP Laser Jet 4050		
Part No. 006R00959, 003R99	623, 106R02148, 106R02144		
Color Pure substance/preparation	Black Preparation		
Identified uses	Xerographic printing		
Manufactured by:	Xerox Corporation Rochester, NY 14644		
Emergency telephone	Safety Information (800)828-6571 Health Emergency (585)422-2177 Chemical Emergency only (Chemtrec) (800)424-9300 or (703)527-3887 (collect outside the US or Canada)		
2. HAZARDS IDENTIFICATION	NC		
	DN Emergency Overview nces which, in the form utilized and at be hazardous to health.		are considered to
	Emergency Overview nces which, in the form utilized and at be hazardous to health. Appearance Phys		are considered to Odor Faint
The product contains no substa Color	Emergency Overview nces which, in the form utilized and at be hazardous to health. Appearance Phys Powder Phys Powder Inhalation No known effect No known effect No known effect No known effect No known effect under normal use cond cause irritation of the respiratory tract as dust. Minimum respiratory or eye irritation	their given concentrations, ical state Solid	Odor Faint d inhalation may of any non- toxic
The product contains no substa Color Black Potential Health Effects Principle Routes of Exposure Acute toxicity Eyes Skin Inhalation Ingestion Chronic effects	Emergency Overview nces which, in the form utilized and at be hazardous to health. Appearance Phys Powder Phys Inhalation No known effect No known effect No known effect No known effect No known effect No known effect and the respiratory tract as	their given concentrations, ical state Solid	Odor Faint



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Polyester resin	119681-36-6	40-55
Iron oxide	1317-61-9	35-55

4. FIRST AID MEASURES	
General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Notes to physician	Treat symptomatically
Protection of first-aiders	No special protective equipment required.

5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable. Will not readily ignite.
Flash point	not applicable
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire
Hazardous combustion products	Hazardous decomposition products due to incomplete combustion. Carbon oxides. Nitrogen oxides (NOx).
Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not sensitive. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Specific hazards arising from the chemical

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

NFPA 704

xerox 🌒

Page 3/7

SDS # : A-1030

Toner Cartridge -Black

Consumer use Bulk Packaging	Health Hazard 0 Health Hazard 0	Flammability 1 Flammability 3	Stability 0 Stability 0	Special hazard None Special hazard None
6. ACCIDENTAL RELE	ASE MEASURES			
Personal Precautions	Avoid breathin	ng dust.		
Environmental Precautions	Refer to prote	ective measures listed in Se	ections 7 and 8.	
Methods for containment	Prevent dust	cloud.		
Methods for cleaning up		Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use non-sparking tools and equipment.		
Other Information	See Section 1	See Section 12 for additional information		
7. HANDLING AND ST	ORAGE			
Advice on safe handling		Handle in accordance with good industrial hygiene and safety practice Prevent dust cloud		
Technical measures/Storage conditions	•	Keep container tightly closed in a dry and well-ventilated place Store at room temperature		
Hygiene measures	None under n	None under normal use condtions		
Industrial User	Wash hands Wash hands	rink or smoke when using t before eating, drinking, che before breaks and at the er ar cleaning of equipment, v	ewing gum, using tobacc nd of workday	o, or using toilet

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines

Product information

ACGIH TLV TWA	10 mg/m ³ (inhalable particles)
ACGIH TLV TWA	3 mg/m ³ (respirable particles)
OSHA PEL TWA	15 mg/m ³ (total dust)
OSHA PEL TWA	5 mg/m ³ (respirable dust)
Xerox Exposure Limit	2.5 mg/m ³ (total dust)
Xerox Exposure Limit	0.4 mg/m ³ (respirable dust)

Other Information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

Biological standards

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies



Occupational Exposure Controls

Engineering measures	None under normal use conditions.	
Industrial use	Avoid dust formation Ensure all equipment is electrically grounded before beginning transfer operations Provide appropriate exhaust ventilation at places where dust is formed	
Personal Protective Equipme	ent	
Consumer use	These recommendations apply to the product as supplied	
Respiratory protection	No special protective equipment required.	
Eye/Face protection	No special protective equipment required.	
Skin and body protection	No special protective equipment required.	
Hand protection	No special protective equipment required	

Industrial use In case of insufficient ventilation: Wear protective eyewear (goggles) Effective dust mask

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor threshold pH Flash point Softening point	Powder not applicable not applicable not applicable 49 - 60 °C / 1	20 - 140 °F	Odor Physical state Color Boiling point/range Autoignition temperature	Faint Solid Black not applicable not applicable
Flammability Lim	its in Air	not applicable		
Explosive proper Vapor pressure Vapor density Water solubility Viscosity Partition coefficie Evaporation rate Melting point/ran Freezing point Specific gravity	ent	Fine dust dispersed in ai source is a potential dus not applicable not applicable Negligible not applicable not applicable Not determined not applicable not applicable	•	entrations, and in the presence of an ignition

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use



Stability	Stable under normal conditions	
Incompatible products	None	
Conditions to Avoid	Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard	
Hazardous Decomposition Products None under normal use.		
Hazardous polymerization	Hazardous polymerization does not occur	
Hazardous reactions	None under normal processing.	
11. TOXICOLOGICAL INF	ORMATION	

Toner Cartridge -Black

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute toxicity

SDS #: A-1030

Product information	
Irritation	No skin irritation No eye irritation
LD50 Oral:	> 5 g/kg (rat)
LD50 Dermal:	> 5 g/kg (rabbit)
LC50 Inhalation:	> 5 mg/L (rat, 4 hr)
Chronic toxicity	
Product information	
Chronic effects	No known effects under normal use conditions. Repeated or prolonged inhalation may cause irritation of the respiratory tract as can occur with the inhalation of any non- toxic dust. Minimum respiratory or eye irritation may occur as with exposure to large amounts of any non-toxic dust.
Carcinogenicity	See "Other Information" in this section.
Other toxic effects	
Product information	
Sensitization	No sensitization responses were observed
Mutagenic effects	Not mutagenic in AMES Test

Mutagenic effects	Not mutagenic in AMES
Target organ effects	None known.
Other adverse effects	None known.
Aspiration Hazard	not applicable

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.



Page 6/7

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements
------------------------	--

Contaminated packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

Note

This material is not subject to regulation as a hazardous material for shipping.

15. REGULATORY INFORMATION

International Inventories

DSL/NDSL

Complies Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12b does not apply to this product.

U.S. State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

U.S. State Right-to-Know Regulations



Page 7/7

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Not subject to WHMIS classification

16. OTHER INFORMATION

Issuing Date	2006-04-13
Revision Date	2011-05-20
Revision Note	Part number 106R02144 added

Model #(s) HP LaserJet 4000/4050 added

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

end