# **Safety Data Sheets**

**Justice Court** 



# **RSC**, Benson

09/20/2018



### Safety Data Sheet Index

# Binder: RSC, Benson - Justice Court

Product Name	CAS Number	Manufacturer	Version Date	Page
35250 Fellowes Powershred Shredder Lubricant - 35250 Fellowes Powershred Shredder Lubricant	120962-03-0	Fellowes, Inc.	12/01/2014	4
70% ISOPROPYL RUBBING ALCOHOL - 70% ISOPROPYL RUBBING ALCOHOL		Medline Industries Inc.	05/04/2017	7
ABC Dry Chemical Fire Extinguishant - ABC Dry Chemical Fire Extinguishant		AMEREX CORPORATION	05/04/2016	13
CLOROX DISINFECTANT WIPES - CLOROX DISINFECTANT WIPES		The Clorox Company	07/01/2006	26
Clorox Regular - Bleach - CLOROX REGULAR- BLEACH		The Clorox Company	06/12/2015	27
COUNTERIFFIC - COUNTERIFFIC		Stone Care International Inc	09/01/2002	37
Hillyard Sorb-It Granular Absorbent for Surface Liquids - Hillyard Sorb-It Granular Absorbent for Surface Liquids		Hillyard	06/08/2015	43
Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A) - Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)		Staples Contract & Commercial, Inc.	06/24/2013	49
Lysol Brand Disinfectant Spray, All Scents (Aerosol) - Lysol Brand Disinfectant Spray, All Scents (Aerosol)		Reckitt Benckiser - Morris Corporate Center IV	04/23/2015	63
Lysol Disinfecting Wipes - All Scents - Lysol Disinfecting Wipes - All Scents		Reckitt Benckiser LLC.	05/15/2018	75
PALMOLIVE TRADITIONAL DISHWASHING HAND LIQUID ORIGINAL - PALMOLIVE TRADITIONAL DISHWASHING HAND LIQUID ORIGINAL		Colgate-Palmolive Company	02/02/2016	88
Pledge Furniture Spray Orange Fresh - Pledge Furniture Spray Orange Fresh		S.C. Johnson and Son, Limited	05/23/2017	98
PURELL Hand Sanitizer - PURELL Hand Sanitizer		GOJO Industries, Inc.	03/19/2015	111
SWIFFER - DUSTING SHEET (ALL VARIATIONS) - Dusting Sheet		Procter & Gamble	06/01/2001	126
Toner Cartridge:Black,Cyan,Magenta,Yellow - Black Toner Cartridge, Cyan Toner Cartridge, Magenta Toner Cartridge, Yellow Toner Cartridge, Black Developer Cartridge, Cyan Developer Cartridge, Magenta Developer Cartridge, Yellow Developer Cartridge	65997-18-4	Xerox Corporation	01/17/2013	130

Product Name	CAS Number	Manufacturer	Version Date	Page
Weiman Granite Cleaner & Polish - Weiman Granite Cleaner & Polish		Weiman Products	09/15/2016	134
WINDEX ORIGINAL GLASS CLEANER WITH AMMONIA-D - WINDEX ORIGINAL GLASS CLEANER		S.C. Johnson and Son, Limited	05/23/2017	138
Wite-Out For Everything Correction Fluids(Quick Dry, Extra Coverage Super Smooth) & Commercial Pack - Wite-Out For Everything Correction Fluids(Quick Dry, Extra Coverage, Super Smooth) & Commercial Pack		Bic Consumer Products Manufacturing Co., Inc.	02/12/2007	148

#### SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

Fellowes, Inc.			
1789 Norwood Avenue			
Itasca, IL 60143-1095			
USA			
Telephone:	630.893.1600		
Fax:	630.893.1648		
Toll Free:	800.945.4545		

Product Name:35250 Fellowes Powershred Shredder LubricantDescription:Lubricant

### SECTION 2: HAZARD IDENTIFICATION

Inhalation:	May cause slight irritation.
Eyes:	May cause slight irritation.
Skin:	May cause slight irritation.
Ingestion:	May cause gastrointestinal discomfort.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name:	CAS No.	EINECS No.	Maximum Weight :
Canola Oil	120962-03-0		>99%

#### SECTION 4: FIRST AID MEASURES

Inhalation:	Move to fresh air.
Eyes:	Flush with water.
Skin:	Wash with soap and water.
Ingestion:	Do not induce vomiting. Seek medical attention.

#### SECTION 5: FIREFIGHTING MEASURES

Flash Point:	>500F (260C) Closed Cup				
Flammability Limits in	Air by volume:	Lower:	Not explosive	Upper:	Not explosive
Extinguishing Media:	Do not use water jet. Use	e dry chemi	cal, halon, carbon	dioxode, wa	ater spray, fog, or foam.
Special Firefighting Measures:	None				
Unusual Hazards:	None				



#### SECTION 6: ACCIDENTAL RELEASE MEASURES

Use absorbent material and dispose of appropriately. For large spills, keep product out of sewers and advise authorities if product has entered sewers. Surfaces may become slippery after spillage.

#### SECTION 7: HANDLING AND STORAGE

Handling:	Keep away from heat and sources of ignition.			
Storage:	Do not store near heat or flame. Store away from strong oxidizers.			

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes and Face:	None necessary when product is used as intended.
Clothing:	No special protective clothing when used as intended.
Respiratory:	None necessary when product is used as intended.
Ventilation:	Normal ventilation is adequate.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Boiling Point:</b>	>575F
<b>Evaporation Rate:</b>	Not available
Specific Gravity:	0.92 g/ml (7.67 lb/gal) @ 25C
Solubility in Water:	Not soluble
Appearance/Odor:	Yellow to amber liquid; faint fatty odor.

#### SECTION 10: STABILITY AND REACTIVITY

Stable:	Stable under normal conditions.
Conditions to Avoid:	Keep away from heat and open flame. Avoid strong oxidizing agents.
Chemical Incompatibility:	Strong oxidizers
Hazardous Decomposition:	Combustion produces carbon monoxide, carbon dioxide, along with thick smoke.
Polymerization:	Will not occur

#### SECTION 11: TOXICOLOGICAL INFORMATION

Not listed on NTP, OSHA, or IARC.



#### SECTION 12: ECOLOGICAL INFORMATION

This product is biodegradable.

#### SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods:Dispose in accordance with Federal, State, and Local Regulations.Additional Information:"Empty" containers should be completely drained.

#### SECTION 14: TRANSPORT INFORMATION

DOT:	Not re	egulate	ed as a	a haz	ardous	material.

IATA: Not regulated as a hazardous material.

**IMO:** Not regulated as a hazardous material.

#### SECTION 15: REGULATORY INFORMATION

United States:	The components used in this product are listed on the Toxic Substances Control Act.
Canada:	All components are listed on the Canadian DSL.
EU:	Currently not classified according to EEC Directives.
Additional:	None

### SECTION 16: OTHER INFORMATION

According to 29 CFR 1910.1200(b)(6)(ix) of the Code of Federal Regulations, amended July 1, 2007, the Fellowes product described in this Material Safety Data Sheet is exempt from the Hazard Communication Standard. The information contained in this MSDS is not meant to imply that this Fellowes product is covered by the OSHA Hazard Communication Standard nor meant to comply with the OSHA Hazard Communication Standard.

HMIS RATING	
Health	0
Flammability	1
Physical Hazard	0
Personal Protection	N/A

December 2014



# **Safety Data Sheet** 70% ISOPROPYL RUBBING ALCOHOL

# Section 1. Identification

Product Identifier Synonyms Manufacturer Stock Numbers	MDS098016; MDS098017	0; MDS098011; MDS09807 ; MSD_SDS0048 0; MDS098011; MDS09807	. ,
Recommended use Uses advised against	N/A N/A		
Manufacturer Contact			
Address	Medline Industries, Inc. 3 Lakes Drive Northfield, IL, 60093 USA		
	Phone (800) 633-5463	Emergency Phone (800) 424-9300 CHEMTREC	Fax (847) 643-4436
	Website www.Medline.com		

# Section 2. Hazards Identification

Classification

ACUTE TOXICITY - DERMAL - Category 5 ACUTE TOXICITY - ORAL - Category 5 EYE DAMAGE/IRRITATION - Category 2B



FLAMMABLE LIQUIDS - Category 3 SENSITIZATION - SKIN - Category 1B Warning



Hazard Statements

Causes eye irritation

Precautionary Statements	Flammable liquid and vapor May be harmful if swallowed May be harmful in contact with skin May cause an allergic skin reaction
Response	Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. In case of fire: Use appropriate media to extinguish. Wash contaminated clothing before reuse.
Prevention	Avoid breathing dust/fume/gas/mist/ vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Ground/bond container and receiving equipment. Keep away from heat. Keep container tightly closed. Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Wash affected area thoroughly after handling. Wear protective gloves. Wear protective gloves/eye protection/face protection
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with federal, state and local environmental control regulations.
Ingredients of unknown toxicity	N.A.
Hazards not Otherwise Classified	No Data Available

# Section 3. Ingredients

CAS	In	gredient Name	Weight %
67-63-0	Isopropyl alcohol	70 %	

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First-Aid Measures

General Advice:	Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
Eye Contact:	Flush eyes with large amounts of water for at least 15 minutes. Remove contact lenses, if worn. If irritation persists, seek medical attention.
Skin Contact:	Wash with soap and water; if irritation persists, seek medical attention.
Inhalation:	Remove victim to fresh air. Seek medical attention if discomfort continues.
Ingestion:	If swallowed, call a physician immediately. Rinse mouth and throat thoroughly with water. Do not induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liguid into lungs.

# Section 5. Fire Fighting Measures

Suitable Extinguishing Media	In case of fire, use Water spray, Carbon Dioxide (CO2), Foam, Dry Chemical
Unsuitable Extinguishing Media	N.D.
Unusual Fire and Explosion Hazards:	N.D.
Special Fire Fighting Procedures:	N.D.

# Section 6. Accidental Release Measures

Flammable Small Spill:	Absorb with an inert dry material and place in an appropriate waste disposal container.
Flammable Large Spill:	Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with dry earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed.

# Section 7. Handling and Storage

Handling Flammable: Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/ fumes/ vapor/ spray. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids.
 Storage Flammable: Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

# Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Isopropyl alcohol	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm STEL: 500 ppm	N/A
Personal Protective Equipment	Goggles, Gloves			
Engineering Controls:	Ventilation: Local exhau	st.		
Respiratory Protection:	Air supplied masks or re	espirator in confined area	S	
Skin Protection:	Protective gloves: Rubb	er Protective gloves: Viny	И.	
Eye Protection:	lenses. Wear additional	eye protection such as fa	product. Do not wear co ace shield when the possi iquid, or airborne materia	ibility
Other protective equipment:	Not expected to be necessary under normal conditions of use. Where exposure cannot be adequately controlled, use appropriate protective clothing or equipment			
Work/hygienic practices:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.			

# Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Colorless
Odor	Characteristic
	odor
Odor Threshold	N.D.
Solubility	Complete
Partition coefficient Water/n-octanol	N.D
VOC%	N/A
Viscosity	N.D.
Specific Gravity	0.88
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	22°C/72°F
FP Method	TCC
Ph	N.D.
Melting Point	N.A.
Boiling Point	87° C
Boiling Range	N.D.
LEL	2
UEL	12
Evaporation Rate	2.3
Flammability	N.D.
Decomposition Temperature	N.D.
Auto-ignition Temperature	N.D.
Vapor Pressure	33mmHg
Vapor Density	2.07

# Section 10. Stability and Reactivity

Stability:	Stable.
Reactivity:	None
Incompatibility (Materials to avoid):	N.D.
Hazardous Decomposition or Byproducts:	Burning may produce Carbon Monoxide, Carbon Dioxide and other hazardous components.
Hazardous Polymerization	N.D.
Conditions to avoid:	Keep away from heat. Sparks. Open flame.

# Section 11. Toxicological Information

Acute Toxicity: Eye Contact	Contact may cause temporary moderate irritation
Acute Toxicity: Skin Contact	May cause mild irritation on patients with sensitive skin
Acute Toxicity: Inhalation	N.A.
Acute Toxicity: Ingestion	May be harmful if swallowed
Carcinogenicity:	None known
Chronic Toxicity:	None known

# Section 12. Ecological Information

Toxicity:	N.D.
Persistence and	N.D.
degradability:	
Bioaccumulative potential:	N.D.
Mobility in soil:	N.D.
Other adverse effects:	N.D.

# Section 13. Disposal

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

# Section 14. Transport Information

UN Number	1219
UN Proper Shipping Name	Isopropanol, 3
DOT Classification	Hazmat at all levels depending on size of packaging, Excepted or Limited Quantity or Fully Regulated
Packing Group	PG II
Additional Information	IATA OR IMDG - UN1219, Isopropanol,3, PG II

# Section 15. Regulatory Information

SARA 311/312:	N.A.
SARA 302:	N.A.
SARA 313:	Isopropyl alcohol.
TSCA:	N.A.
CERCLA Hazardous Substance List:	N.A.
Clean Air Act (CAA) Section 112, 112 (r):	N.A.
New Jersey Right to Know Components:	Isopropyl Alcohol
Pennsylvania Right to Know Components:	2-PROPANOL.
Rhode Island Right to Know Components:	isopropyl alcohol.

# Section 16. Other Information

Revision Date	05/04/2017
Legend	N.A Not Applicable N.E Not Established N.D Not Determined
HMIS (U.S.A.): Health Hazard	1
HMIS (U.S.A.): Flammability	3
HMIS (U.S.A.): Reactivity	1
National Fire Protection Association (U.S.A): Health Hazard	1
National Fire Protection Association (U.S.A): Flammability	3
National Fire Protection Association (U.S.A): Reactivity	1
Additional Information	The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of

these materials and the safety and health of employees



# SAFETY DATA SHEET

# Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Other Identifiers:	ABC Dry Chemical Fire Extinguishant Multi-purpose Dry Chemical
Product Code(s):	CH550, F15, F18
Model Code(s) for Extinguishers:	411, 417, 419, 423, 424, 425, 441, 443, 450, 456,
	461, 464, 467, 470, 473, 476, 481, 487, 488, 491,
	495, 500, 564, 567, 573, 581, 589, 592, 594, 668,
	692, 720, 760, 763, 781.
Recommended Use:	Fire suppression, not for human
	or animal drug use.
Manufacturer:	AMEREX CORPORATION
Internet Address:	www.amerex-fire.com
Address:	7595 Gadsden Highway, P.O. Box 81
	Trussville, AL 35173-0081
Company Telephone:	(205) 655-3271
E-mail Address:	info@amerex-fire.com
Emergency Contacts:	Chemtrec 1(800) 424-9300 or
	(703) 527–3887
Revised:	May, 2016

# Section 2. HAZARDS IDENTIFICATION

### **GHS** – Classification

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Category 3	None	None
Skin Sensitization: NO	None	None
Eye: Category 2B	None	Warning
STOT –Category 3	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s):





GHS – Signal Word(s):

Warning

Other Hazards Not Resulting in Classification: None

Page 1 of 13 Pages <u>ABC</u>

### **GHS** – Hazard Phrases

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	None	
Health	H303	May be harmful if swallowed
	316	Causes mild skin irritation
	320	Causes eye irritation
	333	May be harmful if inhaled
Environmental	None	
Precautionary:		
General	P101	If medical advice is needed, have product container or label at hand
Prevention	P261	Avoid breathing dust.
	264	Wash hands and face thoroughly after handling.
Response	P304+340	If inhaled, remove person to fresh air and keep comfortable for breathing.
	305+351+313	If in eyes, rinse cautiously with water for several minutes. Get immediate medical
		advice/attention (as appropriate).
	337+338	If eye irritation persists: remove contact lenses, if present and easy to do. Continue
		rinsing.
	P312	Call a POISON CENTER/doctor if you feel unwell (as appropriate).
Storage	None	

# Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %
Mono-ammonium phosphate	NA	NA	7722-76-1	55-75
Ammonium sulfate	231-984-1	NA	7783-20-2	20-40
Fullers earth	NA	Not Available	8031-18-3	<3
magnesium aluminum silicate				
Mica-	NA	Not Available	12001-26-2	1-2
potassium aluminum silicate				
Silicone oil	NA	Not Available	63148-57-2	<1
methyl hydrogen polysiloxane				
Calcium carbonate	215-279-6	Not Available	1317-65-3	<1
Amorphous silica	262-373-8	Not Available	112926-00-8	<1
precipitated synthetic zeolite				
Yellow 14 pigment – diazo dye	228-767-9	Not Available	5468-75-7	<1

Emergency overview:

Light yellow, fine solid powder, odorless.

Adverse health effects and symptoms:

Irritant to the respiratory system; Irritating to eyes and skin. Symptoms may include coughing, shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

### **Cut-off Levels**

Chemical Name	Reproductive Toxicity	Carcinogenicity	Mutagenicity	Other Hazard Classes
Mono-ammonium Phosphate	NA	NA	NA	NA
Ammonium Sulfate	NA	NA	NA	NA

Fullers earth magnesium aluminum silicate	NA	NA	NA	NA
Mica- potassium aluminum silicate	NA	NA	NA	NA
Silicone oil methyl hydrogen polysiloxane	NA	NA	NA	NA
Calcium carbonate	NA	NA	NA	NA
Amorphous silica precipitated synthetic zeolite	NA	NA	NA	NA
Yellow 14 pigment – di-azo dye	NA	NA	NA	NA

# Section 4. FIRST AID MEASURES

Eye Exposure:	May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.
Skin Exposure:	May cause skin irritation. In case of contact, wash with plenty of soap and water. Seek medical attention if irritation persists.
Inhalation:	May cause irritation, along with coughing. If respiratory irritation or distress occurs, remove victim to fresh air. Seek medical attention if irritation persists.
Ingestion:	Overdose symptoms may include numbness or tingling in hands or feet, uneven heart rate, paralysis, feeling faint, chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, diarrhea, sweating, general ill feeling, or seizure (convulsions). If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist.
Medical conditions possibly	
aggravated by exposure:	Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

# Section 5. FIRE-FIGHTING MEASURES

Flammable Properties: Flash Point: Suitable Extinguishing Media:

Hazardous Combustion Products:

Explosion Data: Sensitivity to Mechanical Impact: Sensitivity to Static Discharge: Unusual fire/explosion hazards:

Protective Equipment and Precautions for Firefighters:

Not flammable Not determined Non-combustible. Use extinguishing media suitable for surrounding conditions. Carbon and sulfur oxides

Not sensitive Not sensitive In a fire this material may decompose, releasing oxides of carbon, sulfur, potassium and nitrogen (see Section 10).

As in any fire, wear self-contained breathing apparatus in pressure-demand, NIOSH approved or equivalent and full protective gear.

### Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes, and clothing. Minimum - safety glasses, gloves, and a dust Personal Protective Equipment: respirator. **Emergency Procedures:** NA Methods for Containment: Prevent further leakage or spillage if safe to do so. Methods for Clean Up: Avoid dust formation. Clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is complete. **Environmental Precautions:** Prevent material from entering waterways. If product is contaminated, use PPE and containment Other: appropriate to the nature of the most toxic chemical/material in the mixture.

# Section 7. HANDLING AND STORAGE

Personal Precautions:	Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8).
Conditions for Safe Storage/Handling:	Keep product in original container or extinguisher. Contents may be under pressure – inspect extinguisher consistent with product labeling to ensure container integrity.
Incompatible Products:	Do not mix with other extinguishing agents, particularly potassium bicarbonate and sodium bicarbonate. Incompatible with strong oxidizing agents and strong acids. Do not store in high humidity. Do not combine with chlorine compounds.

# Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Mono- ammonium phosphate	PNOC** Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>	NA
Ammonium Sulfate	PNOC** Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>	NA
Mica	6 mg/m <sup>3</sup>	3 mg/m3	NR	NA
Fullers Earth	PNOC** Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>	
Silicone oil	NR**	NR	NR	NA
Calcium carbonate	PNOC Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>		NA
Amorphous silica	80 mg/m <sup>3</sup> % silica	10 mg/m <sup>3</sup>	4 mg/m <sup>3</sup>	NA
Yellow 14 pigment	NR	NR	NR	NA

\*German regulatory limits \*\*PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) \*\*\* NR = Not Regulated. All values are 8 hour time weighted average concentrations.

### Engineering Controls:


Showers Eyewash stations Ventilation systems

### Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.







Hygiene Measures:





Tightly fitting safety goggles Wear protective gloves/coveralls If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use P100 respirators for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current safety and health requirements. The need for respiratory protection is not likely for short-term use in well ventilated areas. Good personal hygiene practice is essential, such as avoiding food, tobacco products, or other hand-tomouth contact when handling. Wash thoroughly after handling.

# Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Molecular Weight:

Light yellow powder, finely divided odorless solid NH4H2PO4: 115.03; (NH4)2SO4: 132.14

Page 6 of 13 Pages ABC

NOTE: NH4H2PO4 - Monoammonium Phosphate; (NH4)2SO4: - Ammonium Sulfate

# Section 10. STABILITY AND REACTIVITY

Stability:

Reactivity: Incompatibles:

Conditions to Avoid: Hazardous Decomposition Products:

Possibility of Hazardous Reactions: Hazardous Polymerization Stable under recommended storage and handling conditions.

Strong alkalis (bases), magnesium, strong oxidizers, isocyanuric acids and chlorine compounds. Storage or handling near incompatibles. Heat of fire may release carbon monoxide, carbon dioxide, and sulfur dioxide. Also ammonia, oxides of phosphorous and nitrogen oxides may be released during decomposition. Slight

Does not occur

### Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms: Immediate: Inhalation: Eyes: Skin: Delayed: Acute Toxicity: Chronic Toxicity: Short-term Exposure: Long-term Exposure: Inhalation, skin, and eye contact.

Irritation, coughing. Irritation. Irritation. Symptoms appear to be relatively immediate Relatively non-toxic.

None known. As with all dusts, pneumoconiosis, or "dusty lung" disease, may result from chronic exposure.

### **Acute Toxicity Values - Health**

Chemical Name		LC50 (Inhalation)	
	Oral	Dermal	
Mono-ammonium phosphate	5750 mg/kg (rat)	>7940 mg/kg (rabbit)	Not available
Ammonium Sulfate	2840 mg/kg (rat)	Not available	Not available
Mica	None	None	None
Fullers Earth	None	None	None
Silicone oil	None	None	None
Calcium carbonate	6450 mg/kg (rat)	500 mg/24 hr (rabbit)	Not available
Amorphous silica	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	>2.2 mg/L (rat)
Yellow 14 pigment	>17000 mg/kg (rat)	>3000 mg/kg (rat)	>4448 mg/m3 (rat)

Reproductive Toxicity:

Target Organs and Effects (TOST):

This product's ingredients are not known to have reproductive or teratogenic effects. Respiratory system irritant).

This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization.

### **Other Toxicity Categories**

Chemical Name	Germ Cell Mutagenicity	Carcino- genicity	Repro- ductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Mono-ammonium phosphate	None	None	None	Cat 3	None	None
Ammonium Sulfate	None	None	None	Cat 3	None	None
Fullers earth	None	None	None	None	None	None
Mica	None	None	None	None	None	None
Silicone oil	None	None	None	None	None	None

Calcium carbonate	None	None	None	None	None	None
Amorphous silica	None	None	None	None	None	None
Yellow 14 pigment	None	None	None	None	None	None

# Section 12. ECOLOGICAL INFORMATION

Negative effects unknown. Provides nutrient nitrogen and phosphorus to plant life.
Degrades rapidly in humid/wet environment.
NH4H2PO4 Est: 0.693 (Rapid);
(NH4)2SO4: Est: 0.684 (Rapid)
NH4H2PO4 Est: 0.398 (Slow);
(NH4)2SO4: Est: 0.398 (Slow)
Low.
NH4H2PO4: 3.16 L/kg; (NH4)2SO4: 3.16 L/kg (wet weight)
Extent unknown.
Slow evaporation rate; water soluble, may leach to groundwater
NH4H2PO4 Est: -1.25: (NH4)2SO4: Est: 1.35
NH4H2PO4 Est: 16.72; (NH4)2SO4: Est: 20.10
NH4H2PO4 Est: -20.86; (NH4)2SO4: Est: -19.62

NOTE: NH4H2PO4 - Mono-ammonium Phosphate; (NH4)2SO4: - Ammonium Sulfate

Other Adverse Ecological Effects:

No other known effects at this time

### Aquatic Toxicity Values – Environment – Research

Chemical Name	Acute (LC50)	Chronic (LC50)
Mono-ammonium phosphate	N/A	N/A
Ammonium Sulfate	N/A	N/A
Mica	N/A	N/A
Fullers Earth	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Chemical Name	Chemical Name Acute (LC50) EC50							
	· · · · ·							
Mono-ammonium phosphate	2,91e+07 mg/L Fish 96 hr;	6.70e+05 mg/L Gr. Algae 96 hr						
	9.4e+06 mg/l Daphnid 48 hr;							
Ammonium Sulfate	2521 mg/L Fish 96 hr;	518 mg/L Gr. Algae 96 hr						
	1244 mg/l Daphnid 48 hr;							
Mica	N/A	N/A						
Fullers Earth	N/A	N/A						
Silicone oil	N/A	N/A						
Calcium carbonate	N/A	N/A						
Amorphous silica	N/A	N/A						
Yellow 14 pigment	N/A	N/A						

### Aquatic Toxicity Values – Environment – Estimates

### Section 13. DISPOSAL CONSIDERATIONS

Safe Handling

Waste Disposal Considerations

**Contaminated Packaging** 

Use appropriate PPE when handling, and wash thoroughly after handling (see Section 8). Dispose in accordance with federal, state, and local regulations. Dispose in accordance with federal, state, and local

regulations.

### NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION					
UN Number:	NA				
UN Proper Shipping Name: Transport Hazard Class:	NA NA				
Packing Group:	NA				
Marine Pollutant?:	NO				
ΙΑΤΑ	Not regulated				
DOT	Not regulated				
NOTES <sup>.</sup>					

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

### Special Precautions for Shipping:

If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, nontoxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class is 2.2, non-flammable, when shipped via highway or rail.

# Section 15. REGULATORY INFORMATION

International Inventory Status:	All ingredients are on the following inventories			
Country(ies)	Agency	Status		
United States of America	TSCA	Yes		
Canada	DSL	Yes		
Europe	EINECS/ELINCS	Yes		
Australia	AICS	Yes		
Japan	MITI	Yes		
South Korea	KECL	Yes		

### **REACH Title VII Restrictions**:

No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Mono-ammonium Phosphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ammonium Sulfate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Mono-ammonium Phosphate 7722-76-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ammonium Sulphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Fullers earth magnesium aluminum silicate 8031-18-3 (>4)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

| Mica-<br>potassium<br>aluminum silicate<br>120001-26-2 (>2) | Not Applicable |
|---|----------------|----------------|----------------|----------------|----------------|
| Calcium carbonate<br>471-34-1                               | Not Applicable |
| Amorphous silica<br>69012-64-2                              | Not Applicable |
| Yellow 14 pigment 5468-75-7                                 | Not Applicable |

### European Risk and Safety phrases:

EU Classification:	XN	Irritant
R Phrases:	20	Harmful by inhalation.
	36/37	Irritating to eyes, respiratory system.
S Phrases:	22	Do not breath dust.
	24/25	Avoid contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

### **U.S. Federal Regulatory Information:**

### SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312	Hazard Categories:

<u>Laia Gategorioo</u>	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard-*	Yes
Reactive Hazard	No

\* - Only applicable if material is in a pressurized extinguisher.

### Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

### U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None California – Permissible Exposure Limits for Chemical Contaminants: None Florida – Substance List: Mica Dust Illinois – Toxic Substance List: None Kansas – Section 302/303 List: None Massachusetts – Substance List: Mica Dust Minnesota – List of Hazardous Substances: None Missouri – Employer Information/Toxic Substance List: None New Jersey – Right to Know Hazardous Substance List: None North Dakota – List of Hazardous Chemicals, Reportable Quantities: None Pennsylvania – Hazardous Substance List: None Rhode Island – Hazardous Substance List: Mica Dust Texas – Hazardous Substance List: None West Virginia – Hazardous Substance List: None Wisconsin – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

<u>Other</u>: Mexico – Grade Canada – WHMIS Hazard Class

No component listed No component listed

# Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

Issuing Date Revision Date Revision Notes 17-June-2012 4-May-2016 None

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by William F. Garvin, CIH.



#### The Clorox Company 1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

# Material Safety Data Sheet

Product: CLOROX® D	ISINFECTING WIPE	S			
Description: FRAGRANCE	ED, MOISTENED TO	WELETTE	·		•
Other Designations	ibutor	Emergency Telephone Nos.			
12		For Medical Emergencies c (800) 446-1014 Broadway For Transportation Emergencies C (800) 424-9300		mergencies call: 446-1014 mergencies Chemtrac	
II Health Hazard Data		III Hazardous	Ingredi	ents	· · · · · · · · ·
Eye Contact: Can cause moderate eye irritation. Ingestion: Liquid should be practically non-toxic if Ingested. Skin Contact: Prolonged skin contact may produce minor irritation.		Ingredient n-Alkyl (C14, 60%; C1 C12, 5%; C18, 5%) di benzyl ammonium ch	<u>C</u> 16, 30% imethyl-	Concentration 0.145%	<u>Worker Exposure Limit</u> Not established
persists. IF SWALLOWED- Drink a glassful of water. Call a control center. SKIN- Wash thoroughly with soap and water INHALATION- If breathing is affected, move to fresh air.	physician or poison	n-Alkyl(C12, 68%, C1 Dimethyl Ethylbenzyl ammonium chloride	4, 32%)	0.145%	Not established
Under normal consumer use conditions the likelihood of any effects are low.	adverse health	Isopropanol CAS #67-63-0		1- 5%	400 ppm/500 ppm <sup>1</sup> 400 ppm <sup>2</sup>
		<sup>1</sup> 1998 ACGIH, TLV-TWA/STEL TLV-TWA- Threshold Limit Value-Time Weighted Average. STEL- Short Term Exposure Limit <sup>2</sup> PEL- OHSA Permissible Exposure Limit None of the ingredients in this product are on the IARC, NTP or OSHA			
W Special Protection and Proceeding		carcinogen lists.			
IV Special Protection and Precaution No special protection or precautions have been identified for under directed consumer use conditions. The following recommendations are given for production facil conditions and situations where there is increased potential for	fied for using this product U.S. DOT, IATA, IMG Hazard Class: Not restricted.				
scale or prolonged exposure. <u>Hygienic Practices</u> - Wear safety glasses. Use rubber or nitrik contact liquid, especially for prolonged periods. <u>Engineering Controls</u> : Use general ventilation to minimize ex- mist. <u>Work Practices</u> : Avoid eye and skin contact and Inhalation of Avoid contact with food. Not for personal cleansing.	posure to vapor or	311/312. This product contains no chemicals regulated under Section 304/CERCLA or Section 313.			ated under Section on the TSCA Inventory. The
KEEP OUT OF THE REACH OF CHILDREN					
VI Spill Procedures/Waste Disposal		VII Reactivity	Data		
Spill Procedures: Absorb and containerize. Wash residual do sewer. Contact the sanitary treatment facility in advance to as process washed down material. <u>Waste Disposal</u> : Disposal must be made in accordance with state and local regulations.	ssure ability to	<u>Stability</u> : Mixing with sodium hypochlorite may release small amounts of formaldehyde gas.			
VIII Fire and Explosion Data		IX Physical D	ata		· · · · · · · · · · · · · · · · · · ·
Flashpoint: >119°F Method: Closed cup. Unusual Fire and Explosion Hazards: None		Flashpoint Specific Gravity pH			>119°F 

© 1963, 1991 THE CLOROX COMPANY DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH DATE PREPARED 7/06



# SAFETY DATA SHEET

Issuing Date January 5, 2015

Revision Date June 12, 2015

Revision Number 1

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	Clorox® Regular-Bleach1
Other means of identification	
EPA Registration Number	5813-100
Recommended use of the chemical	and restrictions on use
Recommended use	Household disinfecting, sanitizing, and laundry bleach
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Address The Clorox Company 1221 Broadway Oakland, CA 94612	
Phone: 1-510-271-7000	
Emergency telephone number	
Emergency Phone Numbers	For Medical Emergencies, call: 1-800-446-1014 For Transportation Emergencies, call Chemtrec: 1-800-424-9300

### 2. HAZARDS IDENTIFICATION

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal word	Danger				
Hazard Statem Causes severe Causes serious	skin burns and eye damage				
Appearance	Clear, pale yellow	Physical State	Thin liquid	Odor	Bleach

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, protective clothing, face protection, and eye protection such as safety glasses.

#### Precautionary Statements - Response

Immediately call a poison center or doctor.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Specific treatment (see supplemental first aid instructions on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Precautionary Statements - Storage

Store locked up.

#### Precautionary Statements - Disposal

Dispose of contents in accordance with all applicable federal, state, and local regulations.

#### Hazards not otherwise classified (HNOC)

Although not expected, heart conditions or chronic respiratory problems such as asthma, chronic bronchitis, or obstructive lung disease may be aggravated by exposure to high concentrations of vapor or mist.

Product contains a strong oxidizer. Always flush drains before and after use.

#### Unknown Toxicity

Not applicable.

#### **Other information**

Very toxic to aquatic life with long lasting effects.

#### Interactions with Other Chemicals

Reacts with other household chemicals such as toilet bowl cleaners, rust removers, acids, or products containing ammonia to produce hazardous irritating gases, such as chlorine and other chlorinated compounds.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret	
Sodium hypochlorite	7681-52-9	5 - 10	*	

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

	4. FIRST AID MEASURES			
First aid measures				
General Advice	Call a poison control center or doctor immediately for treatment advice. Show this safety data sheet to the doctor in attendance.			
Eye Contact	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.			
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.			
Inhalation	Move to fresh air. If breathing is affected, call a doctor.			
Ingestion	Have person sip a glassful of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.			
Protection of First-aiders	Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).			
Most important symptoms and effects, both acute and delayed				
Most Important Symptoms and Effects	Burning of eyes and skin.			
Indication of any immediate medical attention and special treatment needed				
Notes to Physician	Treat symptomatically. Probable mucosal damage may contraindicate the use of gastric lavage.			

#### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific Hazards Arising from the Chemical

This product causes burns to eyes, skin, and mucous membranes. Thermal decomposition can release sodium chlorate and irritating gases and vapors.

#### Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. For spills of multiple products, responders should evaluate the MSDSs of the products for incompatibility with sodium hypochlorite. Breathing protection should be worn in enclosed and/or poorly-ventilated areas until hazard assessment is complete.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental Precautions	This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not allow product to enter storm drains, lakes, or streams. See Section 12 for ecological Information.
Methods and material for containme	ent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Do not eat, drink, or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

StorageStore away from children. Reclose cap tightly after each use. Store this product upright in<br/>a cool, dry area, away from direct sunlight and heat to avoid deterioration. Do not<br/>contaminate food or feed by storage of this product.

Incompatible Products

Toilet bowl cleaners, rust removers, acids, and products containing ammonia.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hypochlorite 7681-52-9	None	None	None

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

#### Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/Face Protection	If splashes are likely to occur: Wear safety glasses with side shields (or goggles) or face shield.
Skin and Body Protection	Wear rubber or neoprene gloves and protective clothing such as long-sleeved shirt.
Respiratory Protection	If irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Wash hands after direct contact. Do not wear product-contaminated clothing for prolonged periods. Remove and wash contaminated clothing before re-use. Do not eat, drink, or smoke when using this product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical State Appearance Color	Thin liquid Clear Pale yellow	Odor Odor Threshold	Bleach No information available
<u>Property</u> pH Melting/freezing point Boiling point / boiling range	<u>Values</u> ~12 No data available No data available	<u>Remarks/ Method</u> None known None known None known	
Flash Point Evaporation rate Flammability (solid, gas)	Not flammable No data available No data available	None known None known None known	
Flammability Limits in Air Upper flammability limit Lower flammability limit Vapor pressure	No data available No data available No data available	None known None known None known	
Vapor density Specific Gravity Water Solubility Solubility in other solvents	No data available ~1.1 Soluble No data available	None known None known None known None known	
Partition coefficient: n-octanol/wate Autoignition temperature Decomposition temperature Kinematic viscosity	erNo data available No data available No data available No data available No data available	None known None known None known None known	
Dynamic viscosity Explosive Properties Oxidizing Properties	No data available Not explosive No data available	None known	
Other Information Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available No data available		

### **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Reacts with other household chemicals such as toilet bowl cleaners, rust removers, acids, or products containing ammonia to produce hazardous irritating gases, such as chlorine and other chlorinated compounds.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Toilet bowl cleaners, rust removers, acids, and products containing ammonia.

#### Hazardous Decomposition Products

None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Exposure to vapor or mist may irritate respiratory tract and cause coughing. Inhalation of high concentrations may cause pulmonary edema.
Eye Contact	Corrosive. May cause severe damage to eyes.
Skin Contact	May cause severe irritation to skin. Prolonged contact may cause burns to skin.
Ingestion	Ingestion may cause burns to gastrointestinal tract and respiratory tract, nausea, vomiting, and diarrhea.

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Sodium hypochlorite 7681-52-9	8200 mg/kg (Rat)	>10000 mg/kg (Rabbit)	-	

#### Information on toxicological effects

SymptomsMay cause redness and tearing of the eyes. May cause burns to eyes. May cause redness<br/>or burns to skin. Inhalation may cause coughing.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure Chronic Toxicity Target Organ Effects	No information available. Carcinogenic potential is unknown. Respiratory system, eyes, skin, gastrointestinal tract (GI).
Aspiration Hazard	No information available.

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 54 g/kg ATEmix (inhalation-dust/mist) 58 mg/L

#### **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not allow product to enter storm drains, lakes, or streams.

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Other adverse effects

No information available.

#### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations. Do not contaminate food or feed by disposal of this product.

#### Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION			
DOT	Not restricted.		
TDG	Not restricted for road or rail.		
ICAO	Not restricted, as per Special Provision A197, Environmentally Hazardous Substance exception.		
ΙΑΤΑ	Not restricted, as per Special Provision A197, Environmentally Hazardous Substance exception.		
IMDG/IMO	Not restricted, as per IMDG Code 2.10.2.7, Marine Pollutant exception.		

### **15. REGULATORY INFORMATION**

#### **Chemical Inventories**

TSCA	All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt
DSL/NDSL	from listing. All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances	
Sodium hypochlorite 7681-52-9	100 lb			х	

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ	
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ	

#### **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**DANGER: CORROSIVE.** Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear protective eyewear and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the restroom. Avoid breathing vapors and use only in a well-ventilated area.

#### **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Sodium hypochlorite 7681-52-9	Х	х	Х	Х	
Sodium chlorate 7775-09-9	х	х	Х		

#### **International Regulations**

#### Canada

WHMIS Hazard Class

E - Corrosive material



### **16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazard	3	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard	3	Flammability 0	Physical Hazard 0	Personal Protection B
Prepared By		Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			
Revision Date		June 12, 2015			
Revision Note		Revision Section 14.			
Reference		1096036/164964.159			

#### **General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet

# MATERIAL SAFETY DATA SHEET U.S. DEPARTMENT OF LABOR - OSHA'S HAZARD COMMUNICATION STANDARD (Utilized to comply with 29 CFR 1910.1200)

#### Product Name & Manufacturers Identity

# **COUNTERIFFIC®**

 Stone Care International, Inc.

 P.O. Box 703

 Owings Mills, MD 21117

 1-800-839-1654

 410-783-0045

#### For Medical Emergencies, call Infotrac at 1-800-535-5053 For International Emergencies, call 1-352-323-3500

PAGE 1 OF 5 MATERTAL. DOT HAZARD CLASSIFICATION READY TO USE Non-hazardous DISINFECTANT AND SANITIZER DOT SHIPPING NAME Not regulated DATE ISSUED: 6/2001 DOT LABEL DATE OF LAST REVISION: 9/2002 None FORMULA Mixture CAS. NO. Mixture CHEMICAL NAME (Active) mixture of N, N-Dialkyl-N, N-dimethylammonium Chloride and N-Alkyl-N, N-dimethyl-N-benzylammonium Chloride APPROXIMATE WEIGHT % TWA/TLV N,N-Dialkyl(C<sub>8-10</sub>)-N,N-dimethylammonium Chloride 0.028 None established (CAS No. 68424-95-3) N-Alkyl(C<sub>12-16</sub>)-N, N-dimethyl-N-benzylammonium 0.018 None established Chloride (CAS No. 68424-85-1) Water (CAS No. 7732-18-5) 99.9 None established **рН** 6.4 **APPEARANCE** Clear liquid, color depends on optional dye added **ODOR** Slightly sweet VISCOSITY 0.66 Cst @ 20°C MELTING OR FREEZING POINT 0°C BOILING POINT 100°C VAPOR PRESSURE (mm Hg) Not known VAPOR DENSITY (Air=1) Not known SPECIFIC GRAVITY (Water=1) 1.0 @ 25°C **PERCENT VOLATILE (by weight)** 99.9 SOLUBILITY IN WATER Soluble EVAPORATION RATE (Butyl Acetate=1) Not known FLASH POINT >200°F AUTO IGNITION TEMPERATURE Not known LOWER EXPLOSION LIMIT (%) Not applicable UPPER EXPLOSION LIMIT (%) Not applicable EXTINGUISHING MEDIA FOAM ALCOHOL FOAM X CO<sub>2</sub> X DRY CHEMICAL X WATER X OTHER

#### SPECIAL FIRE FIGHTING PROCEDURES:

Must wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Products of combustion are toxic

Health:	1	
Flammability:	0	
Reactivity:		0

#### COUNTERIFFIC<sup>®</sup>

#### PAGE 2 OF 5

#### EFFECTS OF OVEREXPOSURE

No human overexposure information found for this material. Based upon the available toxicity information for related materials, it is anticipated that direct contact will produce very mild to essentially no eye or skin irritation.

OVEREXPOSURE MAY AGGRAVATE EXISTING CONDITIONS: No effects indicated.

#### EMERGENCY AND FIRST AID PROCEDURES:

**Eyes:** Flush eyes with large amounts of running water for several minutes. Seek medical attention if irritation develops.

**Skin:** Wash affected areas with plenty of water and soap, if available, for several minutes. Seek medical attention if irritation develops.

**Ingestion:** If swallowed, immediately give 3-4 glasses of milk (if unavailable, give water). DO NOT induce vomiting. If vomiting occurs, give fluids again. Get medical attention to determine if patient's condition allows for induction of vomiting or evacuation of the stomach. Do not give anything by mouth to a convulsing or unconscious person.

**<u>Inhalation</u>**: Remove from area to fresh air. Seek medical attention if respiratory irritation develops or if breathing becomes difficult.

#### CHEMICALS LISTED AS CARCINOGENIC BY:

NATIONAL	TOXICOLOGY	PROGRAM	-	No
I.A.R.C.	MONOGRAPHS		-	No
OSHA			-	No

STABILITY: STABLE: Yes UNSTABLE

CONDITIONS TO AVOID: None known

#### HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition may produce toxic vapors/fumes of hydrogen chloride, amines and other organic materials, and oxides of carbon and nitrogen.

HAZARDOUS POLYMERIZATION

CONDITIONS TO AVOID None known

MAY OCCUR WILL NOT OCCUR X

**INCOMPATIBILITY (MATERIALS TO AVOID) WATER OTHER** X Strong oxidizing or reducing agents.

#### 

#### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Caution! Floors may become slippery. Wear appropriate protective equipment and respiratory protection where mists or vapors of unknown concentrations may be generated (self-contained breathing apparatus preferred).

Dike and contain spill with inert material (sand, earth, etc.) and transfer the liquid and solid separately to containers for recovery or disposal. Keep spill out of sewers and open bodies of water.

#### WASTE DISPOSAL METHODS

Dispose of in compliance with all Federal, state and local laws and regulations. Incineration is the preferred method.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### COUNTERIFFIC<sup>®</sup>

#### PAGE 3 OF 5

#### 

#### ENGINEERING CONTROL

In processes where mists or vapors may be generated, proper ventilation must be provided in accordance with good ventilation practices.

#### RESPIRATORY PROTECTION

In processes where mists or vapors may be generated, a NIOSH/MSHA jointly approved respirator is advised in the absence of proper environmental controls.

#### PROTECTIVE GLOVES

Rubber or neoprene, when needed to prevent skin contact.

#### EYE PROTECTION

Wear chemical splash goggles where there is a potential for eye contact. Use safety glasses with side shields under normal use conditions.

#### OTHER PROTECTIVE EQUIPMENT

Eye wash; safety shower; protective clothing (long sleeves, coveralls or other, as appropriate), to prevent skin contact.

#### 

#### PRECAUTIONS FOR STORAGE AND HANDLING:

Maximum storage temperature: 140°F. Keep containers closed not in use. Do not contaminate drinking water, food or feed by storage or disposal.

#### 

#### TOXICITY

No toxicity information is available for this specific material. The toxicity information provided is for ready-to-use dilutions of different EPA FIFRA registered formulations, R-82, S-21, and S-38, each diluted to produce concentrations between 600 ppm and 850 ppm of the same actives, Dialkyldimethylammonium chloride and Alkyldimethylbenzylammonium chloride, in the identical ratio.

#### ACUTE

For Stone Care International Formulation R-82, diluted 1:256 (850 ppm actives blend):
- skin irritation (rabbit): Essentially non-irritating.
For Stone Care International Formulation S-21, diluted 1:64 (850 ppm actives blend):
- eye Irritation (rabbit): Not an irritant with or without washing.
- skin irritation (rabbit): Non-irritant.
For Stone Care International Formulation S-38, diluted 1:64 (600 ppm actives blend):
- eye Irritation (rabbit): essentially non-irritant with or without washing.
- skin irritation (rabbit): Non-irritant.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* X - MISCELLANEOUS AND REGULATORY INFORMATION \*

#### FEDERAL REGULATIONS:

**TOXIC SUBSTANCES CONTROL ACT (TSCA INVENTORY) STATUS:** This product is currently listed on the EPA TSCA 8(b) inventory list.

TSCA Section 12(b) Export Notification Components present in this product which, if exported, could require either annual or one-time reporting under this regulation are as follows:

CAS Number

Chemi	cal	Name
None	knov	vn

COUNTERIFFIC<sup>®</sup>

PAGE 4 OF 5

Typical Maximum

Concentration

#### \*\*\*\*\*\*\*\*\*\*\*\*\* X - MISCELLANEOUS AND REGULATORY INFORMATION (continued) \*\*\*\*\*\*\*

EPA REGULATION ON PESTICIDES

This is an EPA FIFRA registered pesticide (EPA Registration No. 6836-289-67967). This material can only be used in the EPA registered application(s) noted on the product label.

US FDA REGULATION ON FOODS - This product is regulated under the following section(s)
 of the Code of Federal Regulations (CFR) when used in permitted food contact
 applications:
 21 CFR 178.1010

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act of 1980 requires notification of the National Response Center (Telephone 800-424-8802) in the event of a release of quantities of the following hazardous materials contained in this product, if the release is equal to or greater than the Reportable Quantities (RQs) listed in 40 CFR 302.4:

Chemical Name None known Typical MaximumCAS NumberConcentration

CAS Number

Typical Maximum

Concentration

Hazard \*)

SARA Title III, Sections 302/304 (Superfund Amendments and Reauthorization act of 1986) - This act requires emergency planning, including agency notification, for possible release of the following components of this material, based upon the Threshold Planning Quantities (TPQs) and release Reportable Quantities (RQs) listed for the Components in 40 CFR 355:

Chemical Name None known

SARA Title III Sections 311/312 - This act requires reporting under the Community Right-to-Know provisions due to the inclusion of the following components of this material in one or more of the five hazard categories listed in 40 CFR 370:

Chemical Name	CAS Number	Categories
N,N-Dialkyl-N,N-dimethylammonium Chloride	68424-95-3	A
N-Alkyl-N,N-dimethyl-N-benzylammonium Chloride	68424-85-1	A

\*) The five hazard categories are as follows: F=FIRE HAZARD; S= SUDDEN RELEASE OF PRESSURE; R=REACTIVE; A=IMMEDIATE (ACUTE) HEALTH HAZARD; C=DELAYED (CHRONIC) HEALTH HAZARD

SARA Title III Section 313 - This act requires submission of annual reports off the releases of the following components of this material if the threshold reporting quantities as listed in 40 CFR 372, are met or exceeded:

Chemical Name None known Typical MaximumCAS NumberConcentration

50 ppb

Typical Maximum

Typical Maximum

Typical Maximum

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* X - MISCELLANEOUS AND REGULATORY INFORMATION (continued) \*\*\*\*\*\*\*

STATE RIGHT-TO-KNOW REGULATIONS:

CALIFORNIA PROPOSITION 65 - Components present in this material which the State of California has found to cause cancer, birth defects or other reproductive harm are as follows:

AS A CANCER HAZARD		Typical Maximum
Chemical Name	CAS Number	Concentration
Acetaldehyde	75-07-0	1 ppb
Benzene	71-43-2	50 ppb
Benzyl Chloride	100-44-7	15 ppb
N-Nitrosodimethylamine	62-75-9	0.5 ppb
Propylene Oxide	75-56-9	0.9 ppb
AS A REPRODUCIVE HAZARD		Typical Maximum
Chemical Name	CAS Number	Concentration
Benzene	71-43-2	50 ppb
_ <b>.</b>		

MASSACHUSETTS Right-to-Know - The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels:

		-jprour numinum
Chemical Name	CAS Number	Concentration
None known		

MICHIGAN Critical Materials - The following components of this material are included in the Michigan Critical Materials List:

Chemical Name None known

Toluene

NEW JERSEY Right-to-Know - The following components of this material are included in the New Jersey Hazardous Substance List and are present at or above reportable levels:

Chemical Name	CAS Number	Concentration
None known		

PENNSYLVANIA Right-to-Know - The following components of this material are included in the Pennsylvania Hazardous Substance List and are present at or above reportable levels:

Chemical Name	CAS Number	Concentration
None known		

\*\*\* THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US (INCLUDING THAT PROVIDED BY THE MANUFACTURER AND IS BELIEVED TO BE CORRECT. THE INFORMATION RELATES TO THIS SPECIFIC PRODUCT – IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. HOWEVER, STONE CARE INTERNATIONAL, INC. (SCI) MAKES NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. SUCH DATA ARE OFFERED SOLELY FOR CONSIDERATION, INVESTIGATION AND VERIFICATION. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS/HER OWN PARTICULAR USE. STONE CARE INTERNATIONAL, INC. (SCI) ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

(Abbreviation Key: N.A. = Not Applicable, N.E. = Not Established, N.D. = Not Determined, \* Where no corresponding data was contained in the manufacturer's MSDS, additional research is required and may be obtained upon request)

CAS Number

108-88-3



# Safety Data Sheet

# Hillyard Sorb-It Granular Absorbent for Surface Liquids

### **SECTION 1. IDENTIFICATION**

Product Identifier Other Means of Identification	Hillyard Sorb-It Granular Absorbent for Surface Liquids HIL0076071
Other Identification	Granular Absorbent for Surface Liquids
Product Family	Dry Deodorants
Recommended Use	Dry Deodorants.
<b>Restrictions on Use</b>	None known.
Manufacturer / Supplier	Hillyard, PO Box 909, St. Joseph, MO, 64501, Hillyard Clean Assist, 816 233 1321, http://www.hillyard.com
Supplier	Hillyard, PO Box 909, St. Joseph, MO, 64501, Hillyard Clean Assist, 816 233 1321, http://www.hillyard.com
Emergency Phone No. SDS No.	Hillyard (Chemtrec), 800 424 9300, 24hr 0571

# **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Carcinogenicity - Category 1 GHS Label Elements



Signal Word: Danger

May cause cancer if inhaled.

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Product Identifier:Hillyard Sorb-It Granular Absorbent for Surface LiquidsSDS No.:0571Date of Preparation:June 08, 2015

Page 01 of 06

#### Disposal:

Dispose of contents/container to

An appropriate waste container to minimize dust.

Dispose of contents/container in accordance with local, regional, national and international regulations.

#### Other Hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	%	Other Identifiers
Silica, quartz	14808-60-7	6	
Montmorillonite ((Al1.33-1.67Mg0.33-0. 67)(Ca0-1Na0-1)0.33Si4(OH)2O10.xH2O), calcined	70892-59-0	75	
Silica, cristobalite	14464-46-1	2.4	
Other components below reportable Levels	No CAS	17.47	
Fragrance	No CAS	0.04	

### SECTION 4. FIRST-AID MEASURES

#### **First-aid Measures**

#### Inhalation

Move to fresh air. Call a Poison Centre or doctor if you feel unwell or are concerned.

#### Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Call a Poison Centre or doctor if you feel unwell or are concerned.

#### Eye Contact

Rinse the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, while holding the eyelid(s) open.

#### Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Immediately call a Poison Centre or doctor.

#### Most Important Symptoms and Effects, Acute and Delayed

If inhaled:

Can cause severe irritation of the nose and throat.

If in eyes:

May cause mild irritation.

If swallowed:

Large amounts symptoms may include nausea, vomiting, stomach cramps and diarrhea.

#### **Immediate Medical Attention and Special Treatment**

#### **Special Instructions**

Not applicable.

#### Medical Conditions Aggravated by Exposure

None known.

### **SECTION 5. FIRE-FIGHTING MEASURES**

### Extinguishing Media Suitable Extinguishing Media

Product Identifier:	Hillyard Sorb-It Granular Absorbent for Surface Liquids
SDS No.:	0571
Date of Preparation:	June 08, 2015

Page 02 of 06

Not combustible. Use extinguishing agent suitable for surrounding fire.

#### Unsuitable Extinguishing Media

None known.

#### Specific Hazards Arising from the Chemical

Does not burn.

This product presents no unusual hazards in a fire situation.

Not known to generate any hazardous decomposition products in a fire.

#### Special Protective Equipment and Precautions for Fire-fighters

#### No special precautions are necessary.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment, and Emergency Procedures

No special precautions are necessary.

#### **Environmental Precautions**

Do not allow into any sewer, on the ground or into any waterway.

#### Methods and Materials for Containment and Cleaning Up

Avoid generating dust.

### SECTION 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Do not breathe in this product. Only use where there is adequate ventilation.

#### **Conditions for Safe Storage**

Separate from incompatible materials (see Section 10: Stability and Reactivity).

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Montmorillonite ((Al1.33-1.67Mg0. 33-0.67)(Ca0-1Na0-1)0. 33Si4(OH)2O10.xH2O), calcined	0.05 mg/m3		5 mg/m3			
Silica, cristobalite	0.05 mg/m3		5 mg/m3			
Silica, quartz	0.05 mg/m3		5 mg/m3			

#### Appropriate Engineering Controls

Use a local exhaust ventilation and enclosure, if necessary, to control amount in the air.

#### **Individual Protection Measures**

# Eye/Face Protection Not required but it is good practice to wear safety glasses or chemical safety goggles. Skin Protection Not required, if used as directed.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

#### Appearance

Dark pellets.

Product Identifier:	Hillyard Sorb-It Granular Absorbent for Surface Liquids	
SDS No.:	0571	Page 03 of 06
Date of Preparation:	June 08, 2015	

Odour	Fragrant (Fragrance)
Odour Threshold	Not available
рН	Not applicable
Melting Point/Freezing Point	Not applicable (freezing)
Initial Boiling Point/Range	Not applicable
Flash Point	> 200 °F (estimated) (Montmorillonite ((Al1.33-1.67Mg0.33-0. 67)(Ca0-1Na0-1)0.33Si4(OH)2O10.xH2O), calcined)
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not available
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	Not applicable
Solubility	Insoluble (less than 1 mg/L) in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic); Not applicable (dynamic)
Other Information	
Physical State	Solid

#### SECTION 10. STABILITY AND REACTIVITY

 Reactivity

 Not reactive.

 Chemical Stability

 Normally stable.

 Possibility of Hazardous Reactions

 None known.

 Conditions to Avoid

 Incompatible materials.

 Incompatible Materials

 Unsaturated hydrocarbons (e.g. turpentine), strong acids (e.g. hydrochloric acid).

 Hazardous Decomposition Products

 None known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

#### **Acute Toxicity**

LC50: No information was located.

LD50 (oral): No information was located.

LD50 (dermal): No information was located.

#### **Skin Corrosion/Irritation**

No information was located.

Product Identifier:	Hillyard Sorb-It Granular Absorbent for Surface Liquids
SDS No.:	0571
Date of Preparation:	June 08, 2015

Page 04 of 06

#### Serious Eye Damage/Irritation

No information was located.

#### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

No information was located.

#### Skin Absorption

No information was located.

#### Ingestion

No information was located.

#### **Aspiration Hazard**

Not known to be an aspiration hazard.

#### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

#### Respiratory and/or Skin Sensitization

No information was located.

#### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Montmorillonite ((Al1. 33-1.67Mg0.33-0. 67)(Ca0-1Na0-1)0. 33Si4(OH)2O10.xH2O), calcined			Known carcinogen	
Silica, cristobalite			Known carcinogen	
Silica, quartz			Known carcinogen	

#### **Reproductive Toxicity**

#### **Development of Offspring**

No information was located.

Sexual Function and Fertility

No information was located.

#### Effects on or via Lactation

No information was located.

#### Germ Cell Mutagenicity

No information was located.

#### Interactive Effects

No information was located.

### **SECTION 12. ECOLOGICAL INFORMATION**

Environmental information was not located.

# SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal Methods**

The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws are the responsibility of the user.

### **SECTION 14. TRANSPORT INFORMATION**

Product Identifier:	Hillyard Sorb-It Granular Absorbent for Surface Liquids	
SDS No.:	0571	Page 05 of 06
Date of Preparation:	June 08, 2015	

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

# Special Precautions Not applicable

for User

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15. REGULATORY INFORMATION

#### Safety, Health and Environmental Regulations

#### Canada

WHMIS Classification



# D2A - Very Toxic

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

#### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

#### USA

#### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

#### Additional USA Regulatory Lists

California Proposition 65. (Silica, cristobalite). (Silica, quartz) SARA Title III - Section 311/312. (Silica, cristobalite). (Silica, quartz)

### **SECTION 16. OTHER INFORMATION**

NFPA Rating	Health - 1	Flammability - 0	Instability - 0
SDS Prepared By	Wayne Hegs	strom	
Phone No.	405 682 254	1	
Date of Preparation	June 08, 201	5	
<b>Revision Indicators</b>	Not applicab	le.	
Key to Abbreviations	NFPA = Nati NTP = Natio OSHA = US	onal Fire Prevention A nal Toxicology Progra	m nd Health Administration

Product Identifier:Hillyard Sorb-It Granular Absorbent for Surface LiquidsSDS No.:0571Page06 of06Date of Preparation:June 08, 2015Page06 of06



Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Lemon Fresh Furniture Polish (STP18484)	(BPR136A19-A)		
Product Number:	A00136			
Product Use:	Polishing wax.			
Manufacturer/Supplier:	Staples Contract & Commercial, Inc. 500 Staples Drive, Framingham, MA 01702 USA			
Phone Number:	1-888-322-0912			
D.O.T. Emergency Phone:	CHEM TEL (800) 255-3924 INTERNATIONAL: +01-813-248-0584			
Date of Preparation:	August 29, 2012	<b>Revision #:</b> 2.0		
Section 2: HAZARDS IDENTIFICATION				

#### EMERGENCY OVERVIEW

HMIS: See Section 15

CAUTION

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Eye:	May cause eye irritation.
Skin:	May cause skin irritation.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

**Inhalation:** May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

**Signs and Symptoms:** Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Handling can cause dry skin.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Potential Environmental Effects:** May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS				
Ingredient	CAS #	Wt. %		
Distillates (petroleum), hydrotreated light	64742-47-8	5 - 10		
Isobutane	75-28-5	1 - 5		
Propane	74-98-6	1 - 5		
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	0.1 - 1		
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	0.1 - 1		

Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### Section 4: FIRST AID MEASURES

Eye Contact:	In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses, if worn.
Skin Contact:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
Conorol Advice	n in soon of appident or if you feel unwell, apply medical advice immediately

**General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).

Note to Physicians: Symptoms may not appear immediately.

#### Section 5: FIRE FIGHTING MEASURES

Flammability: Not flammable by WHMIS/OSHA criteria.

#### Means of Extinction:

Suitable Extinguishing Media: Powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Water.

Products of Combustion: May include, and are not limited to: oxides of carbon.

#### **Explosion Data:**

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

**Protection of Firefighters:** Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

#### Section 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

**Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Clean-Up:** Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

Other Information: Not available.

Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### Section 7: HANDLING AND STORAGE

#### Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

#### Storage:

Keep out of the reach of children. Do not store at temperatures above 49 °C / 120 °F.

#### Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines**

	Exposure Limits	
Ingredient	OSHA-PEL	ACGIH-TLV
Distillates (petroleum), hydrotreated light	100 ppm	200 mg/m³
Isobutane	Not available.	1000 ppm
Propane	1000 ppm	1000 ppm
Distillates (petroleum), hydrotreated light naphthenic	5 mg/m³ (mist)	5 mg/m³ (mist)
Distillates (petroleum), hydrotreated heavy naphthenic	5 mg/m <sup>3</sup> (mist)	5 mg/m³ (mist)

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

#### **Personal Protective Equipment:**

HMIS: See Section 15

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

**General Hygiene Considerations:** Handle according to established industrial hygiene and safety practices.

<b>A</b>	0
Appearance:	Opaque.
Colour:	White.
Odour:	Lemon.
Odour Threshold:	Not available.
Physical State:	Gas/Pressurized Liquid.
pH:	9-11
Viscosity:	Not available.
Freezing Point:	Not available.
Boiling Point:	Not available.
Flash Point:	Not available.
Evaporation Rate:	< 1 (Water = 1)
Lower Flammability Limit:	Not available.
Upper Flammability Limit:	Not available.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### MATERIAL SAFETY DATA SHEET Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

Vapor Pressure:	Not available.
Vapor Density:	Not available.
Specific Gravity:	0.972 (concentrate only)
Solubility in Water:	Not available.
Coefficient of Water/Oil Distribution:	Not available.
Auto-ignition Temperature:	Not available.
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	7.2% (US federal/CARB/OTC/LADCO)
VOC content, g/L:	Not available.

#### Section 10: STABILITY AND REACTIVITY

**Stability:** Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

#### Section 11: TOXICOLOGY INFORMATION

#### EFFECTS OF ACUTE EXPOSURE

#### Component Analysis

Ingredient	LD <sub>50</sub> (oral)	LC <sub>50</sub>
Distillates (petroleum), hydrotreated light	> 5000 mg/kg, rat	> 5.2 mg/L 4hr, rat
Isobutane	Not available.	658 mg/L 4hr, rat
Propane	Not available.	658 mg/L 4hr, rat
Distillates (petroleum), hydrotreated light naphthenic	> 5000 mg/kg, rat	2.18 mg/L 4hr, rat
Distillates (petroleum), hydrotreated heavy naphthenic	> 5000 mg/kg, rat	> 5.0 mg/L 4hr, rat

**Eye:** May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. Handling can cause dry skin.

**Ingestion:** Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

**Inhalation:** May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

#### **EFFECTS OF CHRONIC EXPOSURE**

Target Organs: Not available.

Chronic Effects: Not hazardous by WHMIS/OSHA criteria.

Carcinogenicity: Not hazardous by WHMIS/OSHA criteria.

Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### Ingredient

#### Chemical Listed as Carcinogen or Potential Carcinogen \*

Distillates (petroleum), hydrotreated light Isobutane Propane Distillates (petroleum), hydrotreated light naphthenic Distillates (petroleum), hydrotreated heavy naphthenic

\* See Section 15 for more information.

Mutagenicity: Not hazardous by WHMIS/OSHA criteria.

Reproductive Effects: Not hazardous by WHMIS/OSHA criteria.

#### **Developmental Effects:**

Teratogenicity: Not hazardous by WHMIS/OSHA criteria.

Embryotoxicity: Not hazardous by WHMIS/OSHA criteria.

Respiratory Sensitization: Not hazardous by WHMIS/OSHA criteria.

Skin Sensitization: Not hazardous by WHMIS/OSHA criteria.

Toxicologically Synergistic Materials: Not available.

#### Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

#### Section 13: DISPOSAL CONSIDERATIONS

#### **Disposal Instructions:**

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

#### Section 14: TRANSPORTATION INFORMATION

**DOT Classification** ORM-D, Limited Quantity

**TDG Classification** Limited Quantity

#### Section 15: REGULATORY INFORMATION

#### Federal Regulations

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

Not listed. Not listed. Not listed. Not listed. Not listed.

### MATERIAL SAFETY DATA SHEET Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### SARA Title III

Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Distillates (petroleum),				
hydrotreated light	Not listed.	Not listed.	Not listed.	Not listed.
Isobutane	Not listed.	Not listed.	Not listed.	Not listed.
Propane	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum),				
hydrotreated light naphthenic	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum),				
hydrotreated heavy naphthenic	Not listed.	Not listed.	Not listed.	Not listed.

#### **State Regulations**

#### **California Proposition 65:**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **Global Inventories**

Ingredient	Canada DSL/NDSL	USA TSCA
Distillates (petroleum), hydrotreated light	DSL	Yes.
Isobutane	DSL	Yes.
Propane	DSL	Yes.
Distillates (petroleum), hydrotreated light naphthenic	DSL	Yes.
Distillates (petroleum), hydrotreated heavy naphthenic	DSL	Yes.

#### **HMIS - Hazardous Materials Identification System**

Health - 2 Flammability - 2 Physical Hazard - 0 PPE – B

#### NFPA - National Fire Protection Association:

Health - 2 Fire - 2 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

#### WHMIS Classification(s):

Class A - Compressed Gas Class D2B - Skin/Eye Irritant

WHMIS Hazard Symbols:



Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

- OSHA (O) Occupational Safety and Health Administration.
- ACGIH (G) American Conference of Governmental Industrial Hygienists.
  - A1 Confirmed human carcinogen.
    - A2 Suspected human carcinogen.
    - A3 Animal carcinogen.
    - A4 Not classifiable as a human carcinogen.
  - A5 Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

 The agent (mixture) is carcinogenic to humans.
 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

 NTP (N) National Toxicology Program.

 1 - Known to be carcinogens.
 2 - Reasonably anticipated to be carcinogens.

#### Section 16: OTHER INFORMATION

#### Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Expiry Date: August 29, 2015

Prepared by:Nexreg Compliance Inc.Prepared for:Staples Contract & Commercial, Inc. - Phone: 1-888-322-0912

Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### Section 1 : IDENTIFICATION DU PRODUIT ET DE L'ENTREPRISE

Nom du produit :	Lemon Fresh Furniture Polish (STP-18484)(BF	PR136A19)
Numéro de produit:	A00136	
Usage du produit :	Cire de polissage.	
Fabricant/fournisseur :	Staples Contract & Commercial, Inc. 500 Staples Drive, Framingham, MA 01702 USA	
Numéro de téléphone :	1-888-322-0912	
Numéro de téléphone d'urgence D.O.T. :		
Date de la préparation :	Août 29, 2012	Révision : 2.0
Section 2 : IDENTIFICATION DES DANGERS		

#### **DESCRIPTION GÉNÉRALE DES RISQUES**

HMIS: Voir la section 15

#### ATTENTION

PEUT IRRITER LES YEUX. PEUT IRRITER LA PEAU. CONTENU SOUS PRESSION. CE CONTENANT PEUT EXPLOSER S'IL EST CHAUFFÉ. NOCIF: PEUT PROVOQUER UNE ATTEINTE DES POUMONS EN CAS D'INGESTION.

Effets potentiels sur la santé : Voir la section 11 pour plus d'information.

Voies d'exposition : Contact avec la peau, contact avec les yeux, inhalation, et ingestion.

- Yeux : Peut irriter les yeux.
- Peau : Peut irriter la peau.
- **Ingestion :** Ne constitue pas une voie d'exposition probable. Nocif: peut provoquer une atteinte des poumons en cas d'ingestion.
- **Inhalation :** Peut causer l'irritation des voies respiratoires. Les émanations aspirées de ce produit peuvent causer une pneumonie chimique.

**Effets chroniques :** Le contact répété ou prolongé avec la peau pourrait l'assécher et causer de l'irritation.

**Signes et symptômes :** Les symptômes peuvent inclure un inconfort, malaise ou des douleurs, des clignements excessifs des paupières et des productions de larmes. La manipulation peut causer l'assèchement de la peau.

Conditions médicales aggravées en cas d'exposition : Asthme. Allergies.

Organes cibles : La peau, les yeux, l'appareil gastro-intestinal, les voies respiratoires.

Ce produit est qualifié de "chimiquement dangereux" selon la définition de l'OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Effets potentiels sur l'environnement :** Peut entraîner des effets néfastes à long terme pour l'environnement aquatique. Voir la section 12 pour plus d'information.

Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### Section 3 : COMPOSITION / INFORMATIONS SUR LES COMPOSANTS

Ingrédient	Numéro CAS	Pd. %
Distillats légers (pétrole), hydrotraités	64742-47-8	5 - 10
Isobutane	75-28-5	1 - 5
Propane	74-98-6	1 - 5
Distillats naphténiques légers (pétrole), hydrotraités	64742-53-6	0.1 - 1
Distillats naphténiques lourds (pétrole), hydrotraités	64742-52-5	0.1 - 1

#### Section 4 : PREMIERS SECOURS

Contact avec	En cas de contact, rincer immédiatement et abondamment avec de l'eau. Le
les yeux :	cas échéant, retirer les lentilles de contact si l'opération est aisée.

- **Contact avec Ia peau :** En cas de contact, rincer immédiatement et abondamment avec de l'eau. Retirer les vêtements/souliers contaminés. Laver les vêtements avant de les porter à nouveau. Si une irritation cutanée se développe et persiste, consulter un médecin.
- **Inhalation :** En cas d'inhalation, transporter à l'air frais la personne exposée. Si elle ne respire plus, pratiquer la respiration artificielle. En cas de difficultés respiratoires, appliquer un masque à oxygène.
- **Ingestion :** Si le produit a été ingéré, ne PAS provoquer le vomissement à moins que ceci ait été demandé par du personnel médical. Ne jamais administrer quoi que ce soit par voie orale à une personne inconsciente.

**Conseils généraux :** En cas d'accident ou de malaise, consulter immédiatement un médecin (si possible, lui montrer l'étiquette ou la fiche signalétique).

Avis aux médecins : Les symptômes peuvent ne pas apparaître immédiatement.

#### Section 5 : MESURES DE LUTTE CONTRE L'INCENDIE

Inflammabilité : Ininflammable d'après les critères du SIMDUT/OSHA.

**Produits extincteurs :** 

Moyens d'extinction appropriés : Poudre, mousse, dioxyde de carbone.

Moyens d'extinction inappropriées : Eau.

**Produits de combustion :** Peut inclure, sans s'y limiter: oxydes de carbone.

Données sur l'explosibilité :

Sensibilité aux chocs : Pas disponible.

Sensibilité aux décharges électro-statiques : Pas disponible.

**Protection pour les pompiers :** Les contenants peut exploser s'ils sont chauffés. Rester en amont du vent par rapport à l'incendie. Porter un habit pare feu complet incluant un équipement de respiration (SCBA).

#### Section 6 : MESURES À PRENDRE EN CAS DE DISPERSION ACCIDENTELLE

**Précautions individuelles :** Porter les vêtements protecteurs recommandés dans la section 8. Isoler la zone de danger et interdire l'accès au personnel non protégé et non autorisé. Éliminer toute source d'ignition. Les cylindres rompus peuvent être propulsés à distance.

**Précautions environnementales :** De nombreux gaz sont plus lourds que l'air et se répandent donc le long du sol et s'accumulent dans des zones basses ou confinées (égouts, sous-sols, citernes). Ne pas laisser s'écouler dans les canalisations de drainage, les égoûts, les fossés et les cours d'eau. Pour empêcher une contamination de l'environnement, réduire au minimum la consommation d'eau.

### FICHE SIGNALÉTIQUE Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

**Méthodes de contention :** Contenir et/ou absorber le déversement avec une substance inerte (par ex. du sable ou de la vermiculite) puis placer ensuite dans un conteneur adapté. Ne pas laisser s'écouler dans les égouts ni dans les cours d'eau. Utiliser l'équipement de protection personnelle (EPP) approprié.

**Méthodes de nettoyage :** Aspirer ou balayer le produit et placer dans un conteneur de récupération. Laisser le gaz (non nocif) se dissiper dans l'atmosphère.

Autre information : Pas disponible.

#### Section 7 : MANIPULATION ET STOCKAGE

#### Manipulation :

Conserver à l'écart de toute flamme ou source d'étincelles. Ne pas fumer. Éviter le contact avec la peau et les yeux. Ne pas avaler. Ne pas respirer les gaz/fumées/vapeurs/aérosols. Utiliser seulement dans des zones bien ventilées. Manipuler le récipient avec prudence. Ne pas manger et ne pas boire pendant l'utilisation. Se laver les mains avant de manger, de boire ou de fumer.

#### Stockage :

Conserver hors de la portée des enfants. Ne pas conserver à des températures dépassant 49  $\mbox{\ensuremath{\mathbb{C}}}$  / 120  $\mbox{\ensuremath{\mathbb{F}}}.$ 

#### Section 8 : CONTRÔLE DE L'EXPOSITION / PROTECTION INDIVIDUELLE

#### **Directives d'exposition**

		Limites d'exposition	
Ingrédient	OSHA-PEL	ACGIH-TLV	
Distillats légers (pétrole), hydrotraités	100 ppm	200 mg/m <sup>3</sup>	
Isobutane	Pas disponible.	1000 ppm	
Propane	1000 ppm	1000 ppm	
Distillats naphténiques légers (pétrole), hydrotraités	5 mg/m <sup>3</sup> (brume)	5 mg/m <sup>3</sup> (brume)	
Distillats naphténiques lourds (pétrole), hydrotraités	5 mg/m³ (brume)	5 mg/m <sup>3</sup> (brume)	

**Mesures d'ingénierie :** Aérer/ventiler les lieux pour garder l'expositions aux niveaux de poussières en suspension, émanations chimiques, fumée, etc., en dessous des limites permises.

#### **Protection individuelle :**

HMIS: Voir la section 15

**Protection pour les yeux et le visage :** Porter un appareil de protection des yeux/du visage.

Protection des mains : Porter des gants appropriés.

Protection de la peau et du corps : Porter un vêtement de protection approprié.

**Protection respiratoire :** En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Considérations sur l'hygiène générale :** À manipuler selon les pratiques de sécurité et d'hygiène industrielles établies.

#### Section 9 : PROPRIÉTÉS PHYSIQUES ET CHIMIQUES

Apparence :	Opaque.
Couleur :	Blanc.
Odeur :	Citron.
Seuil de l'odeur :	Pas disponible.
État physique :	Gaz/Liquide Pressurisé.

# FICHE SIGNALÉTIQUE Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

pH:	9-11		
Viscosité :	Pas disponible.		
Point de congélation :	Pas disponible.		
Point d'ébullition :	Pas disponible.		
Point d'éclair :	Pas disponible.		
Taux d'évaporation :	< 1 (Eau = 1)		
Seuil minimal d'inflammabilité :	Pas disponible.		
Seuil maximal d'inflammabilité :	Pas disponible.		
Pression de vapeur :	Pas disponible.		
Densité de vapeur :	Pas disponible.		
Poids spécifique :	0.972 (concentraté seulement)		
Solubilité dans l'eau :	Pas disponible.		
Coefficient de répartition eau/huile :	Pas disponible.		
Température d'auto-inflammabilité :	Pas disponible.		
Pourcent volatil, Pd. % :	Pas disponible.		
COV, Pd. % :	7.2% (US federal/CARB/OTC/LADCO)		
COV, g/L :	Pas disponible.		
Section 10 · STABILITÉ ET RÉACTIVITÉ			

#### Section 10 : STABILITÉ ET RÉACTIVITÉ

**Stabilité :** Stable dans les conditions normales d'entreposage. Contenu sous pression. Ce contenant peut exploser s'il est chauffé. Ne pas perforer. Ne pas brûler. Conserver dans un endroit frais.

Conditions de réactivité : Chaleur. Matériaux incompatibles.

Matériaux incompatibles : Oxydants.

Produits de décomposition dangereux : Peut inclure, sans s'y limiter: oxydes de carbone.

Possibilité de réactions dangereuses : Aucun dans les conditions normales d'utilisation.

#### Section 11 : INFORMATIONS TOXICOLOGIQUES

#### **EFFETS DE L'EXPOSITION AIGUË**

#### Analyse des ingrédients

Ingrédient		DL50 (orale)	CL50
Distillats lég	ers (pétrole), hydrotraités	> 5000 mg/kg, rat	> 5.2 mg/L 4hr, rat
Isobutane		Pas disponible.	658 mg/L 4hr, rat
Propane		Pas disponible.	658 mg/L 4hr, rat
Distillats nap	ohténiques légers (pétrole), hydrotraités	> 5000 mg/kg, rat	2.18 mg/L 4hr, rat
Distillats nap	ohténiques lourds (pétrole), hydrotraités	> 5000 mg/kg, rat	> 5.0 mg/L 4hr, rat
Yeux : Peut irriter les yeux. Les symptômes peuvent inclure un inconfort, malaise ou des douleurs, des clignements excessifs des paupières et des productions de larmes.			

**Peau :** Peut irriter la peau. La manipulation peut causer l'assèchement de la peau.

**Ingestion :** Ne constitue pas une voie d'exposition probable. Nocif: peut provoquer une atteinte des poumons en cas d'ingestion.

#### Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

**Inhalation :** Peut causer l'irritation des voies respiratoires. Les émanations aspirées de ce produit peuvent causer une pneumonie chimique.

#### **EFFETS DE L'EXPOSITION CHRONIQUE**

**Organes cibles :** Pas disponible.

Effets chroniques : N'est pas dangereux d'après les critères du SIMDUT/OSHA.

Cancérogénicité : N'est pas dangereux d'après les critères du SIMDUT/OSHA.

Ingrédient	Produits chimiques listés comme étant cancérogènes ou potentiellement cancérogènes. *
Distillats légers (pétrole), hydrotraités	Non listé.
Isobutane	Non listé.
Propane	Non listé.
Distillats naphténiques légers (pétrole), hydrotraités	Non listé.
Distillats naphténiques lourds (pétrole), hydrotraités	Non listé.

\* Voir la section 15 pour plus d'information.

Mutagénicité : N'est pas dangereux d'après les critères du SIMDUT/OSHA.

Effets sur la reproduction : N'est pas dangereux d'après les critères du SIMDUT/OSHA.

#### Effets développementaux :

Tératogénicité : N'est pas dangereux d'après les critères du SIMDUT/OSHA.

Embryotoxicité : N'est pas dangereux d'après les critères du SIMDUT/OSHA.

Sensibilisation des voies respiratoires : N'est pas dangereux d'après les critères du SIMDUT/OSHA.

Sensibilisation de la peau : N'est pas dangereux d'après les critères du SIMDUT/OSHA.

Matières toxicologiquement synergiques : Pas disponible.

#### Section 12 : INFORMATIONS ÉCOLOGIQUES

Écotoxicité : Peut entraîner des effets néfastes à long terme pour l'environnement aquatique.

Persistance et dégradabilité : Pas disponible.

Bioaccumulation / accumulation : Pas disponible.

Mobilité dans l'environnement : Pas disponible.

#### Section 13 : CONSIDÉRATIONS RELATIVES À L'ÉLIMINATION

#### Instructions relatives à l'élimination des résidus :

Ces matériaux doivent être éliminés dans le respect de toutes les réglementations locales, régionales, provinciales et fédérales.

Section 14 : INFORMATIONS RELATIVES AU TRANSPORT

#### Appellation réglementaire en vertu du DOT ORM-D, Quantité limitée

#### Appellation réglementaire en vertu du TMD Quantité limitée

Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### Section 15 : INFORMATIONS RÉGLEMENTAIRES

#### Réglementations fédérales

**Canada :** Ce produit a été classé en fonction des critères de risque du Règlement sur les produits contrôlés et la fiche signalétique renferme tous les renseignements exigés par le Règlement sur les produits contrôlés.

**États-Unis :** Fiche signalétique prepare conformément aux norms sur la communication des renseignements a l'égard des matières dangereuses (Norme 29 CFR 1910.1200).

#### SARA Title III

Ingrédient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Distillats légers (pétrole), hydrotraités	Non listé.	Non listé.	Non listé.	Non listé.
Isobutane	Non listé.	Non listé.	Non listé.	Non listé.
Propane	Non listé.	Non listé.	Non listé.	Non listé.
Distillats naphténiques légers				
(pétrole), hydrotraités	Non listé.	Non listé.	Non listé.	Non listé.
Distillats naphténiques lourds				
(pétrole), hydrotraités	Non listé.	Non listé.	Non listé.	Non listé.

#### Régulations des états

#### Proposition 65 de la Californie :

Ce produit ne contient aucun produit chimique connu dans l'Etat de Californie pour provoquer des cancers, des anomalies congénitales ou tout autre dommage au niveau de l'appareil reproducteur.

#### Inventaires du monde

Ingrédient	Canada LIS/LES	USA TSCA
Distillats légers (pétrole), hydrotraités	LIS	Oui.
Isobutane	LIS	Oui.
Propane	LIS	Oui.
Distillats naphténiques légers (pétrole), hydrotraités	LIS	Oui.
Distillats naphténiques lourds (pétrole), hydrotraités	LIS	Oui.

#### HMIS - Système d'identification des matières dangereuses

<b>Santé -</b> 2	Inflammabilité - 2	<b>Risaue Physiaue -</b> 0	<b>EPP -</b> B

#### NFPA - Association nationale de protection contre l'incendie:

Santé - 2 Inflammabilité - 2 Réactivité - 0

Estimation de risque : 0 = minimal, 1 = faible, 2 = modéré, 3 = grave, 4 = extrême

#### **Classification du SIMDUT :**

Catégorie A - Gaz comprimés Catégorie D2B - Irritation de la peau ou des yeux

Symboles de SIMDUT :



#### Lemon Fresh Furniture Polish (STP18484)(BPR136A19-A)

#### AGENCE DE SOURCE DES CLASSIFICATIONS CANCÉRIGÈNES :

- **OSHA (O)** Administration de la santé et de la sécurité occupationnelle.
- ACGIH (G) Conférence américaine des hygiénistes industriels gouvernementaux.
  - A1 Confirmé étant carcinogène à l'homme.
    - A2 Présumé carcinogène à l'homme.
    - A3 Carcinogène animal.
    - A4 Non qualifiable comme carcinogène à l'homme.
    - A5 Non présumé carcinogène à l'homme.

IARC (I) Centre International de Recherche sur le Cancer.

1 - L'agent (mélange) est carcinogène à l'homme.

2A - L'agent (mélange) est probablement carcinogène à l'homme; une évidence limitée que celui-ci est carcinogène à l'homme est disponible et une évidence qu'il est carcinogène chez les animaux est aussi reconnue.

2B - L'agent (mélange) est possiblement carcinogène à l'homme; une évidence limitée que celui-ci est carcinogène à l'homme est disponible du fait qu'il n'y a pas d'évidence suffisante qu'il est carcinogène chez les animaux d'expérimentation.

3 - L'agent (mélange, exposition, circonstance) n'est pas classifiable du point de vue s'il est carcinogène chez l'homme.

4 - L'agent (mélange, exposition, circonstance) n'est probablement pas carcinogène à l'homme.

- **NTP (N)** Programme de toxicologie national.
  - 1 Connu être carcinogène.
    - 2 Anticipation raisonnable d'être carcinogène.

#### Section 16 : AUTRES INFORMATIONS

#### Clause d'exonération de responsabilité :

Nous croyons que les affirmations, les informations techniques et les recommandations contenues dans la présente sont véridiques, mais elles sont données sans garantie d'aucune sorte. L'information contenue dans ce document s'applique à ce matériel spécifique comme fourni. Il ne peut pas être valide pour ce matériel si elle est employée en combination avec n'importe quels autres matériaux. Il est la responsabilité de l'utilisateur de se satisfaire quant à la convenance et perfection de cette information pour le propre usage particulier de l'utilisateur.

#### Date d'échéance : Août 29, 2015

Préparé par :Nexreg Compliance Inc.Préparé pour :Staples Contract & Commercial, Inc. - Téléphone: 1-888-322-0912

# SAFETY DATA SHEET

Lysol® Brand Disinfectant Spray, All Scents (Aerosol)

# 1. Product and company identification

Product name	: Lysol® Brand Disinfectant Spray, All Scents (Aerosol)
Supplier	Reckitt Benckiser (Canada) Inc.
	1680 Tech Avenue, Unit #2
	Mississauga, Ontario L4W 5S9 CANADA
	Telephone: +1 905 283 7000
Material uses	: Multipurpose Cleaner
Product use	: Consumer
SDS #	: D0224478 v5.0
Formulation #:	<ul> <li>1178-172 (0175917 v1.0 &amp; 0242193 v2.0) Crisp Linen</li> <li>1338-015 (0175918 v1.0 &amp; 0258756 v1.0) Spring Waterfall</li> <li>1338-018 (0175934 v1.0) Green Apple / Green Apple Breeze</li> <li>1338-021 (0175938 v1.0) Crisp Berry</li> <li>1338-019 (0175919 v1.0) Country</li> <li>1338-026 (0175929 v1.0) Country Morning Breeze</li> <li>1338-017 (0172927 v1.0) Lemon Breeze</li> </ul>
DIN #	02395614
UPC Code / Sizes	Tin plate steel cans Crisp Linen - 6 oz, 12.5 oz, 19 oz, 350g "To Go" Crisp Linen - 1 oz, 28 g Spring Waterfall - 12.5 oz, 19 oz, 350g Green Apple - 350g Crisp Berry - 12.5 oz, 19 oz, 350g Country - 350g Country Morning Breeze - 350g Lemon Breeze - 200g, 350g and 539g
Manufacturer	Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Validation date	23/04/2015.
Emergency telephone number	
	1-800-424-9300 (U.S. & Canada) CHEMTREC
phone:	Outside U.S. and Canada (North America), call Chemtrec:703-527-3887



# 2. Hazards identification

Emergency	overview

Entergency overview	
Physical state	: Liquid. [Aerosol.]
Color	: Clear.
Odor	: Characteristic.
Signal word:	: DANGER
Hazard statements	: EXTREMELY FLAMMABLE. CONTAINER MAY EXPLODE IF HEATED
Precautionary measures	: Keep out of reach of children. CONTENTS UNDER PRESSURE. Keep away from flames or sparks. Do not puncture, incinerate or store the container at temperatures above 120°F or in direct sunlight. Use only with adequate ventilation. Avoid contact with eyes and Food. Wash thoroughly after handling.
OSHA/HCS status	<ul> <li>This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).</li> </ul>
Potential acute health effe	<u>cts</u>
Skin	: Slightly irritating to the skin.
Eyes	: Moderately irritating to eyes.
Potential chronic health e	ffects
Chronic effects	: Contains material that may cause target organ damage, based on animal data.
Carcinogenicity	: Contains material which can cause cancer. Risk of cancer depends on duration and level of exposure.
Target organs	: Contains material which may cause damage to the following organs: blood, lungs, the reproductive system, liver, heart, upper respiratory tract, skin, eyes, central nervous system (CNS).
Over-exposure signs/sym	<u>ptoms</u>
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Eyes	: Adverse symptoms may include the following: irritation redness
Medical conditions aggravated by over- exposure	: Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.
Hazard statements	:

# 3. Composition/information on ingredients

Name	CAS number	%
Ethanol	64-17-5	30 - 60
n-butane	106-97-8	5 - 10
Propane	74-98-6	1 - 2.5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

# 4. First aid measures

First aid	
Eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.
Skin contact	: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of first-aiders	: Use personal protective equipment as required.
Notes to physician	: Contains denatured ethanol; ingestion may result in ethanol poisoning.

# 5. Fire-fighting measures

Flammability Remark : Not available.	
Explosibility Remark : Not available.	
Flammability of the product	Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special hazards arising from the substance or	mixture
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide
NFPA (30B) aerosol Flammability	Level 1
Fire or projection hazard.	Aerosol cans may explode with extreme heat and become projectiles.
Advice for firefighters	
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
<u>Special remarks on explosion hazards</u>	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.

Code # : D0224478 (CANADA) SDS # : D0224478 v5.0 Date of issue : 23/04/2015.

# 6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# 7. Handling and storage

•	
Handling	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Avoid exposure - obtain special instructions before use. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Empty containers retain product residue and can be hazardous.
	Do not puncture or incinerate CONTENTS UNDER PRESSURE
Storage	: Do not store above the following temperature: 50°C (120°F). Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

CONTAINERS SHOULD BE KEPT OUT OF REACH OF CHILDREN. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn after use. Keep away from all sources of ignition. Fires involving flammable aerosols are severe and can spread very quickly. Warehouses and stores containing aerosols should therefore be separated from other areas by a fire resistant construction of at least one half hour duration. Stores should be well ventilated, particularily at low levels. The natural ventilation in a large open warehouse building will normally be suitable. Avoid the storage of aerosols in basesments where practicable.

#### **EPA Product**

: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

# 8. Exposure controls/personal protection

Occupational exposure limits		TWA	A (8 hours) STEL (15 mins)		Ceiling (ACGIH TLV)						
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
butane	US ACGIH 6/2013	-	-	-	1000	-	-	-	-	-	
	AB 4/2009	1000	-	-	-	-	-	-	-	-	
	BC 7/2013	600	-	-	750	-	-	-	-	-	
	ON 1/2013	800	-	-	-	-	-	-	-	-	
	QC 12/2012	800	1900	-	-	-	-	-	-	-	
ethanol	US ACGIH 6/2013	-	-	-	1000	-	-	-	-	-	
	AB 4/2009	1000	1880	-	-	-	-	-	-	-	
	BC 7/2013	-	-	-	1000	-	-	-	-	-	
	ON 1/2013	-	-	-	1000	-	-	-	-	-	
	QC 12/2012	1000	1880	-	-	-	-	-	-	-	
propane	AB 4/2009	1000	-	-	-	-	-	-	-	-	
	BC 7/2013	1000	-	-	-	-	-	-	-	-	
	ON 1/2013	1000	-	-	-	-	-	-	-	-	
	QC 12/2012	1000	1800	-	-	-	-	-	-	-	

**Recommended monitoring** procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### Manufacturer: Exposure controls

Engineering measures : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

# 8. Exposure controls/personal protection

### Personal protection

Respiratory	-	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Eye/face protection	-	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Environmental exposure controls	-	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Other protection		Not available

# 9. Physical and chemical properties

Physical state	: Liquid. [Aerosol.]
Flash point	: Closed cup: 25.6°C (78.1°F)
Burning time	: Not applicable.
Burning rate	: Not applicable.
Auto-ignition temperature	: Not available.
Flammable limits	: Not available.
Color	: Clear.
Odor	: Characteristic.
Taste	: Not available.
Molecular weight	: Not applicable.
Molecular formula	: Not applicable.
рН	: 10.8 to 11.8 [Conc. (% w/w): 100%]
Boiling/condensation point	: Not available.
Melting/freezing point	: Not available.
Critical temperature	: Not available.
Relative density (g/ml)	: 0.8667 to 0.8967 g/cm <sup>3</sup> [20 to 25°C]
Bulk density	: 7.1 to 7.5 lbs/gal
Vapor pressure	: Not available.

# 9. Physical and chemical properties

Vapor density	: Not available.
Volatility	: Not available.
Odor threshold	: Not available.
Evaporation rate	: Not available.
SADT	: Not available.
Viscosity	: Not available.
lonicity (in water)	: Not available.
Dispersibility properties	: Not available.
Solubility	: Easily soluble in the following materials: cold water and hot water.
Physical/chemical properties comments	: Not available.
Aerosol product	
Type of aerosol	: Spray
Heat of combustion	: 21.41 kJ/g
Ignition distance	: <45.72 cm

# 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame).
	Keep away from extreme heat. Protect from moisture. Keep from freezing.
	Do not store above 50°C
Incompatible materials	: Do not mix with household chemicals.
Hazardous decomposition products	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

# **11. Toxicological information**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
butane	LC50 Inhalation Vapor	Rat	658000 mg/m <sup>3</sup>	4 hours
ethanol	LC50 Inhalation Vapor	Rat	124700 mg/m <sup>3</sup>	4 hours
	LD50 Oral	Rat	7 g/kg	-
*Lysol® Brand Disinfectant	LC50 Inhalation Vapor	Rat	>2.12 mg/l	4 hours
Spray, All Scents (Aerosol)				Maximum
				attainable
				concentration

#### **Chronic toxicity**

Product/ingredient name	Result	Species	Dose	Exposure				
Not available.								

# 11. Toxicological information

# Irritation/Corrosion

Product/ingredient name	Result		Species	Score	Exposure	Observation		
thanol	Eyes - Moderate	irritant	Rabbit	-	0.066666667 minutes 100 milligrams	-		
	Eyes - Mild irritar	nt	Rabbit	-	24 hours 500 milligrams	-		
	Eyes - Moderate	irritant	Rabbit	-	100 microliter	s -		
	Eyes - Severe irr	itant	Rabbit	-	500 milligrams			
	Skin - Mild irritan	-	Rabbit	-	400 milligrams	S -		
	Skin - Moderate	irritant	Rabbit	-	24 hours 20 milligrams	-		
Lysol® Brand Disinfectant pray, All Scents (Aerosol)	Eyes - Cornea o	pacity	Rabbit	< 1	72 hours	4 days		
· · · · · · · · · · · · · · · · · · ·	Skin - Primary de index (PDII)	ermal irritation	Rabbit	0.3	4 hours	72 hours		
Conclusion/Summary	: Not available.		1	1				
Skin		: Slightly irritating to the skin. *Information is based on toxicity test result of the concentrate of a similar product.						
Eyes	: Moderately irrita concentrate of a			based on to	oxicity test resu	It of the		
Respiratory	: Not available.							
ensitizer								
Product/ingredient name	Route of exposure	Species		Result				
lot available.								
Conclusion/Summary	: Not available.	1		I				
Skin	: Not available.							
Respiratory	: Not available.							
arcinogenicity								
Product/ingredient name	Result		Species	Dos	e	Exposure		
lot available.								
Conclusion/Summary	: Not available.			I				
<u>Classification</u>								
Classification Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA		
	ACGIH A3	IARC 1	EPA -	NIOSH -	NTP -	OSHA -		
Product/ingredient name ethanol	_		EPA -	NIOSH -	NTP -	OSHA -		
Product/ingredient name ethanol utagenicity	_	1	-	NIOSH -	NTP - Result	-		
Product/ingredient name ethanol utagenicity Product/ingredient name	A3	1	EPA - eriment	NIOSH -	-	-		
Product/ingredient name ethanol utagenicity Product/ingredient name lot available. Conclusion/Summary	A3	1	-	-	-	-		
Product/ingredient name	A3	1	-	NIOSH - Dose	- Result	-		

# 11. Toxicological information

P	Δ	n	0	Ч	• •	ct	iv		to	vi	ci	tv
	C	μ	U	u	u	υı		6	ιu			ιγ

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
Not available.						
Conclusion/Summary	: Not availal	ole.				

# 12. Ecological information

#### **Ecotoxicity**

: No known significant effects or critical hazards.

#### Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
ethanol	Acute EC50 17.921 mg/l Marine water Acute EC50 2000 μg/l Fresh water Acute LC50 25500 μg/l Marine water	Algae - Ulva pertusa Daphnia - Daphnia magna Crustaceans - Artemia franciscana - Larvae	96 hours 48 hours 48 hours
	Acute LC50 42000 µg/l Fresh water Chronic NOEC 4.995 mg/l Marine water Chronic NOEC 0.375 ul/L Fresh water	Fish - Oncorhynchus mykiss Algae - Ulva pertusa Fish - Gambusia holbrooki - Larvae	4 days 96 hours 12 weeks

#### **Conclusion/Summary** : Not available.

#### Persistence/degradability

Product/ingredient name Not available.	Test	Result	Dose	Inoculum
Conclusion/Summary	: Not available.			
Partition coefficient: n- octanol/water	: Not available.			
<b>Bioconcentration factor</b>	: Not available.			
Mobility	: Not available.			
Toxicity of the products of biodegradation	: Not available.			
Other adverse effects	: No known signif	ficant effects or critical hazards.		

# 13. Disposal considerations

```
Waste disposal
```

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

# **14. Transport information**

For long distance transport of bulk material or shrunk pallet take into consideration sections 7 and 10.

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1950	Aerosols, flammable	2.1	-	$\diamond$	Limited quantity
TDG Classification	UN1950	Aerosols, flammable	2.1	-	$\bigcirc$	Limited quantity
Mexico Classification	UN1950	Aerosols, flammable	2.1	-	$\bigcirc$	Limited quantity
IMDG Class	UN1950	Aerosols, flammable	2.1	-	$\bigcirc$	Limited quantity
IATA-DGR Class	UN1950	Aerosols, flammable	2.1	-	2	See DG List

PG\* : Packing group

# 15. Regulatory information

United States				
U.S. Federal regulations	•	TSCA 8(a) PAIR: 2-methylpropan-2-ol SARA 302/304: No products were found. SARA 311/312 Hazards identification: Fire hazard, Delayed (chronic) health hazard Clean Water Act (CWA) 311: ammonia Clean Air Act (CAA) 112 regulated flammable substances: butane; propane		
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not listed		
Clean Air Act Section 602 Class I Substances	1	Not listed		
Clean Air Act Section 602 Class II Substances	:	Not listed		
DEA List I Chemicals (Precursor Chemicals)	;	Not listed		
DEA List II Chemicals (Essential Chemicals)	:	Not listed		
SARA 311/312 HCS 1994				
Classification	:	Fire hazard Delayed (chronic) health hazard		
Composition/information on ingredients				

D0224478 v5.0

# 15. Regulatory information

Name			%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
butane			5 - 10	Yes.	Yes.	No.	No.	Yes.
ethanol			30 - 60	Yes.	No.	No.	Yes.	Yes.
propane			1 - 2.5	Yes.	Yes.	No.	No.	Yes.
State regulations								
Massachusetts	:	The following	g compon	ents are l	isted: ETHYL	ALCOHOL; B	UTANE; PROPA	ANE
New York	:	None of the	compone	nts are lis	ted.			
New Jersey	:	The following PROPANE	g compon	ients are l	isted: ETHYL	ALCOHOL; A	LCOHOL; BUTA	ANE;
Pennsylvania	:	The following	g compon	ients are l	isted: DENAT	URED ALCOH	HOL; BUTANE;	PROPANE
<u>anada</u>								
WHMIS (Canada)	1	Class B-2: F	lammable	e liquid				
· · · · · ·		Class B-5: F		•				
Canadian lists								
Canadian NPRI	:	The following	g compon	ients are l	isted: Ethano	l; Butane (all is	somers); Propar	ne
CEPA Toxic substances	:	None of the	compone	nts are lis	ted.			
Canada inventory		Not determin						


This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

# 16. Other information

÷

÷.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability Level 1

D0224478 v5.0

# **16. Other information**

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of issue	1	23/04/2015.
Date of previous issue	1	22/04/2015.
Version	1	5
Prepared by	:	Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770

### **Revision comments** : Update & Revision of the SDS. Addition of formula #0175927.

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

### Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

# SAFETY DATA SHEET



Lysol Disinfecting Wipes - All Scents

# 1. Product and company identification

Product name	: Lysol Disinfecting Wipes - All Scents
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

### Product use : Surface Disinfectant.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8298990 v2.0
Formulation #:	<ul> <li>Lemon Lime Blossom/Citrus: Fill e0062-340/ 8287832 v1 (PMX. e0038-391A / 8251139 v1 + Non-woven #8269971 v1; expressed Liquid e0038-391A)</li> <li>Cool Wave/Ocean Fresh/Spring Waterfall: Fill 8287833 v1 (PMX. e0069-070A / 8278721 v1 + Non-woven 8269971 v1; expressed liquid e0069-070C)</li> <li>Early Morning Breeze/Lavender: Fill 8287834 v1 (PMX 2096-032B / 8159847 v1+ Non-woven 8269971 v1; expressed liquid 1671-111B)</li> <li>Crisp Linen: Fill 8287835 v1 (PMX 2096-032E / 8159854 v1 + Non-woven 8269971v1; expressed liquid 1671-115A)</li> <li>Citrus Meadows/Citrus: Fill 8287839 v1 (PMX e0065-075A /8169859 v1 + Non-woven 8269971 v1; expressed liquid e0065-041C)</li> <li>Green Apple: Fill 8287841 v1 (PMX e2096-032D / 8159853 v1 + Non-woven 8269971 v1; expressed liquid 1671-114A)</li> <li>Cool Wave Infinity: Fill 8287842 (PMX e0069-080 / 8287871 v1 + Non-woven 8269971 v1; expressed liquid e0069-080)</li> <li>Lemon Infinity: Fill 8287843 v1 (PMX e0038-445A / 8251567 v1 + Non-woven 8269971 v1; expressed liquid e0069-080)</li> </ul>

# 1. Product and company identification

### EPA ID No. DIN #

: 777-114

: 02359014

UPC Code / Sizes

: HDPE Canister and PE cap; Flatpack, laminate pouch

2. Hazards identification				
Classification of the substance or mixture	: Not classified			
GHS label elements				
Hazard pictograms	: Not applicable.			
Signal word	: No signal word.			
Hazard statements	: No known significant effects or critical hazards.			
Precautionary statements				
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.			
Prevention	: Not applicable.			
Response	: Not applicable.			
Storage	: Not applicable.			
Disposal	: Not applicable.			
Supplemental label elements	: None known.			
Hazards not otherwise classified	: None known.			

# 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
	1 - 5 0.5 - 1.5 0.1 - 1	64-17-5 132778-08-6 68424-85-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

# 4. First aid measures

### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

### 4. First aid measures

Ingestion

: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

Potential acute health effects					
Eye contact	: Moderately irritating to eyes.				
Inhalation	: No known significant effects or critical hazards.				
Skin contact	: Slightly irritating to the skin.				
Ingestion	: No known significant effects or critical hazards.				
Over-exposure signs/symptoms					
Eye contact	: No specific data.				
Inhalation	: No specific data.				
Skin contact	: No specific data.				
Ingestion	No specific data.				

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

### See toxicological information (Section 11)

# 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# 7. Handling and storage

### Precautions for safe handling

Protective measures		Put on appropriate personal protective equipment (see Section 8).
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# 8. Exposure controls/personal protection

### <u>Control</u>

### **Occupational exposure limits**

Ingredient name			Exposure limits		
ethanol			ACGIH TLV (United States, STEL: 1000 ppm 15 minutes OSHA PEL 1989 (United States, TWA: 1000 ppm 8 hours. TWA: 1900 mg/m <sup>3</sup> 8 hours. NIOSH REL (United States, TWA: 1000 ppm 10 hours. TWA: 1900 mg/m <sup>3</sup> 10 hours. TWA: 1000 ppm 8 hours. TWA: 1900 mg/m <sup>3</sup> 8 hours.	<sup>s.</sup> ates, 3/1989). 10/2013).	
Appropriate engineering controls	: Good general contaminants.		sufficient to control worker exposu	re to airborne	
Code # : D8298990 (NA)	SDS #	: D8298990 v2.0	Date of issue : 15/05/2018	4/13	

D8298990 v2.	0	
--------------	---	--

# 8. Exposure controls/personal protection

Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Presaturated Wipes]
Color	: White.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	: 10.5 [liquid preparations]
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: >93.3°C (>199.9°F) [flash point value based on ingredient data]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.985 [liquid preparations]
Solubility	: Not available.

# 9. Physical and chemical properties

Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Flow time (ISO 2431)	1	Not available.

# 10. Stability and reactivity

_	-
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Do not use with other products.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ethyl alcohol	LC50 Inhalation Vapor	Rat	124700 mg/m <sup>3</sup>	4 hours
,	LD50 Oral	Rat	7 g/kg	-
*Lysol Disinfecting Wipes	LC50 Inhalation Vapor	Rat	>2.04 mg/l	24 hours
	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

**Conclusion/Summary** : Not classified. \*Information is based on toxicity test result of a similar product.

### Irritation/Corrosion

Result	Species	Score	Exposure	Observation
Eyes - Moderate irritant	Rabbit	-	0.066666667 minutes 100 milligrams	-
Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Eyes - Moderate irritant	Rabbit	-	100 microliters	-
Eyes - Severe irritant	Rabbit	-	500 milligrams	-
Skin - Mild irritant	Rabbit	-	400 milligrams	-
Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
Skin - Slight irritant Eyes - Cornea opacity	Rabbit Rabbit	1.5 0	-	-
	Eyes - Moderate irritant Eyes - Mild irritant Eyes - Moderate irritant Eyes - Severe irritant Skin - Mild irritant Skin - Moderate irritant Skin - Slight irritant	Eyes - Moderate irritantRabbitEyes - Mild irritantRabbitEyes - Moderate irritantRabbitEyes - Moderate irritantRabbitEyes - Severe irritantRabbitSkin - Mild irritantRabbitSkin - Moderate irritantRabbitSkin - Slight irritantRabbit	Eyes - Moderate irritantRabbit-Eyes - Mild irritantRabbit-Eyes - Moderate irritantRabbit-Eyes - Severe irritantRabbit-Skin - Mild irritantRabbit-Skin - Moderate irritantRabbit-Skin - Slight irritantRabbit1.5	Eyes - Moderate irritantRabbit-0.066666667 minutes 100 milligramsEyes - Mild irritantRabbit-24 hours 500 milligramsEyes - Moderate irritantRabbit-100 microlitersEyes - Severe irritantRabbit-500 milligramsSkin - Mild irritantRabbit-500 milligramsSkin - Moderate irritantRabbit-400 milligramsSkin - Moderate irritantRabbit-400 milligramsSkin - Slight irritantRabbit-24 hours 20 milligramsSkin - Slight irritantRabbit1.5-

# Skin

: Slightly irritating to the skin. \*Information is based on toxicity test result of a similar product.

# 11. Toxicological information

**Eyes** 

: Moderately irritating to eyes. \* Information is based on toxicity test result of a similar product.

Respiratory

: Based on available data, the classification criteria are not met.

### **Sensitization**

••••••	Route of exposure	Species	Result
*Lysol Disinfecting Wipes	skin	Guinea pig	Not sensitizing

### **Conclusion/Summary**

Skin

: Non-sensitizer. \*Information is based on toxicity test result of a similar product.

Respiratory

: Based on available data, the classification criteria are not met.

**Mutagenicity** 

Product/ingredient name	Test	Experiment	Result
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	OECD 471 - Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 473 - Mammalian Chromosamal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 476 - Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative
0	·		

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Carcinogenicity

Not available.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### **Classification**

Product/ingredient name	OSHA	IARC	NTP
ethanol	-	1	-

### **Reproductive toxicity**

Not available.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Teratogenicity** 

Not available.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Conforms to USDOL OSHA 29CFR 1	910.1200 HAZCOM
D8298990 v2.0	
11. Toxicological	information
Information on the likely routes of exposure	: Not available.
Potential acute health effect	<u>2</u>
Eye contact	: Moderately irritating to eyes.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Slightly irritating to the skin.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effect	cts and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
•	

: No known significant effects or critical hazards.

### Numerical measures of toxicity

Acute toxicity estimates

Fertility effects

Not available.

# 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
ethanol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	Acute EC50 0.016 mg/l	Daphnia	48 hours
	Acute LC50 64 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic EC10 0.009 mg/l	Algae	72 hours

### Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	-	-	Readily

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
ethanol	-0.35	-	low

### Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects

: No known significant effects or critical hazards.

# 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not Regulated	Not applicable.	Not available.	-		-
TDG Classification	Not Regulated	Not applicable.	Not available.	-		-
Mexico Classification	Not Regulated	Not applicable.	Not available.	-		-
IMDG Class	Not Regulated	Not applicable.	Not available.	-		-
IATA-DGR Class	Not Regulated	Not applicable.	Not available.	-		-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

DC\* : Dooking grou

PG\* : Packing group

# 15. Regulatory information

U.S. Federal regulations	: TSCA 4(a) proposed test rules: Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides
	<b>TSCA 8(a) PAIR</b> : 2-(4-tert-butylbenzyl)propionaldehyde; 2-methylpropan-2-ol; octanal; decanal; 2-methylundecanal; α-hexylcinnamaldehyde; cinnamaldehyde; phenylacetaldehyde
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): All components are listed or exempted.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed

# 15. Regulatory information

**DEA List II Chemicals** (Essential Chemicals) : Not listed

### SARA 302/304

### **Composition/information on ingredients**

No products were found.

### SARA 304 RQ : Not applicable.

### SARA 311/312

Classification : Not applicable.

### **Composition/information on ingredients**

Name	%	hazard	Sudden release of pressure	(acute)	Delayed (chronic) health hazard
ethanol Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	1 - 2.5 0.1 - 1	Yes. No.		Yes. Yes.	No. No.

### **State regulations**

Massachusetts	: The following components are listed: ETHYL ALCOHOL; DENATURED ALCOHOL
New York	: None of the components are listed.
New Jersey	: The following components are listed: ETHYL ALCOHOL; ALCOHOL
Pennsylvania	: The following components are listed: DENATURED ALCOHOL; ETHANOL

### <u>Canada</u>

- undud	
WHMIS (Canada)	: Not controlled under WHMIS (Canada).
<u>Canadian lists</u>	
Canadian NPRI	: The following components are listed: Ethanol
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: All components are listed or exempted.
Label elements	
Signal word:	: CAUTION
· · · · · · · ·	

# Hazard statements: May cause eye irritation.Precautionary measures: Avoid contact with eyes.Wash hands after use.

# 16. Other information

Hazardous Material Information System (U.S.A.)	:		
	Health	*	1
	Flammability		0
	Physical hazards		0
	Personal protection		В

# 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

2

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 15/05/2018
Date of previous issue	: 13/10/2017
Version	: 2
Prepared by	: Reckitt Benckiser LLC. SQC - Consumer Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

# 16. Other information



RB is a member of the CSPA Product Care Product Stewardship Program.

13/13 Page 87 of 153



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

### **SECTION 1. IDENTIFICATION**

Product name :	PALMOLIVE TRADITIONAL DISHWASHING HAND LIQUID ORIGINAL
Product code Material	20000046034 B02929040032
Manufacturer or supplier's de	ails
Company :	Colgate-Palmolive Co 300 Park Avenue New York, NY 10022
Telephone :	US: Consumer Affairs - 1-800-468-6502
Emergency telephone : number	For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.
	Global-CHEMTREC- +1 703-741-5970
Medical Emergency (24HR):	For MEDICAL EMERGENCIES involving this product call: (888) 489-3861
Recommended use of the che	mical and restrictions on use
Recommended use :	A formulated dishwashing liquid

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a hazardous substance or mixture.

### **GHS Label element**

Not a hazardous substance or mixture.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
LAURAMIDOPROPYLDIMETHYLAMINE OXIDE	61792-31-2	>= 1 - < 5
SODIUM CHLORIDE	7647-14-5	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

General advice	: No hazards which require special first aid measures.
If inhaled	<ul> <li>Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	<ul> <li>Flush eyes with water as a precaution.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> </ul>
If swallowed	<ul> <li>Clean mouth with water and drink afterwards plenty of water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
Most important symptoms and effects, both acute and delayed	: None known.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	: No hazardous combustion products are known
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### Hazardous components without workplace control parameters

Components	CAS-No.
LAURAMIDOPROPYLDIMET	61792-31-2
HYLAMINE OXIDE	
SODIUM CHLORIDE	7647-14-5

### Personal protective equipment

: No personal respiratory protective equipment normally re- quired.
: For prolonged or repeated contact use protective gloves.
: Safety glasses
: Protective suit
: General industrial hygiene practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: blue green
рН	: 7.2
Flash point	: >200 °F
Density	: 1.009 g/cm3

### SECTION 10. STABILITY AND REACTIVITY

### Reactivity

: Stable under recommended storage conditions.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	: No hazards to be specially mentioned.
Conditions to avoid	: No data available

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity Not classified based on available information.

Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Components:		
LAURAMIDOPROPYLDIMETH	ΗY	LAMINE OXIDE:
Acute oral toxicity	:	LC50 (Rat): 500 - 1,000 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LC50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402
SODIUM CHLORIDE:		
Acute oral toxicity	:	LD50 (Rat): 3,550 mg/kg
Acute inhalation toxicity	:	LC50 (Rabbit): > 42,000 mg/l Exposure time: 1 h Test atmosphere: No information available. Method: No information available.
Acute dermal toxicity	:	LD50 (Rabbit): > 10,000 mg/kg Method: No information available.

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

### <u>Components:</u> LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

Species: Rabbit Exposure time: 4 h Method: OECD Test Guideline 404 Result: Mild skin irritation

### SODIUM CHLORIDE:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

### **Components:**

### LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days Exposure time: 1 h Method: OECD Test Guideline 405

### SODIUM CHLORIDE:

Result: Mild eye irritation

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

### Product:

Remarks: No data available

### Components:

### LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal Species: Guinea pig Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

### SODIUM CHLORIDE:

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal Result: Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### **Further information**

### Product:

Remarks: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the SDS.

### SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental, Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable) or testing conducted on the final product (i.e., This product is biodegradable).



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

### SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

### **SECTION 14. TRANSPORT INFORMATION**

DOT	:	
		Not regulated.
TDG	:	
		Not regulated.
ΙΑΤΑ	:	
		Not regulated.
IMDG	:	
		Not regulated.
ADR	:	
		NOT REGULATED.

### International Regulation

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

### **National Regulations**

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Component RQ (lbs)
		(lbs)	
Sulfuric Acid	7664-93-9	1000	*
Sulfuric Acid	7664-93-9	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulfuric Acid	7664-93-9	1000	*



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label. Version 1.0 SDS Number: 66000000522 Revision Date: 2016/02/02

\*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting re- quirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

> SODIUM HYDROXIDE 1310-73-2 Sulfuric Acid SULFURIC ACID

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

> SODIUM HYDROXIDE 1310-73-2 Sulfuric Acid

SULFURIC ACID

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

Massachusetts	s Right To Know		
	Sulfuric Acid	SULFURIC ACID	0 - 0.1 %
Pennsylvania F	Right To Know		
	Water	WATER	70 - 90 %
	C12-C15 0.6EO Ammonium Sulfate	Not Assigned	5 - 10 %
	AMMONIUM SULFATE	7783-20-2	0 - 0.1 %
New Jersey Rig	ght To Know		
	Water	WATER	70 - 90 %
	C12-C15 0.6EO Ammonium Sulfate	Not Assigned	5 - 10 %
	LAURAMIDOPROPYLDIMETHYLAMINE OXIDE	61792-31-2	1 - 5 %
	SODIUM CHLORIDE	7647-14-5	1 - 5 %

### The components of this product are reported in the following inventories:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

TSCA

: All ingredients in this product are listed on the TSCA Inventory or are not required to be listed on the TSCA Inventory.

### SECTION 16. OTHER INFORMATION


### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the<br/>product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000000522Revision Date: 2016/02/02

### **Further information**



Revision Date : 2016/02/02

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

classification according to Canadian Hazardous Products Regulation



# Pledge® Furniture Spray Orange Fresh®Version 1.0Print Date 06/20/2017Revision Date 05/23/2017SDS Number 35000027096

### 1. PRODUCT AND COMPANY IDENTIFICATION

### Product information

Product name	:	Pledge® Furniture Spray Orange Fresh®
Recommended use	:	Furniture Polish/Cleaner
Restrictions on use	:	Use only as directed on label
Manufacturer, importer, supplier	:	S.C. Johnson and Son, Limited 1 Webster Street Brantford ON N3T 5R1
Telephone	:	+1-800-558-5566
Emergency telephone number	:	24 Hour Transport & Medical Emergency Phone (866) 231-5406 24 Hour International Emergency Phone (952) 852-4647 24 Hour Canadian Transport Emergency Phone (CANUTEC) (613) 996-6666

### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

### Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Gases under pressure	Compressed gas	Contains gas under pressure;
		may explode if heated.

### Labelling

### Hazard symbols Gas cylinder

Signal word Warning

### Hazard statements

Contains gas under pressure; may explode if heated.

### **Precautionary statements**

classification according to Canadian Hazardous Products Regulation



ersion 1.0	pray Orange Fresh® Print Date 06/20/2017
	SDS Number 350000027096
evision Date 05/23/2017	323 Number 330000027030
Protect from sunlight. Stor	re in a well-ventilated place. : Intentional misuse by deliberately concentrating and inhaling

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by Canadian Hazardous Products Regulation are listed in this table.

Chemical name	CAS-No.	Weight percent
Naphtha, petroleum, light alkylate	64741-66-8	1.50 - 3.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

### 4. FIRST AID MEASURES

### Description of first aid measures

- **Eye contact** : No special requirements
- Skin contact : No special requirements
- Inhalation : No special requirements.
- Ingestion : No special requirements

### Most important symptoms and effects, both acute and delayed

Eyes : May irritate eyes.



/ersion 1.0	Print Date 06/20/2017
Revision Date 05/23/2017	SDS Number 350000027096
Skin effect	: No adverse effects expected when used as directed.
Inhalation	<ul> <li>Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.</li> <li>Excessive exposure to spray mist, fog or vapour may cause respiratory irritation.</li> </ul>
Ingestion	: No adverse effects expected when used as directed.
Indication of any immedia	te medical attention and special treatment needed
See Description of first aid r	measures unless otherwise stated.
media Specific hazards during firefighting Further information	<ul> <li>carbon dioxide.</li> <li>Aerosol Product - Containers may rocket or explode in heat of fire.</li> <li>Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.</li> </ul>
. ACCIDENTAL RELEASE ME	ASURES
Personal precautions	: Remove all sources of ignition. Wash thoroughly after handling.
Environmental precautions	: Outside of normal use, avoid release to the environment.
Methods and materials	: Sweep up and shovel into suitable containers for disposal.



Version 1.0	Print Date 06/20/2017
Revision Date 05/23/2017	SDS Number 350000027096
for containment and cleaning up	Clean residue from spill site.
7. HANDLING AND STORAGE	
Handling	
Precautions for safe handling	<ul> <li>Avoid contact with skin, eyes and clothing.</li> <li>For personal protection see section 8.</li> <li>KEEP OUT OF REACH OF CHILDREN AND PETS.</li> </ul>
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Storage	
Requirements for storage areas and containers	: Protect from sunlight. Store in a well-ventilated place.
8. EXPOSURE CONTROLS/PER	SONAL PROTECTION
Occupational Exposure Lir	nits
Occupational Exposure Lir	nits mits have not been established for this product or reportable ingredients
Occupational Exposure Lir ACGIH or OSHA exposure lin unless noted in the table abo Personal protective equipm	nits mits have not been established for this product or reportable ingredients ive. nent
ACGIH or OSHA exposure lin unless noted in the table abo	nits mits have not been established for this product or reportable ingredients we.
Occupational Exposure Lir ACGIH or OSHA exposure lin unless noted in the table abo Personal protective equipm	nits mits have not been established for this product or reportable ingredients ive. nent
Occupational Exposure Lin ACGIH or OSHA exposure lin unless noted in the table abo Personal protective equipm Respiratory protection	nits mits have not been established for this product or reportable ingredients ave. nent : No special requirements.
Occupational Exposure Lin ACGIH or OSHA exposure lin unless noted in the table abo Personal protective equipm Respiratory protection Hand protection	<ul> <li>nits</li> <li>mits have not been established for this product or reportable ingredients ive.</li> <li>nent <ul> <li>No special requirements.</li> <li>No special requirements.</li> </ul> </li> </ul>



r lougeer armaic opie	y Orange Fresh®
Version 1.0	Print Date 06/20/2017
Revision Date 05/23/2017	SDS Number 350000027096
9. PHYSICAL AND CHEMICAL PF	ROPERTIES
Form	: aerosol
Color	: off-white
Odour	: Citrus
Odour Threshold	: Test not applicable for this product type
рН	: 7.5 - 8.5 at (20 °C) (as an emulsion)
Melting point/freezing point	: Test not applicable for this product type
Initial boiling point and boiling range	: Test not applicable for this product type
Flash point	: > 95 C > 203 °F Method: Tag Closed Cup (TCC) liquid Propellant, does not flash
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Does not sustain combustion.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type



Pledge <sup>®</sup> Furniture Spra	y Orange Fresh®
Version 1.0	Print Date 06/20/2017
Revision Date 05/23/2017	SDS Number 350000027096
Vapour density	: Test not applicable for this product type
Relative density	: 0.992 g/cm3 at 20 °C
Solubility(ies)	: immiscible
Partition coefficient: n- octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: does not ignite
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: Test not applicable for this product type
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type
Volatile Organic Compounds Total VOC (wt. %)*	<ul> <li>2.6 % - additional exemptions may apply</li> <li>*as defined by US Federal and State Consumer Product Regulations</li> </ul>
Other information	: None identified :
10. STABILITY AND REACTIVITY	
Reactivity	: No dangerous reaction known under conditions of normal use.

classification according to Canadian Hazardous Products Regulation



Pledge® Furniture Spra	ay Orange Fresh®		
Version 1.0	Print Date 06/20/2017		
Revision Date 05/23/2017	SDS Number 350000027096		
Chemical stability	: Stable under recommended storage conditions.		
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.		
Conditions to avoid	: Direct sources of heat.		
Incompatible materials	: Do not mix with bleach or any other household cleaners. Strong bases		
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.		

### **11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity	: LD50 > 5000 mg/kg
Acute inhalation toxicity	: LC50 > 10 mg/L
Acute dermal toxicity	: LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas

classification according to Canadian Hazardous Products Regulation



# Pledge® Furniture Spray Orange Fresh®

Version 1.0

Print Date 06/20/2017

Revision Date 05/23/2017

SDS Number 35000027096

Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

### **12. ECOLOGICAL INFORMATION**

**Product :** The product itself has not been tested.

### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### **Toxicity to fish**

Components	End point	Species	Value	Exposure time
Naphtha, petroleum, light alkylate	No data available			

classification according to Canadian Hazardous Products Regulation



# Pledge® Furniture Spray Orange Fresh®

Version 1.0

Print Date 06/20/2017

Revision Date 05/23/2017

SDS Number 35000027096

Naphtha, petroleum, light alkylate	No data available		

### Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Naphtha, petroleum, light alkylate	No data available			
Naphtha, petroleum, light alkylate	No data available			

### Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Naphtha, petroleum, light alkylate	No data available			
Naphtha, petroleum, light alkylate	No data available			

### Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Naphtha, petroleum, light alkylate	No data available		
Naphtha, petroleum, light alkylate	No data available		

### Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Naphtha, petroleum, light alkylate	No data available	No data available
Naphtha, petroleum, light alkylate	No data available	No data available

classification according to Canadian Hazardous Products Regulation



# Pledge® Furniture Spray Orange Fresh®

Version 1.0

Print Date 06/20/2017

Revision Date 05/23/2017

SDS Number 35000027096

### Mobility

Component	End point	Value
Naphtha, petroleum, light alkylate	log Koc	> 1.783 - < 2.36
Naphtha, petroleum, light alkylate	log Koc	> 1.783 - < 2.36

### PBT and vPvB assessment

Component	Results
Naphtha, petroleum, light	Not fulfilling PBT and vPvB criteria
alkylate	
Naphtha, petroleum, light	Not fulfilling PBT and vPvB criteria
alkylate	

Other adverse effects :

: None known.

### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### **14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

classification according to Canadian Hazardous Products Regulation



# Pledge® Furniture Spray Orange Fresh®

Version 1.0

Print Date 06/20/2017

Revision Date 05/23/2017

SDS Number 350000027096

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper shipping name	UN 1950 AEROSOLS, Non- Flammable, 2.2, LTD QTY	UN 1950 AEROSOLS, Non- Flammable, 2.2, LTD QTY	UN 1950 AEROSOLS, Non- Flammable, 2.2, LTD QTY
Transport hazard class(es)	2.2	2	2.2
Packing group	-	-	-
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

### **15. REGULATORY INFORMATION**

Notification status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Notification status	All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

classification according to Canadian Hazardous Products Regulation



Version 1.0 Print Date 06/20/2017		
Revision Date 05/23/2017 SDS Number 350000027096		
California Prop. 65 : This product does not contain any chemicals known to State California to cause cancer, birth defects, or any other reproductive harm.	of	
<b>Canada Regulations</b> : This product has been classified in accordance with the haza criteria of the Hazardous Products Act and Regulations.	: This product has been classified in accordance with the hazard criteria of the Hazardous Products Act and Regulations.	

## **16. OTHER INFORMATION**

HMIS Ratings	
Health	0
Flammability	1
Reactivity	0

NFPA Ratings	
Health	0
Fire	1
Reactivity	0
Special	-

This information is being provided in accordance with Canada's Workplace Hazard Material Information System. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

classification according to Canadian Hazardous Products Regulation



# Pledge® Furniture Spray Orange Fresh®

Version 1.0

Revision Date 05/23/2017

Print Date 06/20/2017

SDS Number 350000027096

Prepared by SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 46955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015		
SECTION	1. IDENTIFICATION				
Product name		: PURELL® Hand	PURELL® Hand Sanitizer		
Manu	facturer or supplier's	etails			
	any name of supplier		GOJO Industries, Inc.		
Addre	SS	: One GOJO Plaza, Suite 500 Akron OH 44311			
Telep	hone	: 1 (330) 255-6000			
Emerç	gency telephone	: 1-800-424-9300 CHEMTREC			
Reco	mmended use of the o	emical and restric	tions on use		
Recor	mmended use	: Hand Sanitizer			
Restrictions on use		consumers and foreseeable use specifically defin exempt from the While this mate contains valuab proper use of th as well as unus spills. This SDS employees and intended-use gu	al care or cosmetic product that is safe for other users under normal and reasonably e. Cosmetics and consumer products, ned by regulations around the world, are e requirement of an SDS for the consumer. rial is not considered hazardous, this SDS le information critical to the safe handling and re product for industrial workplace conditions ual and unintended exposures such as large should be retained and available for other users of this product. For specific uidance, please refer to the information package or instruction sheet.		

# SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H226 Flammable liquid and vapor. H319 Causes serious eye irritation.



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015
Preca	autionary Statements	No smoking. P233 Keep cont P241 Use explo equipment. P242 Use only r P243 Take pred P264 Wash skir P280 Wear prot <b>Response:</b> P303 + P361 + all contaminated P305 + P351 + for several minut to do. Continue P337 + P313 If attention. <b>Storage:</b> P403 + P235 St <b>Disposal:</b>	y from heat/sparks/open flames/hot surfaces. aainer tightly closed. sion-proof electrical/ ventilating/ lighting/ hon-sparking tools. autionary measures against static discharge. h thoroughly after handling. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately d clothing. Rinse skin with water/shower. P338 IF IN EYES: Rinse cautiously with water tes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ ore in a well-ventilated place. Keep cool. f contents/ container to an approved waste

#### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medic advice.	cal
If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	In case of contact, immediately flush eyes with plenty of wa for at least 15 minutes. If easy to do, remove contact lens, if worn.	ter



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 46955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015
If swallowed		<ul> <li>Get medical attention.</li> <li>If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.</li> </ul>	
Most important symptoms : Causes serious and effects, both acute and delayed		: Causes seriou	s eye irritation.
Pro	ection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists.	
Not	es to physician	: Treat symptomatically and supportively.	

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Remove all sources of ignition.</li> <li>Use personal protective equipment.</li> <li>Follow safe handling advice and personal protective equipment recommendations.</li> </ul>
Environmental precautions	: Discharge into the environment must be avoided.



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 46955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015
		Prevent spreadi barriers). Retain and disp	leakage or spillage if safe to do so. ng over a wide area (e.g. by containment or oil ose of contaminated wash water. s should be advised if significant spillages ined.
Methods and materials for containment and cleaning up		Soak up with ine Suppress (knoc jet. For large spills, containment to l can be pumped container. Clean up remain absorbent. Local or nationa disposal of this employed in the determine which Sections 13 and	ols should be used. ert absorbent material. k down) gases/vapors/mists with a water spray provide diking or other appropriate keep material from spreading. If diked material store recovered material in appropriate hing materials from spill with suitable I regulations may apply to releases and material, as well as those materials and items cleanup of releases. You will need to n regulations are applicable. I 15 of this SDS provide information regarding hational requirements.

# SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaus ventilation.	st
Advice on safe handling	Do not breathe vapors or spray mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and sa practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to environment.	ŗ
Conditions for safe storage	Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulation Keep away from heat and sources of ignition.	IS.
Materials to avoid	Do not store with the following product types: Strong oxidizing agents	



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015
		•	s s stances and mixtures mixtures which in contact with water emit

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

#### Ingredients with workplace control parameters

### **Biological occupational exposure limits**

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentratio n	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures

: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and



Version 1.2	Revision Date: 03/19/2015		DS Number: 955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015
			by air purifying re hazardous chemi supplied respirato release, exposure	A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide ion.
	l protection aterial	:	Impervious gloves	S
Ma	aterial	:	Flame retardant g	loves
Re	emarks	<ul> <li>Choose gloves to protect hands against chemicals dep on the concentration specific to place of work. Breakthr time is not determined for the product. Change gloves of For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protectiv gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.</li> </ul>		ion specific to place of work. Breakthrough nined for the product. Change gloves often! eations, we recommend clarifying the micals of the aforementioned protective ove manufacturer. Wash hands before
Еуе р	protection	:	Wear the followin Safety goggles	g personal protective equipment:
Skin :	and body protection	:	<ul> <li>Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.</li> <li>Wear the following personal protective equipment: Flame retardant antistatic protective clothing.</li> <li>Skin contact must be avoided by using impervious protect clothing (gloves, aprons, boots, etc).</li> </ul>	
located close When using		located close to the When using do not	lushing systems and safety showers are he working place. ot eat, drink or smoke. red clothing before re-use.	

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, Colorless to pale yellow
Odor	: citrus
Odor Threshold	: No data available
рН	: 6.0 - 9.2
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available



Vers 1.2	sion	Revision Date: 03/19/2015		DS Number: 55-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015		
	Flash p	oint	:	25 °C			
	Evapor	ation rate	:	No data available			
	Flamma	ability (solid, gas)	:	: Not applicable			
	Upper e	explosion limit	:	No data available			
	Lower e	explosion limit	:	No data available			
	Vapor p	pressure	:	No data available			
	Relative	e vapor density	:	No data available			
	Density		:	0.89 g/cm3			
	Solubili Wate	ty(ies) er solubility	:	soluble			
	Partition octanol	n coefficient: n- /water	:	Not applicable			
	Autoign	ition temperature	:	No data available			
	Decom	position temperature	:	The substance or	mixture is not classified self-reactive.		
	Viscosi <sup>.</sup> Visco	ty osity, kinematic	:	1,000 - 35,000 m	m2/s (20 °C)		
	Explosi	ve properties	:	Not explosive			
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.		

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	<ul> <li>Flammable liquid and vapor.</li> <li>Vapors may form explosive mixture with air.</li> <li>Can react with strong oxidizing agents.</li> </ul>
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.





Version 1.2	Revision Date: 03/19/2015	-	OS Number: 55-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015
SECTION	11. TOXICOLOGICA		RMATION	
Inhal Skin Inges	contact	es of ex	posure	
	e toxicity			
	classified based on ava	ilable in	formation.	
Prod Acute	l <u>uct:</u> e oral toxicity			estimate: > 5,000 mg/kg lation method
-	edients:			
Etha Acute	<b>nol:</b> e oral toxicity	: 1	_D50 (Rat): >	5,000 mg/kg
Acute	e inhalation toxicity	I	LC50 (Rat): 12 Exposure time Fest atmosphe	:4h
	<b>an-2-ol:</b> e oral toxicity	: 1	_D50 (Rat): >	5,000 mg/kg
Acute	e inhalation toxicity	I	LC50 (Rat): 72 Exposure time Fest atmosphe	: 4 h
Acute	e dermal toxicity	: 1	_D50 (Rat): >	5,000 mg/kg
	corrosion/irritation	ilable in	formation.	
<u>Prod</u> Resu	uct: Ilt: No skin irritation			

# Ingredients:

**Ethanol:** Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### Propan-2-ol:

Species: Rabbit Result: No skin irritation

# Serious eye damage/eye irritation

Causes serious eye irritation.

# Ingredients:



Version	Revision Date:	MSDS Number:
1.2	03/19/2015	46955-00003

Date of last issue: 02/10/2015 Date of first issue: 01/13/2015

#### Ethanol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

## Propan-2-ol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

## Product:

Assessment: Does not cause skin sensitization.

#### Ingredients:

#### Ethanol:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

#### Propan-2-ol:

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

### Germ cell mutagenicity

Not classified based on available information.

## Ingredients:

Ethanol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	<ul> <li>Test Type: Rodent dominant lethal test (germ cell) (in vivo)</li> <li>Species: Mouse</li> <li>Application Route: Ingestion</li> <li>Result: negative</li> </ul>
Propan-2-ol:	
•	<ul> <li>Test Type: Bacterial reverse mutation assay (AMES) Result: negative</li> </ul>
Genotoxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)</li> <li>Species: Mouse</li> <li>Application Route: Intraperitoneal injection</li> <li>Result: negative</li> </ul>





Version 1.2	Revision Date: 03/19/2015	MSDS Number: 46955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015		
Carcii	nogenicity				
Not cla	assified based on availa	ble information.			
<b>Propa</b> Specie Applic Expos Metho	dients: In-2-ol: es: Rat ation Route: inhalation ( sure time: 104 weeks id: OECD Test Guideline t: negative				
IARC			product present at levels greater than or ntified as probable, possible or confirmed by IARC.		
OSHA	A	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.			
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
-	<b>oductive toxicity</b> assified based on availa	ble information.			
Ingred	dients:				
<b>Ethan</b> Effects	ol: s on fertility	Species: Mouse Application Route	generation reproduction toxicity study e: Ingestion fest Guideline 416		
Propa	ın-2-ol:				
Effects	s on fertility	: Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study e: Ingestion		
Effects	s on fetal development	: Test Type: Embry Species: Rat Application Route Result: negative	yo-fetal development e: Ingestion		
	-single exposure assified based on availa	ble information			
	dients:				

# Propan-2-ol:

Assessment: May cause drowsiness or dizziness.



Version	Revision Date:	MSDS Number:
1.2	03/19/2015	46955-00003

Date of last issue: 02/10/2015 Date of first issue: 01/13/2015

## STOT-repeated exposure

Not classified based on available information.

# Repeated dose toxicity

# Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

#### Propan-2-ol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapor) Exposure time: 104 w Method: OECD Test Guideline 413

#### **Aspiration toxicity**

Not classified based on available information.

## **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Ingredients: Ethanol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
<b>Propan-2-ol:</b> Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to algae	:	ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l



sion	Revision Date: 03/19/2015	MSDS Number: 46955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015
		Exposure time	e: 8 d
Toxic	ity to bacteria	: EC50 (Pseud Exposure time	omonas putida): > 1,050 mg/l e: 16 h
Persi	stence and degrada	bility	
	dients:		
<b>Ethar</b> Biode	<b>iol:</b> gradability	: Result: Readi Biodegradatic Exposure time	
	<b>an-2-ol:</b> gradability	: Result: rapidly	/ degradable
Bioad	cumulative potentia	ıl	
	dients:		
	<b>nol:</b> ion coefficient: n- ol/water	: log Pow: -0.3	5
Propa	an-2-ol:		
	ion coefficient: n- ol/water	: log Pow: 0.05	
Mobi	lity in soil		
No da	ata available		
Othe	adverse effects		
No da	ata available		

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

# SECTION 14. TRANSPORT INFORMATION

# International Regulation

UN number	:	UN 1987
Proper shipping name	:	ALCOHOLS, N.O.S.



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 46955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015
Class Pack	s ing group	(Ethanol, Prop : 3 : III	an-2-ol)
Labe		: 3	
UN/II Prope Class Pack Labe Pack aircra Pack	er shipping name s ing group Is ing instruction (cargo	<ul> <li>: UN 1987</li> <li>: Alcohols, n.o.s (Ethanol, Prop)</li> <li>: 3</li> <li>: III</li> <li>: Flammable Liq</li> <li>: 366</li> <li>: 355</li> </ul>	an-2-ol)
UN n Prope Class Pack Labe EmS Marir <b>Tran</b>	ing group ls Code ne pollutant <b>sport in bulk accordin</b>	-	
Pack Labe EmS Marir <b>Tran</b>	ing group Is Code ne pollutant	: 3 : III : 3 : F-E, S-D : no g to Annex II of MA	

### **Domestic regulation**

<b>49 CFR</b> UN/ID/NA number Proper shipping name	: UN 1987 : ALCOHOLS, N.O.S.
Class	: 3
Packing group	: III
Labels	: FLAMMABLE LIQUID
ERG Code	: 127
Marine pollutant	: no

## **SECTION 15. REGULATORY INFORMATION**

# EPCRA - Emergency Planning and Community Right-to-Know

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 311/312 Hazards : Fire Hazard



ersion 2	Revision Date: 03/19/2015		SDS Number: 955-00003	Date of last issue: 02/10/2 Date of first issue: 01/13/2	
			Acute Health H	azard	
SAR	A 302	:		n this material are subject to th f SARA Title III, Section 302.	ne reporting
SAR	A 313	:		omponents are subject to repo SARA Title III, Section 313:	orting levels
			Propan-2-ol	67-63-0	3.013 %
US S	tate Regulations				
Penn	sylvania Right To Kr	างพ			
	Ethanol			64-17-5	50 - 70 %
	Water			7732-18-5	30 - 50 %
	Propan-2-	ol		67-63-0	1 - 5 %
New	Jersey Right To Kno	w			
	Ethanol			64-17-5	50 - 70 %
	Water			7732-18-5	30 - 50 %
	Propan-2-	ol		67-63-0	1 - 5 %
Califo	ornia Prop 65			pes not contain any chemicals nia to cause cancer, birth, or a efects.	
The i	naredients of this pr	oduct	are reported in	the following inventories:	
	<b>U</b>		•	<b>U</b>	


AICS : All ingredients listed or exempt.

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 46955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015	
SECTION	16. OTHER INFORM	IATION		
Furth	er information			
NFPA	A:		HMIS III:	



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### Full text of other abbreviations

	-	
ACGIH ACGIH BEI		USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



Page 1 of 4 Procter & Gamble CPG TN 6 2 Procter & Gamble Plaza Cincinnati, OH 45202

0

# **MATERIAL SAFETY DATA SHEET**

Supersedes: 2/1/00

Issue Date: 6/01 Issue Date: N/A

#### SECTION I - CHEMICAL PRODUCT

Identity: **Dusting Sheet** Brands: **SWIFFER (Professional Line)** Hazard Rating: 1

Health: 1 Flammability: Reactivity: 0 4=EXTREME 3=HIGH 2= MODERATE 1=SLIGHT

Emergency Telephone Number: 1-800-332-7787 or call Local Poison Control Center

#### SECTION II - COMPOSITION AND INGREDIENTS

Ingredients/Chemical Name: Non-brightened polyester, polypropylene. Coating of sheets contains material that is considered a trade secret formulation. If needed, the specific information concerning trade secret information will be provided in confidence to registered health care professionals.

Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200.

Chemical Name	Common Name	CAS No.	Recommended Limits	Composition Range	LD50/LC50
None					

#### SECTION III - HAZARDS IDENTIFICATION

	SECTION III - IIAZARDS IDENTIFICATION	
Health Hazards (Acute and Chronic):		
Ingestion:	Mild gastrointestinal irritant	
Eye Contact:	Mild eye irritant.	
Inhalation:	N/A	
Skin:	N/A	
Signs and Sympton	ns of Exposure:	
Ingestion:	Oral ingestion of used household sheet by a young child or household pet may lead to impaction of the gastrointestinal tract	
Eye Contact:	No irritation expected	
Skin:	No irritation expected	
Inhalation:	N/A	

### SECTION IV - FIRST AID INFORMATION

Ingestion:	A physician or veterinarian should be consulted if ingestion occurs.
Eye Contact:	If eye contact occurs, flush eye with water for 15 minutes.
Skin:	If skin irritation occurs, discontinue use and rinse skin with water.
Inhalation:	N/A.
Other: Product pack	age has a caution statement: CAUTION: KEEP OUT OF REACH OF CHILDREN.

#### SECTION V - FIRE FIGHTING INFORMATION

Flash Point (Method Used): NK

Explosive Limits: LEL: N/A

Extinguishing Media: CO<sub>2</sub>, water, foam or dry chemical

Special Fire Fighting Procedures: None required

**Unusual Fire Hazards**: Hazardous gases/vapors produced in fire are: aldehydes, ethanol, methanol, acetic acid, acetone, paraffin, carbon monoxide. Combustible products are similar to those of other organic materials composed of the same elements.

#### SECTION VI - ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** N/A

**Environmental Precautions:** DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. Non-biodegradable. The sheets are compatible with all available solid waste technologies.

Steps To Be Taken in Case Material is Released or Spilled: N/A

#### SECTION VII - HANDLING AND STORAGE

Precautions To Be Taken in Handling and Storing: Store in a cool, dry area.

Other Precautions: None required.

#### SECTION VIII - EXPOSURE CONTROLS, PERSONAL PROTECTION

Respiratory Protection (Specify Type): None required with normal use.VentilationLocal Exhaust: None required with normal use.

Special: None

Mechanical (General): Acceptable.

Other: None

**Eye Protection**: None required with normal use. **Protective Gloves**: None required with normal use.

Other Protective Equipment: None required with normal use.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES	
Boiling Point <sup>•</sup> F: N/A	Specific Gravity (H <sub>2</sub> O=1): N/A
Vapor Pressure (mm Hg): N/A	Percent Volatile by Volume (%): N/A
Vapor Density (Air=1): N/A	Evaporation Rate (nBuOAc=1): N/A
Odor Threshold: N/A	Freezing Point: N/A
Coefficient of Water/Oil Distribution: N/A	pH (1% solution): N/A
Scooped Density: N/A	Solubility in Water: Insoluble
Appearance and Odor: White odorless sheetReserve Alkalinity: N/A	

#### SECTION X - STABILITY AND REACTIVITY

Possible Hazardous Reactions/Conditions: None known		
Conditions to Avoid: None		
Materials to Avoid: Strong oxidizers		
acetic acid,	<b>cts:</b> Hazardous gases/vapors produced in fire are: aldehydes, ethanol, methanol, acetone, paraffin, carbon monoxide. Combustible products are similar to those of ic materials composed of the same elements.	
Stability Stable		
Hazardous Polymerization:	Will not occur	
Other Recommendations: None		

#### SECTION XI - TOXICOLOGICAL INFORMATION

Swiffer disposable cloth pads are practically non-toxic

#### SECTION XII - ECOLOGICAL INFORMATION

No concerns.

#### SECTION XIII - DISPOSAL CONSIDERATIONS

**Waste Disposal Method**: Non-biodegradable. The sheets are compatible with all available sold waste disposal technologies. DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

#### SECTION XIV - TRANSPORT INFORMATION

**DOT Classification**: Swiffer is not DOT hazardous.

#### SECTION XV - ADDITIONAL REGULATORY INFORMATION

All components are listed on the US TSCA Inventory. No components are affected by Significant New Use Rules (SNURs) under TSCA §5.

No components of Swiffer are subject to California Proposition 65.

All ingredients are CEPA approved for import to Canada by Procter & Gamble. This product has been classified with Hazard Criteria of the Canadian Control Products Regulation (CPR) and this MSDS contains all information required by the Canadian Products Regulation.

#### SWIFFER Dusting Sheets MSDS (Continued)

Page 4 of 4

#### SECTION XVI - OTHER INFORMATION

The submission of this MSDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health.

The information contained herein has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific material designated herein, and does not relate to the use in combination with any other material or any other process. Procter & Gamble assumed no responsibility for injury to the recipient or third persons, for any damage to any property resulting from misuse of the controlled product.

# XEROX MATERIAL SAFETY DATA SHEET

Manufacturer: Xerox Corporation, Office Group P. O. Box 1000, Wilsonville, Oregon, 97070-1000

MSDS No.:	OPB-6535
Date:	January 15, 2001
Revision Date:	January 17, 2013

## SECTION 1- PRODUCT IDENTIFICATION

Product Names	Part Numbers
Black Toner Cartridge	016-1882-00, 016-1947-00
Cyan Toner Cartridge	016-1879-00, 016-1944-00
Magenta Toner Cartridge	016-1880-00, 016-1945-00
Yellow Toner Cartridge	016-1881-00, 016-1946-00

Black Developer Cartridge116-1111-00Cyan Developer Cartridge116-1114-00Magenta Developer Cartridge116-1113-00Yellow Developer Cartridge116-1112-00(Developer cartridges are replaced by Xerox Service Technicians only)

Product Use: XEROX Phaser ® 7700 color printers

### SECTION 2 - INFORMATION ON INGREDIENTS

Ingredients (% by weight) <u>Toner:</u> Polyester resins (60-90%) Carbon black or non-hazardous color pigments (2-35%) Amorphous silicas (2-5%) <u>Developer:</u> Frits, chemicals (>95%) Toner (<5%) CAS number

Trade secret Trade secret 68611-44-9/67762-90-7

65997-18-4

#### **SECTION 3 - HAZARDS IDENTIFICATION**

ROUTES OF EXPOSURE: Toner and developer powders are encased in a cartridge. Minimal exposure through inhalation or skin contact is expected when used as intended.

POTENTIAL HEALTH EFFECTS: Health effects from this product are expected to be negligible, when product is used as intended. See Section 11, Toxicology Information. Immediate Effects:

Inhalation: Minimal irritation to respiratory tract, as for any non-toxic dust

Toner and developer cartridges for Phaser ® 7700 Printer Page 1 7/24/03 Skin: Not expected to cause skin irritation Eye: Not expected to cause eye irritation Ingestion: Not an expected route of exposure Chronic Effects: None known

SIGNS AND SYMPTOMS OF EXPOSURE: Minor irritation to respiratory tract. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

## **SECTION 4 - FIRST AID MEASURES**

INHALATION: Remove person to fresh air. Seek medical attention if symptoms occur. EYES: If particles get into eye, flush thoroughly with water. Seek medical attention if symptoms occur.

SKIN: Wash thoroughly with soap and water. Seek medical attention if symptoms occur. INGESTION: Dilute stomach contents with several glasses of water. Seek medical attention if symptoms occur.

### SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT: Not applicable

FIRE & EXPLOSION HAZARDS: Toner is a combustible powder. Like most organic powders, it can form explosive mixtures when dispersed in air.

EXTINGUISHING MEDIA: Water, dry chemical, carbon dioxide, or foam.

FIRE FIGHTING INSTRUCTIONS: Avoid inhalation of smoke. As for any fire, wear protective clothing and self-contained breathing apparatus.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK: Sweep up or vacuum spilled materials and carefully transfer into sealable waste container. Sweep slowly to minimize generation of dust during clean up. If a vacuum is used, the motor must be rated as dust tight. A conductive hose bonded to the machine should be used to reduce static buildup. Clean up residue if necessary with soap and cold water. Wash or dry clean garments after removing loose toner.

SECTION 7 - HANDLING AND STORAGE

HANDLING: No special precautions, when used as intended. STORAGE: Avoid high temperatures.

SECTION 8 - EXPOSURE CONTROL - PERSONAL PROTECTION

No special personal protection indicated, when used as intended in Xerox Phaser ® color printers.

THRESHOLD LIMIT VALUE (TLV): 10 mg/m<sup>3</sup> (total dust) PERMISSIBLE EXPOSURE LIMIT (PEL): 15 mg/m<sup>3</sup> (total dust); 5 mg/m<sup>3</sup> (respirable dust) SHORT TERM EXPOSURE LIMIT (STEL): None established CEILING LIMIT: None established XEROX EXPOSURE LIMIT (XEL): 2.5 mg/m<sup>3</sup> (total dust); 0.4 mg/m<sup>3</sup> (respirable dust)

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Toner and developer cartridges for Phaser ® 7700 Printer Page 2 7/24/03 APPEARANCE/ODOR: Black, blue, red, or yellow powders/faint odor BOILING POINT: Not applicable SOLUBILITY IN WATER: Insoluble EVAPORATION RATE: Not applicable VAPOR DENSITY (Air = 1): Not applicable VOLATILE: Not applicable SOFTENING RANGE: Not available MELTING POINT: Not available SPECIFIC GRAVITY (Water = 1): Approximately 1 (toner), 5 (developer) VAPOR PRESSURE (mm Hg): Not applicable pH: Not applicable

SECTION 10 - STABILITY AND REACTIVITY

STABILITY: Stable. INCOMPATIBILITY WITH OTHER MATERIALS: Strong oxidizers HAZARDOUS POLYMERIZATION: Will not occur HAZARDOUS DECOMPOSITION PRODUCTS: During a fire, toxic gases may be generated by thermal decomposition or combustion.

SECTION 11 - TOXICOLOGICAL INFORMATION

This material has been evaluated by Xerox Corporation. The toxicity data noted below is based on test results of similar toners.

Oral  $LD_{50}$ : >5 g/kg (rats), practically non-toxic Dermal  $LD_{50}$ : > 5 g/kg (rabbits), practically non-toxic Inhalation  $LC_{50}$ : > 5 mg/l (rats; 4 hour exposure), practically non-toxic Inhalation  $LC_{50}$ : > 20 mg/l (rats; calculated for 1 hour exposure), non-poisonous per DOT Eye Irritation: Not an irritant Skin sensitization: Not a sensitizer Skin irritation: Not an irritant Human Patch: Non-irritating, non-sensitizing Mutagenicity: No mutagenicity detected in Ames assay Carcinogens: None present

Additional Information: The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m<sup>3</sup>) exposure level (ie., the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle (4 mg/m<sup>3</sup>) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m<sup>3</sup>) exposure level. The findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available Xerox toner and would not be functionally suitable for Xerox equipment.

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic LC<sub>50</sub>: > 1000 mg/l (fathead minnows; rainbow trout) non-toxic

## SECTION 13 - DISPOSAL CONSIDERATIONS

These materials are not RCRA hazardous wastes as specified in 40 CFR 261. State and local waste disposal requirements, however, may be more restrictive. Dispose in accordance with all federal, state, and local regulations. Incinerate only in a closed container.

SECTION 14 - TRANSPORTATION INFORMATION

DOT: Not regulated.

SECTION 15 - REGULATORY INFORMATION

TSCA: All components of these toners have been manufactured in compliance with TSCA. RCRA: TCLP metals below hazardous waste levels set by EPA. CANADIAN WHMIS: These toners are not regulated as controlled products under the Workplace Hazardous Material Information System (WHMIS).

**SECTION 16 - OTHER INFORMATION** 

NFPA 704: Health-0, Fire-1, Reactivity-0 (All colors)

Xerox Corporation Office Printing Business Environmental, Health & Safety P.O. Box 1000 Mail Stop 7063-512 Wilsonville, Oregon 97070 Safety Information: 800-828-6571 Health Emergency: 585-422-2177 Transportation Emergency (Chemtrec): 800-424-9300



Safety Data Sheet according to the Hazardous Products Regulations (HPR) WHMIS 2015 Date of issue: 09/15/2016 Revision date: 09/15/2016 Version: 1.0

		ostance/mixture and of the company/undertaking
1.1.	Product identifier	
Product		: Weiman Granite Cleaner & Polish
Product	code	: 78C
1.2.	Relevant identified uses of the subs	stance or mixture and uses advised against
Recomm	nended use	: Cleaner
1.3.	Details of the supplier of the safety	data sheet
Manufa		Distributor
	l Products State Parkway	Manitoulin Warehouse and Distribution
60031 0	Gurnee, IL	7035 Ordan Drive Mississauga, Ontario, L5T 1T1
T 1-800	-837-8140	Tel: 905 283-1630 Fax: 905 565-0575
1.4.	Emergency telephone number	
Emerge	ncy number	: 1-800-535-5053
SECT	ON 2: Hazards identification	
2.1.	Classification of the substance or m	nixture
GHS-C/	A classification	
Not clas	sified	
2.2.	Label elements	
GHS-C/	A labelling	
No labe	lling applicable	
2.3.	Other hazards	
No addi	tional information available	
2.4.	Unknown acute toxicity (GHS-CA)	
Not app	licable	
SECT	ON 3: Composition/informatio	on on ingredients
3.1.	Substance	
Not app	licable	
3.2.	Mixture	
None by	HPR WHMIS 2015 criteria	
SECT	ON 4: First aid measures	
4.1.	Description of first aid measures	
First-aid	measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid	measures after skin contact	: If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.
First-aid	measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid	measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2.	Most important symptoms and effect	cts, both acute and delayed
Sympton	ms/injuries after inhalation	: May cause respiratory tract irritation.
Symptor	ms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Sympton	ms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Sympton	ms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3.	Indication of any immediate medical	I attention and special treatment needed
Sympton	ms may not appear immediately. In case	e of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where

yo vell, se ly (s app iy possible).

Page 1

Safety Data Sheet

SECTION 5: Firefighting measure	s
5.1. Extinguishing media	
Suitable extinguishing media	: Powder, water spray, foam, carbon dioxide.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the	a substance or mixture
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
Reactivity	: No dangerous reaction known under conditions of normal use.
5.3. Advice for firefighters	· · · · · · · · · · · · · · · · · · ·
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory
	protection (SCBA).
SECTION 6: Accidental release m	
	e equipment and emergency procedures
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.2. Environmental precautions	
No additional information available	
6.3. Methods and material for contai	nment and cleaning up
For containment	: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Scoop up material and place in a disposal container. Provide ventilation.
6.4. Reference to other sections	
See section 8 for further information on prote	ective clothing and equipment and section 13 for advice on waste disposal.
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not
	swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe storage, include	luding any incompatibilities
Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store in a cool, well-ventilated place.
7.3. Specific end use(s)	
Not available.	
SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.
SECTION 9: Physical and chemic	al properties
9.1. Information on basic physical a	
Physical state	: Liquid
Appearance	: Hazy
Colour	: Not available
Odour	: Citrus

2/4

Safety Data Sheet

Odour threshold	: No data available
pH	: 8.2
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.3 °C (> 200 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.00
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, kinematic (calculated value) (40 °C	c) : No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available

#### 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No dangerous reaction known under conditions of normal use.
10.2. Chemical stability
Stable under normal storage conditions.
10.3. Possibility of hazardous reactions
No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid
Heat. Incompatible materials.
10.5. Incompatible materials
Acids. Strong oxidizers.
10.6. Hazardous decomposition products
May include, and are not limited to: oxides of carbon.
SECTION 11: Toxicological information

: Not classified.
> 2000 mg/kg (Calculated Acute Toxicity Estimate)
> 2000 mg/kg (Calculated Acute Toxicity Estimate)
> 20 mg/l/4h (Calculated Acute Toxicity Estimate)
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.

Safety Data Sheet

Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
	. Way cause long-term adverse effects in the aquatic environment.
12.2. Persistence and degradability	
Weiman Granite Cleaner & Polish	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Weiman Granite Cleaner & Polish	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
<b>SECTION 14: Transport information</b>	
In accordance with Transportation of Dangerous	Goods
Transportation of Dangerous Goods	
Not regulated for transport	
SECTION 15: Regulatory information	h
All components of this product are listed, or exclu Substances List) inventories.	uded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic
SECTION 16: Other information	
Date of issue	: 09/15/2016

Date of issue	: 09/15/2016
Revision date	: 09/15/2016
Indication of changes	: None.
Other information	: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Version 1.0

classification according to Canadian Hazardous Products Regulation

WINDEX® ORIGINAL GLASS CLEANER



Print Date 06/20/2017

# Revision Date 05/23/2017 SDS Number 350000014153 **1. PRODUCT AND COMPANY IDENTIFICATION Product information** Product name : WINDEX® ORIGINAL GLASS CLEANER Recommended use : Hard Surface Cleaner Restrictions on use : Use only as directed on label Manufacturer, importer, : S.C. Johnson and Son, Limited supplier 1 Webster Street Brantford ON N3T 5R1 Telephone : +1-800-558-5566 : 24 Hour Transport & Medical Emergency Phone (866) 231-5406 **Emergency telephone** 24 Hour International Emergency Phone (952) 852-4647 number 24 Hour Canadian Transport Emergency Phone (CANUTEC) (613) 996-6666 2. HAZARDS IDENTIFICATION Classification of the substance or mixture **Globally Harmonized System (GHS) Classification** This product does not meet the criteria for classification in any hazard class according to the Canadian Hazardous Products Regulation Labelling **Precautionary statements** Other hazards : None identified **3. COMPOSITION/INFORMATION ON INGREDIENTS** This product does not contain hazardous chemicals at or above a reportable level as defined by Canadian Hazardous Products Regulation

classification according to Canadian Hazardous Products Regulation



# WINDEX® ORIGINAL GLASS CLEANER

Version 1.0

Print Date 06/20/2017

Revision Date 05/23/2017

SDS Number 350000014153

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

#### Description of first aid measures

-	
Eye contact	: No special requirements
Skin contact	: No special requirements
Inhalation	: No special requirements.
Ingestion	: No special requirements
Most important sympto	oms and effects, both acute and delayed
Eyes	: No adverse effects expected when used as directed.
Skin effect	: No adverse effects expected when used as directed.
Inhalation	: No adverse effects expected when used as directed.
Ingestion	: No adverse effects expected when used as directed.

#### Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

#### **5. FIREFIGHTING MEASURES**

Suitable extinguishing media	Use water spray, alcohol-resistant foam, carbon dioxide.	, dry chemical or
Specific hazards during firefighting	Container may melt and leak in heat of f	ire.

classification according to Canadian Hazardous Products Regulation



	NAL GLASS (	JEANER
Version 1.0		Print Date 06/20/2017
Revision Date 05/23/20	)17	SDS Number 350000014153
Further information	Standa	re with normal precautions from a reasonable distance. rd procedure for chemical fires. Wear full protective g and positive pressure self-contained breathing tus.
6. ACCIDENTAL RELEA	SE MEASURES	
Personal precaution	ns : Wash t	horoughly after handling.
Environmental precautions	: Outside	e of normal use, avoid release to the environment.
Methods and mater for containment and cleaning up		rge spills. esidue from spill site.
	DAGE	
7. HANDLING AND STO	RAGE	
7. HANDLING AND STO Handling	RAGE	
	e : Avoid o For per	contact with skin, eyes and clothing. sonal protection see section 8. DUT OF REACH OF CHILDREN AND PETS.
Handling Precautions for saf	e : Avoid o For per KEEP on : Norma	sonal protection see section 8.
Handling Precautions for saf handling Advice on protectio	e : Avoid o For per KEEP on : Norma	sonal protection see section 8. DUT OF REACH OF CHILDREN AND PETS.
Handling Precautions for safe handling Advice on protection against fire and exp	e : Avoid o For per KEEP on : Norma blosion torage : Keep o	sonal protection see section 8. DUT OF REACH OF CHILDREN AND PETS.

classification according to Canadian Hazardous Products Regulation



# WINDEX® ORIGINAL GLASS CLEANER

Version 1.0

Revision Date 05/23/2017

Print Date 06/20/2017

SDS Number 350000014153

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

## Personal protective equipment

Respiratory protection	:	No special requirements.
Hand protection	:	No special requirements.
Eye protection	:	No special requirements.
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: blue
Odour	: floral
Odour Threshold	: Test not applicable for this product type
рН	: 10.7 at (25 C)

Melting point/freezing point : 0 C

classification according to Canadian Hazardous Products Regulation



# WINDEX® ORIGINAL GLASS CLEANER

Version 1.0

Print Date 06/20/2017

Revision Date 05/23/2017

SDS Number 350000014153

Initial boiling point and boiling range	: 100 C
Flash point	: does not flash
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Does not sustain combustion.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Calculated31.7 hPa
Vapour density	: Test not applicable for this product type
Relative density	: 1.00 g/cm3 at 25 C
Solubility(ies)	: soluble
Partition coefficient: n- octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Heating can release hazardous gases.
Viscosity, dynamic	: similar to water
Viscosity, kinematic	: similar to water

classification according to Canadian Hazardous Products Regulation



Version 1.0	Print Date 06/20/2017	
Revision Date 05/23/2017	SDS Number 350000014153	
Oxidizing properties	: Test not applicable for this product type	
Volatile Organic Compounds Total VOC (wt. %)*	<ul> <li>0.2 % - additional exemptions may apply</li> <li>*as defined by US Federal and State Consumer Product Regulations</li> </ul>	
Other information	: None identified :	
10. STABILITY AND REACTIVITY	(	
Reactivity	: No dangerous reaction known under conditions of normal use.	
Chemical stability	: Stable under recommended storage conditions.	
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.	
Conditions to avoid	: Direct sources of heat.	
Incompatible materials	: Do not mix with bleach or any other household cleaners. Strong bases	
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.	
11. TOXICOLOGICAL INFORMAT	ΓΙΟΝ	
Acute oral toxicity	: LD50 > 5000 mg/kg	

classification according to Canadian Hazardous Products Regulation



# WINDEX® ORIGINAL GLASS CLEANER

Version 1.0

Print Date 06/20/2017

Revision Date 05/23/2017

SDS Number 350000014153

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

: None known.

classification according to Canadian Hazardous Products Regulation



# WINDEX® ORIGINAL GLASS CLEANER

Version 1.0

Revision Date 05/23/2017

Print Date 06/20/2017

SDS Number 350000014153

## Condition

#### 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

#### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

No environmental data required.

No environmental data required.

Other adverse effects

: None known.

#### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

#### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

#### Land transport

Not classified as dangerous in the meaning of transport regulations.

#### Sea transport

Not classified as dangerous in the meaning of transport regulations.

classification according to Canadian Hazardous Products Regulation



Version 1.0 Print Date 06/20/2017		
Revision Date 05/23/2017	SDS Number 350000014153	
<b>Air transport</b> Not classified as dangeror	us in the meaning of transport regulations.	
15. REGULATORY INFORM	ATION	
Notification status	: All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.	
Notification status	All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).	
California Prop. 65	: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
Canada Regulations	: This product has been classified in accordance with the hazard criteria of the Hazardous Products Act and Regulations.	

Health	1	
Flammability	0	
Reactivity	0	

classification according to Canadian Hazardous Products Regulation



# WINDEX® ORIGINAL GLASS CLEANER

Version 1.0

Print Date 06/20/2017

Revision Date 05/23/2017

SDS Number 350000014153

NFPA Ratings		
Health	1	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with Canada's Workplace Hazard Material Information System. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

#### MATERIAL SAFETY DATA SHEET

MSDS: 001:033796/1R2 Issue Date: 02/12/07 Supersedes: June 4, 2001 Page 1 of 6

#### Section 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name

: Wite-Out® For Everything® Correction Fluids(Quick Dry, Extra Coverage, Super Smooth) & Commercial Pack

Chemical Name	2	Not Available (N/A)
Chemical Family	:	N/A
Trade Name	:	None
Product Type	:	Correction Fluid
CAS Registry Number	:	NA
DOT Shipping Name	:	Consumer Commodity (As packaged for retail sale)
DOT Hazard	:	ORM-D (As packaged for retail sale)

	Hazard Rat	ings*	Ratings Key
	NPCA/HMIS	NFPA 704	0 = minimal
Health:	1	1	1 = slight
Flammability:	3	3	2 = moderate
Reactivity:	0	0	3 = serious
19. Delibertik (10.000 f.h. 19 <mark>.</mark> 1903			4 = severe

Emergency Telephone Number(Non-transportation Issues): (203) 783-2412 Transportation Emergency Number (CHEMTREC): 800-424-9300 General Product Information Telephone Number: (203) 783-2103 MSDS/Product Safety Information Telephone Number: (203)-783-2296

Manufacturer BIC Consumer Products Manufacturing Co., Inc. 500 BIC Drive Milford, CT 06460 Distributor BIC USA, Inc 500 BIC Drive Milford, CT 06460

<u>MSDS Preparer</u> SGS Life Science Services Fairfield, NJ 07004 (973) 244-2435 Specific Technical Information provided by manufacturer

\*See Section 16 for designations of abbreviations used.

MSDS: 001:033796/1R2 Issue Date: 02/12/2007 Supersedes: 06/04/01 Page: 2 of 6

## Section 2. COMPOSITION/INFORMATION ON INGREDIENTS

The following ingredients in this product are considered to be hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Ingredient	CASRN	%	OSHA PEL	ACGIH TLV OSHA PEL	ACGIH STEL
Petroleum Distillates (Light Naphtha)	64741-66-8	7.2 – 31.2	500 ppm	none	none
Petroleum Distillates (Light Naphtha)	64742-49-0	8.1 – 32.1	500 ppm	none	none

Section 3. HAZARDS IDENTIFICATION/EMERGENCY OVERVIEW

Carcinogen or Potential Carcinogen	NTP:	IARC:	OSHA:
	No	No	No

## Section 4. FIRST AID MEASURES

Skin: Wash with soap and water. Remove contaminated clothing. Contact a physician if irritation persists.

- Eye: Wash with copious amounts of water for several minutes. Contact a physician if irritation persists.
- Ingestion: Do not induce vomiting. Immediately call a physician.

Inhalation: Move victim to fresh air away from source of exposure. Apply artificial respiration if victim is not breathing. Contact emergency medical services.

#### Section 5. FIRE FIGHTING MEASURES

Flammable Liquid: Can release vapor that forms flammable mixture at or above flash point. Extinguishing Media: CO<sub>2</sub> (carbon dioxide), foam, dry chemicals. If other fires exist nearby, consider nature of those fires before choosing extinguishing media.

Special Fire-Fighting Procedures or Equipment: Flammable liquid. Wear self-breathing apparatus. Do not attempt to fight the fire without suitable protective equipment.

Unusual Fire/Explosion Hazards: Toxic combustion gas may be formed as decomposition products

#### Section 6. ACCIDENTAL RELEASE MEASURES

Large spills should be handled by qualified personnel that are equipped with appropriate protective equipment. Handle as flammable liquid and dispose of properly. Ventilate area.

Small spills - add inert absorbent material, scoop up and place in acceptable container for storage until material can be disposed of according to current local and state regulations. Wash non-recoverable remainder with large amounts of water and dispose of according to current local and state regulations.

MSDS: 001:033796/1R2 Issue Date: 02/12/2007 Supersedes: 06/04/01 Page: 3 of 6

#### Section 7. HANDLING AND STORAGE INFORMATION

Keep in cool, dry, ventilated storage and closed containers. Keep away from fumes, heat, sparks, and open flames. See Section 10 for materials to avoid. Workers should avoid any direct contact with product; work in a well ventilated area, and should wash at the end of each shift, and before eating, smoking and using the restroom.

# Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: NIOSH/MSHA approved respirator with organic vapor cartridge if exposure limits are exceeded when handling bulk. None necessary under normal use conditions

Ventilation: Mechanical

Protective Gloves: Chemical resistant gloves when handling bulk. None necessary under normal use conditions.

Eye Protection: Not required except when handling bulk.

Other Protection Equipment or Clothing: None required.

Work Hygiene Practice: Standard good industrial hygiene practice recommended.

# Section 9. PHYSICAL/CHEMICAL PROPERTIES

Appearance:	Free flowing liquid
Odor:	Petroleum solvent odor
Solubility (Water):	N/A
Organics:	Partially Soluble
Boiling Point:	204-237°F (estimated)
Density(g/mL):	1.25 (estimated)
Vapor Pressure(mmHg):	N/A
Evaporation Rate(ethyl ether =1):	N/A
Flammable liquid:	<ul> <li>Can release vapors that form flammable mixture</li> </ul>
	at or above flash point.
Flash Point:	22-26°F (Seta Flash Closed Cup)
Flammability Limits in Air, LEL	1.7
UEL	12.3

#### Section 10. STABILITY/REACTIVITY

This product is stable and not reactive. See Section 7 for conditions to avoid. Materials to avoid include strong oxidizing agents and strong reducing agents.

MSDS: 001:033796/1R2 Issue Date: 02/12/2007 Supersedes: 06/04/01 Page: 4 of 6

#### Section 11. TOXICOLOGICAL INFORMATION

Health Hazard (Acute or Chronic)

May cause mild skin irritation on prolonged or repeated contact.

May cause mild eye irritation on contact.

Effect of Over Exposure – Central nervous system depression: Likely route-inhalation. Deliberately concentrating and inhaling content can lead to unconsciousness and/or death.

Medical Conditions Generally Aggravated by Exposure – Existing pulmonary or dermal conditions. Not anticipated to be acutely toxic via ingestion, skin contact, or inhalation exposure route under normal use.

Under normal conditions of use, no chronic health effects anticipated.

#### Section 12. ECOLOGICAL INFORMATION

Not known. This material is not expected to cause any significant adverse effects on the environment when it is used as intended and/or properly disposed of.

# Section 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state and federal regulations.

MSDS: 001:033796/1R2 Issue Date: 02/12/2007 Supersedes: 06/04/01 Page: 5 of 6

# Section 14. TRANSPORTATION INFORMATION

#### Packaged for Retail Sale:

For domestic transport by road, rail, and cargo: Consumer Commodity

Proper Shipping Name: Consumer Commodity Class: ORM-D

For International transport by cargo vessel, road, rail, and air:

Proper Shipping Name: Coating Solution Class: 3 UN Number: UN1139 Packing Group: II

For Domestic transport by Air (passenger & cargo-only aircrafts) and for transport by road domestically, when in association with such aircraft transport:

Proper Shipping Name: Consumer Commodity Class: 9 UN Number: ID8000

#### Bulk Shipments: For Domestic and International transport by cargo vessel, road, and rail: Proper Shipping Name: Coating Solution Class: 3 UN Number: UN1139 Packing Group: II

#### Section 15. REGULATORY INFORMATION

All the ingredients in the product are listed on the TSCA inventory. This product requires no labeling as per the State of California's Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). None of the ingredients in this product are Class I or Class II ozone depletors. None of the ingredients in this product are listed as an Extremely Hazardous Substance under the RCRA, SARA 302/313, Clean Air Act, and Clean Water Act.

Consumer Commodity:

Regulated under SARA 311/312: Acute: No Chronic: No Fire: No Bulk Shipment:

Regulated under SARA 311/312: Acute: Yes

Chronic: No Fire: Yes

Some of the ingredients in this product may be regulated at the local or state level, consult local authorities to determine applicability to your jurisdiction.

MSDS: 001:033796/1R2 Issue Date: 02/12/2007 Supersedes: 06/04/01 Page: 6 of 6

#### Section 16. OTHER INFORMATION

BIC Corporation (references to BIC Corporation including its divisions, affiliates, and subsidiaries), and SGS Life Science Services, the preparer of this MSDS, believe that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid, where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and the information referred to herein are beyond the control of BIC Corporation and SGS Life Science Services, prepared of this MSDS, and SGS Life Science Services, preparer of this MSDS, expressly disclaims any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.

Abbreviations used in this MSDS not fully described in the te	ext:	
---	------	--

CASRN:	Chemical Abstracts Service Registration Number
IARC:	International Agency for Research on Cancer
NFPA	National Fire Protection Association
NPCA/HMIS:	National Paint and Coatings Association's Hazardous Materials Information System
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
TSCA:	Toxic Substance Control Act
RCRA:	Resource Conservation and Recovery Act
SARA:	Superfund Amendments and Reauthorization Act