

# Safety Data Sheets

Elections



Bldg A, Bisbee

11/25/2019



**Safety Data Sheet Index**  
**Binder: Bldg A, Bisbee - Elections**

<b>Product Name</b>	<b>CAS Number</b>	<b>Manufacturer</b>	<b>Version Date</b>	<b>Page</b>
70% ISOPROPYL ALCOHOL - 70% ISOPROPYL ALCOHOL	67-63-0	OSTREM CHEMICAL CO. LTD.	01/31/2018	4
AJAX CLEANSER - AJAX CLEANSER		Colgate-Palmolive Canada Inc.	01/01/2015	8
Blast Away, 134a - Blast Away, 134a	811-97-2	MAXELL CORP OF AMERICA	01/17/2003	10
Blow Off Delicate Parts Cleaner - Blow Off Delicate Parts Cleaner		Blow Off Products	09/09/1998	13
Compucessory Power Duster - Compucessory Power Duster	75-37-6	Falcon Safety Products, Inc	10/26/2017	15
Dial Antibacterial Hand Soap - ANTIBACTERIAL HAND SOAP		Kutol Products Company	06/23/2017	21
Glade Air Freshener - All Fragrances - Glade Air Freshener - All Fragrances		S.C. JOHNSON WAX	02/05/1992	26
GLASS & MIRROR - Aerosol Cleaner for All Glass - GLASS & MIRROR - Aerosol Cleaner for All Glass		Cantol Corp.	03/01/2013	29
Goo Gone- 4 oz. - Goo Gone		Goo Gone	11/28/2017	31
GOOF OFF - GOOF OFF		The Valspar Corporation	07/23/2015	36
Kleen & Dry - Kleen & Dry		Advantus Corporation	01/01/2008	45
LIQUID NAILS ADHESIVE - LIQUID NAILS ADHESIVE		Macco Adhesives	08/19/2002	48
Poli-Kleen Wax Polish - Poli-Kleen Wax Polish		WAXIE SANITARY SUPPLY	08/29/2012	53
PURELL Hand Sanitizer - PURELL Hand Sanitizer		GOJO Industries, Inc.	03/19/2015	59
RAID FLYING INSECT KILLER - RAID FLYING INSECT KILLER		S.C. Johnson & Son, Inc.	01/16/2007	74
Roll on Stamp Pad Inker - Roll on Stamp Pad Inker		Sanford Corporation	01/02/2003	78
Self Inking Pads And Stamps Black - Self Inking Pads And Stamps Black		MICROPORE INC	02/02/1995	80
STAMP PAD INK, 2 OZ BLACK - STAMP PAD INK, 2 OZ BLACK		Sanford Corporation	08/23/1991	82
TOUGH BOWL TOILET BOWL CLEANER - TOUGH BOWL TOILET BOWL CLEANER		Diversey, Inc.	12/23/2011	86
Waxie Hospital Spray Surface Disinfectant -		Waxie Enterprises, Inc.	10/05/2000	91

<b>Product Name</b>	<b>CAS Number</b>	<b>Manufacturer</b>	<b>Version Date</b>	<b>Page</b>
Waxie Hospital Spray Surface Disinfectant				
X22256D - 10oz. Dust Blaster - X22256D - 10oz. Dust Blaster	811-97-2	Kensington Technology Group	10/15/2003	92

# Safety Data Sheet

## 1. IDENTIFICATION

**Product Identifier:** 70% ISOPROPYL ALCOHOL

**Date of Revision:** January 31, 2018

**Product Code:** G697

**Other Name(s):**

**Distributed By:**

**Recommended Use and Restrictions on Use:**

**Manufactured By:** Ostrem Chemical Co. Ltd.  
2310 - 80th Avenue NW  
Edmonton, Alberta, Canada T6P 1N2  
www.ostrem.com

Phone: 780-440-1911  
In Case of Emergency Only, Phone  
CANUTEC: 613-996-6666

## 2. HAZARDS IDENTIFICATION

**Classification of the Mixture:** Eye Damage/Irritation - Category 2A  
Specific Target Organ Toxicity (Single Exposure) - Category 3  
Flammable Liquids - Category 2

**Label Elements:**

**Hazard Pictogram(s):**



**Signal Word:** DANGER

**Hazard Statement(s):** Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Highly flammable liquid and vapour.

**Precautionary Statement(s):**

**Prevention:** Wash hands thoroughly after handling.  
Avoid breathing dust, vapours or spray.  
Use only outdoors or in a well-ventilated area.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Wear protective gloves, protective clothing, and eye/face protection.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a poison centre or physician if you feel unwell.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

**Storage:** Store in a well-ventilated place. Keep cool.  
Keep container tightly closed.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Physical/health hazards not otherwise classified:**  
not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Conc.</u>	<u>CAS #</u>	<u>Common Names</u>
isopropanol (99%)	65 - 85%	67-63-0	isopropyl alcohol

## 4. FIRST-AID MEASURES

# Safety Data Sheet

## Necessary Measures:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a poison centre or physician if you feel unwell.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

## Most important symptoms, both acute and delayed:

Causes serious eye irritation.  
May cause drowsiness or dizziness.

## Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

## 5. FIRE-FIGHTING MEASURES

### Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

### Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide and carbon dioxide.

### Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

### Environmental precautions:

Prevent from entering sewers, waterways or low areas.

### Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

## 7. HANDLING AND STORAGE

### Precautions for safe handling:

Wash hands thoroughly after handling.  
Avoid breathing dust, vapours or spray.  
Use only outdoors or in a well-ventilated area.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not ingest. Avoid contact with eyes, skin and clothing.

### Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep cool.  
Keep container tightly closed.  
Keep out of reach of children. Store in a cool, dry area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters - Exposure limits:

Ingredient:  
isopropanol (99%)

Limit:  
ACGIH TWA: 200 ppm  
STEL 400 ppm

### Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

### Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

### Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

# Safety Data Sheet

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.):	colourless liquid
Odour:	strong alcohol odour
Odour threshold:	not available
pH:	neutral
Melting/Freezing point:	-16°F / -26°C
Initial boiling point and range:	not available
Flash point:	12 C
Evaporation rate:	not available
Flammability (solid, gas):	not available
Upper/lower flammability or explosive limits:	not available
Vapour pressure:	not available
Vapour density:	not available
Relative density (specific gravity):	0.856
Solubility(ies):	100%
Partition co-efficient: n-octanol/water:	not available
Auto-ignition temperature:	not available
Decomposition temperature:	not available
Viscosity:	not available

## 10. STABILITY AND REACTIVITY

### Reactivity:

This material is considered to be non-reactive under normal use conditions.

### Chemical stability:

Stable.

### Possibility of hazardous reactions:

not available

### Conditions to avoid (e.g.: static discharge, shock or vibration):

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Incompatible materials:

Oxidizers

### Hazardous decomposition products:

not available

## 11. TOXICOLOGICAL INFORMATION

### POTENTIAL ACUTE HEALTH EFFECTS

Inhalation:	May cause respiratory tract irritation.
Ingestion:	May be harmful if swallowed.
Eye contact:	Causes serious eye irritation.
Skin contact:	May cause mild skin irritation.
Skin absorption:	not available

### POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:	not available
Ingestion:	not available
Eye contact:	not available
Skin contact:	not available
Skin absorption:	not available

Mutagenicity:	not available
Carcinogenicity:	This information, if applicable, can be found in Section 2.
Reproductive toxicity:	This information, if applicable, can be found in Section 2.
Sensitization of product:	This information, if applicable, can be found in Section 2.
Specific Target Organ Toxicity - single exposure:	This information, if applicable, can be found in Section 2.

# Safety Data Sheet

**Specific Target Organ Toxicity - repeated exposure:**

This information, if applicable, can be found in Section 2.

**Toxicological Data:**

Ingredient:

isopropanol (99%)

Data:

not available

**Other Toxicological Information on Ingredients:**

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity (aquatic and terrestrial, where available):** not available

**Persistence and degradability:** not available

**Bioaccumulative potential:** not available

**Mobility in soil:** not available

**Other adverse effects:** not available

**Ecological Information on Ingredients:** not available

## 13. DISPOSAL CONSIDERATIONS

**Waste disposal:** Disposal of all waste must be done according to local, provincial and federal regulations.

## 14. TRANSPORT INFORMATION

**TDG classification:** UN 1219; ISOPROPYL ALCOHOL; CLASS 3; PG II

## 15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

## 16. PREPARATION INFORMATION

**Prepared by:** Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

**Date of Preparation:** January 27, 2017

**Date of Revision:** January 31, 2018

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

**End of Document**

# MATERIAL SAFETY DATA SHEET

## SECTION I - PRODUCT IDENTIFICATION AND USE

**Product Name** AJAX CLEANSER **Product Use** Powdered Cleanser **Whmis Classification:** NCP  
**Supplier's Name** Colgate-Palmolive Canada Inc. **Address:** Two Morneau Sobeco Centre, 6<sup>th</sup> Floor  
895 Don Mills Road, Toronto, Ontario M3C 1W3  
**Telephone No.:** (416) 421-6000 **Emergency Contacts:** Check your local Poison Control Centre in your telephone white pages.

## SECTION II - PREPARATION OF MSDS

**PREPARED BY:** Technical Services **PHONE:** (416) 421-6000 **DATE:** January 1, 2017

N/A = Not Applicable; N/E = Not Established/Available

## SECTION III - HAZARDOUS INGREDIENTS

Hazardous Ingredient	Concentration Range %	C.A.S. or U.N. Number	Exposure Limits	LD <sub>50</sub> /LC <sub>50</sub> Specify Species and Route
Trichlorocyanuric Acid	0.1 - 1.0	87-90-1	3.2 mg/cu. meter	N/A

## SECTION IV - PHYSICAL DATA

<u>Physical State</u> Solid	<u>Odour and Appearance</u> White powder with a floral odour	<u>Odour Threshold</u> N/E	<u>Pour Density</u> N/E	<u>Vapour Pressure</u> N/A	
<u>Vapour Density</u> N/A	<u>Evaporation Rate</u> N/A	<u>Boiling Point</u> N/A	<u>Freezing Point</u> N/A	<u>pH</u> 10.7 (1% slurry)	<u>Coefficient of Water/Oil Distribution</u> N/A

## SECTION V - FIRE OR EXPLOSION HAZARD

**Flammable:** Yes ( ) No (X) **If yes, under which conditions:**

**Means of Extinction:** If involved in fire, use water, dry alcohol type or all purpose foam, dry chemical, carbon dioxide or other Class B extinguishing agents.

<u>Flashpoint and Method</u> N/A	<u>Upper Flammable Limit</u> N/E	<u>Lower Flammable Limit</u> N/E	<u>Auto-ignition Temperature</u> N/E
-------------------------------------	-------------------------------------	-------------------------------------	---

**Hazardous Combustion Products:** sulphur dioxide, carbon monoxide. Will not support combustion. May decompose in the presence of extreme heat. May release small amounts of chlorine containing gases with traces of phosgene at temperatures above 204° C.

<u>Explosion Data Sensitivity To Mechanical Impact</u>	N/E	<u>Explosion Data Sensitivity To Static Charge</u>	N/E
--	-----	--	-----

## SECTION VI - REACTIVITY DATA

**Chemical Instability:** Yes ( ) No (X) **If yes, under which conditions?**

**Incompatibility To Other Substances:** Yes (X) No ( ) **If yes, which ones?** Strong oxidizers; e.g., fluorine, chlorine, strong acids or alkalis

**Reactivity:** Yes (X) No ( ) **If yes, under which conditions?** Will evolve chlorine if mixed with acidic medium

**Hazardous Decomposition Products:** Sulphur dioxide, carbon monoxide, chlorine containing gases, phosgene

## SECTION VII - TOXICOLOGICAL PROPERTIES OF PRODUCT This product has not been tested as a whole.

**Routes of Entry:** Skin Contact X Skin Absorption Eye Contact X Inhalation X Ingestion X

### Effects of Acute Exposure To Product:

Skin Contact: Moderate to severe irritation to skin Skin Absorption: N/A  
Eye Contact: Extremely irritating to eyes Inhalation: Irritating to respiratory system  
Ingestion: May cause bloating, nausea, vomiting, stomach ache and diarrhea.



# MATERIAL SAFETY DATA SHEET

**Product Name** AJAX CLEANSER

## **SECTION VII - TOXICOLOGICAL PROPERTIES OF PRODUCT** This product has not been tested as a whole.

**Effects of Chronic Exposure To Product:** May irritate eye, skin and mucous membranes

**LD<sub>50</sub> of Product (Specify Species and Route)** N/A **LC<sub>50</sub> of Product (Specify Species)** N/A

**Exposure Limits** N/E **Irritancy of Product** N/E **Sensitization of Product** Not a primary sensitizer **Carcinogenicity** N/E

**Reproductive Toxicity** N/E **Teratogenicity** N/E **Mutagenicity** N/E **Synergistic Materials** N/E

## **SECTION VIII - PREVENTATIVE MEASURES**

**Personal Protective Equipment:** NIOSH - approved Dust Mask, Rubber or Plastic Gloves, Goggles or Safety Glasses, Protective Clothing

**Engineering Controls:** Safety Showers and Eyewash Fountains should be available. The product should be used in a well ventilated area.

**Leak and Spill Procedures:** The product should be swept up into a suitable container. The area where the product was spilled should be rinsed well with water.

**Waste Disposal:** Dispose in accordance with Federal, Provincial and Local regulations.

**Handling Procedures and Equipment:** When handling, minimize airborne dust.

**Storage Requirements:** Store in suitably labeled containers. Keep containers tightly closed. Protect from damage. Store in a cool, dry, well-ventilated area. Product will cake on exposure to moisture.

**Special Shipping Instruction:** Avoid moisture.

## **SECTION IX - TRANSPORTATION OF DANGEROUS GOODS**

**TDG Regulated Product:** Yes ( ) No (X) **Product TDG or CFR 49 Shipping Name** N/A  
(If CFR so indicate)

**PIN Number:** N/A **Packaging Group** N/A

## **SECTION X - FIRST AID MEASURES**

**Skin:** Flush the contact area well with lukewarm running water for at least 15 minutes. If irritation persists, call a physician.

**Eye:** Flush the contaminated eye(s) for at least 15 minutes with lukewarm water, holding the eyelid open. Take care not to rinse contaminated water into the non-affected eye. Always seek medical attention for eye injuries.

**Inhalation:** Remove to fresh air. If irritation persists, call a physician.

**Ingestion:** If swallowed drink 3 - 4 glasses of water. DO NOT INDUCE VOMITING. Call a physician.

This product is labeled in accordance with the requirements of the Hazardous Products Act and/or the Pest Control Products Act in that the use pattern and exposure in the workplace is generally consistent with that experienced by consumers. In certain respects, the requirements of the Workplace Hazardous Materials Information System applicable to the drafting of this Material Safety Data Sheet may differ from the requirements of those acts and regulations and as a result, this MSDS may contain additional information to that found on the label.

Because we cannot anticipate or control the many different conditions under which this information and our products may be used, we do not guarantee the applicability of this information or the suitability of our products in any given situation. Users of our products should make their own tests to determine the safety and suitability of each such product for their particular purposes.

# Material Safety Data Sheet

Maxell Corporation of America      Blast Away™  
Models: CA-1 & CA-2 - - - All Purpose Duster (Compressed Gas)

---

## SECTION I – CHEMICAL PRODUCT AND COMPANY INFORMATION

---

**Trade Name:** 134a  
**Chemical Name:** 1,1,1,2-Tetrafluoroethane  
**FSPID:** Front 134a  
**Model Numbers:** 190017, 190019

**Chemical Manufacturer:** DuPont and Honeywell

**Emergency Phone:** Chemtrec 1-800-424-9300

---

## SECTION II – COMPOSITION/INFORMATION ON INGREDIENTS

---

Material	CAS #	%
1,1,1,2-Tetrafluoroethane	811-97-2	100%

---

## SECTION III - HAZARDS IDENTIFICATION

---

### Potential Health Effects:

**Potential Health Effects – Inhalation of high concentrations of vapor is harmful and may cause irregular heart beat unconsciousness or death.** Intentional misuse or deliberate inhalation may cause death without warning. Vapor reduces oxygen available for breathing and is heavier than air. Liquid contact can cause frostbite.

**Human Health Effects –** Overexposure by inhalation to very high concentrations may cause temporary alterations of the heart's electrical activity with irregular pulse, palpitations, or inadequate circulation. Skin contact may cause frostbite.

**Additional Health Effects –** Increased susceptibility to the effects of this material may be observed in persons with pre-existing disease of the: central nervous system, cardiovascular system.

**Carcinogenicity Information –** None of the components present in this material at concentrations equal to or greater than 0.1% is listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

---

## SECTION IV - FIRST AID

---

**Inhalation -** If high concentrations are inhaled, immediately remove to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**Skin Contact –** Promptly flush skin with water until all chemical is removed. If there is evidence of frostbite, bathe (do not rub) with lukewarm (not hot) water. If water is not available, cover with a clean, soft cloth or similar covering. Get medical attention if symptoms persist.

**Eye Contact –** Immediately flush eyes with large amounts of water for at least 15 minutes (in case of frostbit water should be lukewarm, not hot) lifting eyelids occasionally to facilitate irrigation. Get medical attention if symptoms persist.

**Ingestion -** Ingestion is not considered a potential route of exposure.

Notes to Physicians - Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used with special caution only in situations of emergency life support.

**SECTION V - FIRE FIGHTING MEASURES**

Flash Point	Flammable Limits in Air % by Volume		
	LEL	UEL	Autoignition
No Flash Point	None for ASTM E681	None for ASTM E681	>743°C (>1369°F)

**SECTION V - FIRE FIGHTING MEASURES Continued.....**

Fire and Explosion Hazards: – Aerosol cans may erupt with force at temperatures above 49°C (120°F)  
Decomposition may occur.

Note:

HFC-134a is not flammable in air temperatures up to 100°C (212°F) at atmospheric pressure. However, mixtures of HFC-134a with high concentrations of air at elevated pressure and/or temperature can become combustible in the presence of an ignition source. HFC-134a can also become combustible in an oxygen enriched environment (oxygen concentrations greater than that in air). Whether a mixture containing HFC-134a and air, or HFC-134a in an oxygen enriched atmosphere become combustible depends on the inter-relationship of: 1. The temperature 2. The pressure and 3. The proportion of oxygen in the mixture. In general HFC-134a should not be allowed to exist with air above atmospheric pressure or at high temperatures; or in an oxygen enriched environment. Experimental data have also been reported which indicated combustibility of HFC-134a in the presence of certain concentrations of chlorine.

- Extinguishing Media - As appropriate for combustibles in area.
- Hazardous Combustion Products - Smoke, fumes and oxides of carbon.
- Special Fire Fighting Procedures - Cool aerosol cans with water spray. Self-contained breathing apparatus (SCBA) may be required if aerosol cans rupture or release under fire conditions.

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

Safeguards (Personnel) - NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean up.

Ventilate area, especially low or enclosed places where heavy vapors might collect. Remove open flames. Use self-contained breathing apparatus (SCBA) if large spill or leak occurs.

**SECTION VII – HANDLING AND STORAGE**

Handling (Personnel) - Use with sufficient ventilation to keep employee exposure below recommended limits.

Handling (Physical Aspects) - HFC-134a should not be mixed with air for leak testing or used for any other purpose above atmospheric pressure. See Flammable Properties Section. Contact with chlorine or other strong oxidizing agents should also be avoided.

Storage - Clean, dry area. Do not heat above 49°C (120°F).

**SECTION VIII - PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point	-26.5°C (-15.7°F) @ 736 mm Hg	Odor	Slight ethereal
Vapor Pressure	96 psia at 25°C (77°F)	Form	Liquefied gas
Vapor Density	3.60 (Air = 1.0) at 25°C (77°F)	Color	Colorless
% Volatiles	100 WT %	Density	1.21 g/cc at 25°C (77°F) - Liquid
Solubility in Water	0.15 WT% @ 25°C (77°F) and 14.7 psia	Specific Gravity	1.208 @ 77°F (25°C)

<b>Evaporation Rate</b>	(CCL4 = 1); greater than 1
-------------------------	----------------------------

## SECTION IX – STABILITY AND REACTIVITY

**Chemical Stability** - Material is stable. However, avoid open flames and high temperatures.

**Incompatibility with Other Materials** - Incompatible with alkali or alkaline earth metal.

**Decomposition** - Decomposition products are hazardous. This material can be decomposed by high **temperatures** (open flames, glowing metal surfaces, etc.) forming hydrofluoric acid and carbonyl fluoride.

**Polymerization** - Polymerization will not occur.

## SECTION X – ECOLOGICAL INFORMATION

Aquatic Toxicity: 48 hour EC50 – Daphnia magna: 980 mg/L  
96 hour LC50 – Rainbow trout: 450 mg/L

## SECTION XI – DISPOSAL CONSIDERATIONS

Contaminated HFC-134a can be recovered by distillation or removed to a permitted waste disposal facility. Comply with Federal, State and Local regulations

## SECTION XII - TRANSPORTATION INFORMATION

### Shipping Information

Proper Shipping Name	Consumer Commodity	DOT/IMO Label
1,1,1,2-TETRAFLUOROETHANE	ORM-D	NONFLAMMABLE GAS

**PERSONAL PROTECTIVE EQUIPMENT REQUIRED: NONE**

## SECTION XIII – DISCLAIMER

Falcon Safety Products, Inc. expressly disclaim all express or implied warranties for merchantability and fitness for a particular purpose, with respect to the product or information provided herein.

All information appearing herein is based upon data obtained from the manufacturer. While the information is believed to be accurate, Falcon Safety Products, Inc. makes no representation as to its accuracy of sufficiency. Conditions of use are beyond Falcon Safety Products, Inc. control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risk of their use, handling and disposal of the product, or from the publication, or use of, or reliance upon, information contained herein. This information relates only to the product designated here and does not relate to its use in combination with any other material or in any other process. This information is based upon technical information believed to be reliable. It is subject to revision as additional knowledge and experience is gained.

## SECTION XIV – PREPARATION INFORMATION



Signature

Dermot McLeer

Printed Name

Technical Manager

Title

01/17/03

Revision Date

**End of MSDS**

[Products](#)[MSDS](#)[Ordering](#)[Distributors](#)[Links](#)[Contact Us](#)

Join our  
mailing list:

Enter E-mail:

**MATERIAL SAFETY DATA SHEET**  
**Essentially Similar to U.S.**  
**Department of Labor Form OSHA**

#### SECTION I

Distributors: AVW INC Telephone: 1-800-655-1675  
Address: 3040 NW 27 Street  
FT Lauderdale, FL 33311  
Name: Delicates Parts Cleaner

#### SECTION II

Hazardous Ingredients  
3- Methylpentane CAS# 196-14-0  
2- Methylpentane CAS# 107-83-5  
2,3 Dimethylbutane CAS# 79-29-8  
2,2 Dimethylbutane CAS# 75-83-2  
Isopropyl Alcohol CAS# 6763-0  
Propane CAS# 74-98-6  
Butane CAS# 106-97-8

#### SECTION III

Physical Data  
Boiling Point: 155 F Specific Gravity(H<sub>2</sub>O=1)=0.70  
Vapor Pressure (mm Hg): aprox. 124  
Solubility in water: yes  
Appearance: Colorless liquid

#### SECTION IV

Fire and Explosion Hazard  
Flash Point: 5 C Close Up Extremely Flammable  
Extinguishing media: Water, CO<sub>2</sub>, Foam, Dry chemical  
Special fire Fighting Procedures: Do not expose containers to temps. above 120 F.  
Unusual fire and Explosion: None

#### SECTION V

Health Hazard Data

Time weighted average (TWA): 1000 PPM based on raw material TWA  
Carcinogen: No  
Acute Chronic Health effects: Undetermined  
Primary Routes of Entry: X Inhalation X Skin X Ingestion  
Effects of Overexposure: Eyes- May cause irritation.  
Skin: May cause irritation  
Inhalation: Irritation nose throat.  
Ingestion: Drowsiness, Dizziness, Headache.  
Emergency First Aid Procedures: Eyes- Flush with water 15 minutes. Get medical attention if irritant persist.  
Skin: Wash with soap and water.  
Ingestion: Do not induce vomiting. Get medical attention immediately.  
Inhalation: Move to fresh air. Get medical attention.

#### **SECTION VI**

Reactivity Data  
Stability: unstable stable X  
Conditions to Avoid: Do not used near ignition sources..  
Incompatibility: Strong oxide's

#### **SECTION VII**

Spill or Leak Procedures  
Steps to take in case material is released or spilled: Use absorbent material and trash receptacle. Waste disposal method Federal and Local regulations.

#### **SECTION VIII**

Special Protection Information  
Respiratory Protection: Adequate ventilation.  
Gloves (type): Neoprene .  
Eye protection: If required  
Other Protective Equipment: All the equipment have to be off.

#### **SECTION IX**

Special Precautions  
Precautions to be taken in handling and storing read and follow all label directions.  
Do not store at temperatures over 120 F.

**Revised: 09/09/98**

*Call us toll free at (800) 655-1675. Thanks for your business!*

[Distributor](#) | [Home](#) | [Product Line](#) | [Ordering](#) | [Contact Us](#) | [MSDS](#)

E-mail: [info@blowoff.com](mailto:info@blowoff.com)

Copyright© 1998 by A.V.W. Inc. All Rights Reserved



# Compucessory Power Duster

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 10/13/2015

Revision date: 10/26/2017

Version: 1.0

### SECTION 1: Identification

#### 1.1. Product identifier

Substance name : Compucessory Power Duster  
Product code : CCS24300/SPJR; CCS24305/SPXL; CCS24302/SPXL2; CCS24306/SPXL6; CCS24313/SPM

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Dust Removal

#### 1.3. Details of the supplier of the safety data sheet

Falcon Safety Products, Inc.  
25 ImClone Drive  
Branchburg, NJ 08876 - USA  
T (908) 707-4900

#### 1.4. Emergency telephone number

Emergency number : (800) 498-7192

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture


##### GHS-US and GHS-CA classification

Flam. Aerosol 2  
Press. Gas (Liquified Gas)

#### 2.2. Label elements

##### GHS-US and GHS-CA labelling

Hazard pictograms (GHS-US/GHS-CA) :



Signal word (GHS-US/GHS-CA) : Warning  
Hazard statements (GHS-US/GHS-CA) : Flammable aerosol. Contains gas under pressure; may explode if heated.  
Precautionary statements (GHS-US/GHS-CA) : Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.

#### 2.3. Other hazards

Do not store in enclosed vehicle.

#### 2.4. Unknown acute toxicity (GHS US/GHS CA)

Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Name	Product identifier	%
1,1-Difluoroethane	(CAS No) 75-37-6	100

#### 3.2. Mixture

Not applicable.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.  
First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. May cause frostbite.

# Compucessory Power Duster

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

- First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
- First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
- Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
- Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
- Symptoms/injuries after ingestion : Not a normal route of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide.
- Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

### 5.3. Advice for firefighters

- Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.
- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

### 6.2. Methods and material for containment and cleaning up

- For containment : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
- Methods for cleaning up : Leave the product to evaporate. Provide ventilation.

### 6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.
- Precautions for safe handling : Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Keep out of the reach of children. Keep container dry and in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place. Store in original container. Do not store in enclosed vehicle.

### 7.3. Specific end use(s)

Not available.



# Compucessory Power Duster

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

1,1-Difluoroethane (75-37-6)	
ACGIH	Not applicable.
OSHA	Not applicable.
NIOSH	Not applicable.
IDLH	Not applicable.

#### 8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses with side shields.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Clear
Color	: Colourless
Odor	: Slight, ether-like
Odor threshold	: No data available
pH	: Neutral
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -13 °F (- 25 °C)
Flash point	: < 58 °F (<14.4 °C)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable
Explosion limits	: 3.9-16.9
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 5960 kPa at 77 °F (25 °C)
Relative density	: 0.91
Relative vapor density at 20 °C	: 2.4 at 77 °F (25 °C)
Specific gravity / density	: 0.9
Solubility	: Slightly
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available.

# Compucessory Power Duster

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### 10.5. Incompatible materials

Alkali and alkaline earth metals. Powdered metals. Powdered metallic salts.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Compucessory Power Duster	
LD50 oral rat	1500 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	64000 ppm

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

#### 12.2. Persistence and degradability

Compucessory Power Duster	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

Compucessory Power Duster	
Bioaccumulative potential	Not established.

#### 12.4. Mobility in soil

No additional information available.

#### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

# Compucessory Power Duster

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. Container under pressure. Do not drill or burn even after use.
- Additional information : Flammable vapors may accumulate in the container.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

- In accordance with DOT
- UN-No. (DOT) : UN1030
- Proper Shipping Name (DOT) : 1,1-Difluoroethane
- Transport hazard class(es) (DOT) : 2.1
- Hazard labels (DOT) :



- Packaging Exceptions : Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.

#### Transportation of Dangerous Goods (TDG)

- In accordance with TDG
- UN-No.(TDG) : UN1030
- Proper Shipping Name (TDG) : 1,1-Difluoroethane
- Class (TDG) : 2.1
- Hazard labels (TDG) :



- Packaging Exceptions : TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren. 1) by the TCSS, TDGD to offer for transport by road, rail and marine.

#### Transport by sea

- UN-No. (IMDG) : UN1030
- Proper Shipping Name (IMDG) : 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)
- Class (IMDG) : 2.1

#### Air transport

- UN-No. (IATA) : UN1030
- Proper Shipping Name (IATA) : 1,1-Difluoroethane
- Class (IATA) : 2.1

#### Additional information

- Other information : No supplementary information available.
- Special transport precautions : Do not handle until all safety precautions have been read and understood.

### SECTION 15: Regulatory information

#### 15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 1,1-Difluoroethane (75-37-6)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2. US State regulations

#### Compucessory Power Duster

State or local regulations : This product does not contain a chemical known to the State of California to cause cancer,

# Compucessory Power Duster

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015


### Compucessory Power Duster

birth defects or other reproductive harm.

### SECTION 16: Other information

Date of issue : 10/13/2015  
Revision date : 10/26/2017  
Other information : None.

### Mexico Classification:



**Blue = Health**      **Red = Flammability**      **Yellow = Reactivity**      **White = Special**

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

*Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.*

## SAFETY DATA SHEET

### ANTIBACTERIAL HAND SOAP

#### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name : ANTIBACTERIAL HAND SOAP

Product Codes : 5009, 5012, 5019, 5065, 5067, 65036, 30441  
Recommended use : Antibacterial hand cleaner  
Product dilution information : Product is sold ready to use.


Company : Kutol Products Company  
100 Partnership Way  
Sharonville, OH 45242  
1-800-543-4641

Chemtrec Phone : 1-800-424-9300

Issuing date : 06/23/2017

#### SECTION 2 – HAZARD(S) IDENTIFICATION

**GHS Classification** : Category 2B  
Eye irritation

**GHS Label Element** :   
Hazards pictograms

Signal Word : Warning  
Hazard Statements : **Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Other Hazards : None known.

#### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

<u>Chemical Name</u>	<u>Concentration (%)</u>	<u>CAS No.</u>
BENZALKONIUM CHLORIDE	< 5	8001-54-5

#### SECTION 4 – FIRST AID MEASURES

In case of eye contact : Flush eyes under eyelids with plenty of cool water for at least 15 minutes. If irritation persists, seek medical/advice attention.

In case of skin contact : If irritation persists, wash with water.

## SAFETY DATA SHEET

### ANTIBACTERIAL HAND SOAP

- If ingested : Contact a physician or Poison Control Center immediately. Do not induce vomiting never give anything by mouth to an unconscious person.
- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : No special precautions are necessary.
- Notes to physicians : Treat symptomatically.

#### SECTION 5 – FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : No flammable or combustible.
- Hazardous combustions products : Carbon oxides
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

- Personal precautions : No special measures required.
- Environmental precautions : Avoid contact of large amounts of spilled material runoff with soil and surface waterways.
- Methods of cleaning up : Absorb with inert material. Use a water rinse for final clean-up.

#### SECTION 7 – HANDLING AND STORAGE

- Handling : Wash hands after handling.
- Storage : Keep out of reach of children. Keep container tightly closed. Store between 32 to 122 degrees F.

#### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures : Good general ventilation should be sufficient to control workers exposure to airborne contamination.
- Personal protection
- Eyes : Eye protection should be used when splashing may occur.
- Hands : No protective equipment is needed under normal use.
- Skin : No protective equipment is needed under normal use.
- Respiratory : No protective equipment is needed under normal use.

## SAFETY DATA SHEET

### ANTIBACTERIAL HAND SOAP

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Viscous amber liquid Odor: Spicy floral fragrance Odor Threshold: No data available pH: 6.0 typical Melting point/freezing point: N/A Initial boiling and boiling range: N/A Flash point: N/A Evaporation rate: <1 Flammability (solid, gas): No data available	Upper/lower flammability limits: N/A Vapor pressure: N/A Vapor density: N/A Relative density: No data available. Solubility (ies): No data available. Partition coefficient: n-octanol/water: No data available. Auto ignition temperature: N/A Decomposition temperature: No data available. Viscosity: 3,250 CPS @ 77 F or 25 C
---	---

#### SECTION 10 – STABILITY AND REACTIVITY

Stability	:	The product is stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction is known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	None known.
Hazardous decomposition products	:	Carbon oxides

#### SECTION 11 – TOXICOLOGICAL INFORMATION

Information on likely routines of exposure : Inhalation, eye contact, skin contact.

##### Potential Health Effects

Eyes	:	Cause of irritation.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Health injuries are not known or expected under normal use.
Chronic exposure	:	Health injuries are not known or expected under normal use.

##### Experience with Human Exposure

Eye contact	:	Redness, irritation.
Skin contact	:	No symptoms known or expected.
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.

##### Toxicity

Acute oral toxicity	:	Acute toxicity estimate: >5,000 mg/kg
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	Acute toxicity estimate: >5,000 mg/kg
Skin corrosion/irritation	:	No data available
Serious eye damage/eye irritation	:	Mild eye irritation.
Respiratory or skin sensitization	:	No data available.

**SAFETY DATA SHEET**

**ANTIBACTERIAL HAND SOAP**

**Carcinogenicity**

- IARC : No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.
- OSHA : No ingredient of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
- NTP : No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 12 – ECOLOGICAL INFORMATION**

- Ecological Tests : Data is not available.
- Environmental Impact : The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

**SECTION 13 – DISPOSAL CONSIDERATIONS**

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. When possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.

**SECTION 14 – TRANSPORT INFORMATION**

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. The shipper / consignor / sender are responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Shipment	Identification Number	Proper Shipping Name	Hazardous Classification	Packaging Group
US DOT	Not dangerous goods	N/A	N/A	None
IATA (Air)	Not dangerous goods	N/A	N/A	None
IMDG (Vessel)	Not dangerous goods	N/A	N/A	None



**SAFETY DATA SHEET**

ANTIBACTERIAL HAND SOAP

**SECTION 15 – REGULATORY INFORMATION**

**U.S. Federal Regulations**

**TSCA 8(b) Inventory** : All components are listed or exempted.  
**SARA 302/304/311/312** : No listed substance.  
**Extremely Hazardous Substances**  
**SARA 302/304 Emergency Planning and Notification** : No listed substance.

**SECTION 16 - OTHER INFORMATION**

**NFPA 704:**



**HMIS III:**

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARDS</b>	<b>0</b>

Issuing date : 06/23/2017  
 Version : 1.0  
 Prepared by : Regulatory Compliance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

S.C. Johnson Wax  
 Racine, Wisconsin 53403-5011  
 Phone: (414) 631-2777  
 Emergency Phone: (800) 228-5635  
 Extension 092  
 International Emergency Phone:  
 Extension 092

4=Very High  
 3=High  
 2=Moderate  
 1=Slight  
 0=Insignificant

HAZARD RATING	
HMIS	NFPA
0 Health	
4 Flammability	
0 Reactivity	

## MATERIAL SAFETY DATA SHEET

### SECTION I-PRODUCT IDENTIFICATION

PRODUCT NAME: GLADE AIR FRESHENER - ALL FRAGRANCES			PRODUCT CODE: 10545-1	
CHEMICAL OR COMMON NAME: NA	DATE ISSUED: 02/05/92	SUPERSEDES: 10/30/87	MSDS SECTIONS WITH CHANGES:	
			PREPARED BY: Terry A. Meyers Chemical Info. Adm.	

### SECTION II-INGREDIENT INFORMATION

INGREDIENTS	WEIGHT %	EXPOSURE LIMIT
ISOBUTANE\PROPANE (CAS# 75-28-5, 74-98-6)	25-35	1000PPM (OSHA PEL) (PROPANE)
WATER	65-75	NA

### SECTION III-PHYSICAL DATA

APPEARANCE/ODOR: DISPENSED AS A SPRAY MIST WITH FRAGRANT ODOR	SPECIFIC GRAVITY (H2O=1): 0.8
VAPOR PRESSURE (mm Hg): ND	PERCENT VOLATILE BY VOLUME (%): NA
SOLUBILITY IN WATER: Appreciable	VAPOR DENSITY (Air=1): ND
FREEZING POINT (°F): ND	BOILING POINT (°F): ND
PH: ND	EVAPORATION RATE (Butyl Acetate=1): NA
VOC (as packaged, minus H2O): ND	THEORETICAL VOC (lb/gal): ND

### SECTION IV-FIRE AND EXPLOSION INFORMATION

FLASH POINT (°F) (Method Used): UNDER 20 (TCC) (PROPELLANT)
FLAMMABLE LIMITS: ND
EXTINGUISHING MEDIA: Foam, CO2, Dry Chemical, Water Fog.
SPECIAL FIREFIGHTING PROCEDURES: Normal fire fighting procedures may be used. Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers.
UNUSUAL FIRE AND EXPLOSION HAZARDS: No special hazards known.

### SECTION V-HEALTH HAZARD DATA

PRIMARY ROUTE OF ENTRY: NA
SIGNS AND SYMPTOMS: NA
FIRST AID PROCEDURES: NA
MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE:

# MATERIAL SAFETY DATA SHEET

Page 2

S.C. Johnson Wax  
1525 Howe Street  
Racine, Wisconsin 53403

GLADE AIR FRESHENER - ALL FRAGRANCES  
Product Number: 10545  
Serial Number: 1

## SECTION VI-REACTIVITY DATA

STABILITY:	Stable
STABILITY-CONDITIONS TO AVOID:	None known
INCOMPATIBILITY:	None known
HAZARDOUS DECOMPOSITION PRODUCTS:	When exposed to fire, produces normal products of combustion.
HAZARDOUS POLYMERIZATION:	Will not occur.
HAZARDOUS POLYMERIZATION-CONDITIONS TO AVOID:	None known

## SECTION VII-SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:	Eliminate all ignition sources. Rinse affected area thoroughly with water.
WASTE DISPOSAL INFORMATION:	Recycle empty aerosol can to nearest steel recycling center. Use up package or give to someone who can.

## SECTION VIII-SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:	No special requirements under normal use conditions.
VENTILATION:	General room ventilation adequate.
PROTECTIVE GLOVES:	No special requirements under normal use conditions.
EYE PROTECTION:	No special requirements under normal use conditions.
OTHER PROTECTIVE MEASURES:	NSR

## SECTION IX-SPECIAL PRECAUTIONS

PRECAUTIONARY LABELING:	CAUTION: CONTENTS UNDER PRESSURE. DO NOT SET ON STOVE OR RADIATOR OR KEEP WHERE TEMPERATURE WILL EXCEED 120 F AS CONTAINER MAY BURST. DO NOT PUNCTURE OR THROW IN FIRE. KEEP OUT OF REACH OF CHILDREN.
OTHER HANDLING AND STORAGE CONDITIONS:	Keep out of reach of children. Do not pressurize, cut, heat, weld or expose container to flame; explosion could occur.

## SECTION X-ADDITIONAL INFORMATION

ADDITIONAL INFORMATION:	FACTORY MUTUAL LEVEL I AEROSOL
-------------------------	--------------------------------

## SECTION XI-TRANSPORTATION INFORMATION

DOT CLASS:	
DOT #	
SHIPPING NAME:	
DOT NOTES:	

# MATERIAL SAFETY DATA SHEET

Page 3

S.C. Johnson Wax 1525 Howe Street Racine, Wisconsin 53403	GLADE AIR FRESHENER - ALL FRAGRANCES Product Number: 10545 Serial Number: 1
---	---

NA-Not Applicable, NE-Not Established, NSR-No Special Requirement, ND-Not Determined

The information herein is given in good faith. No warranty expressed or implied is made. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and local laws and regulations. The information contained in this form is confidential and is submitted solely for your organization's internal use.

4-106 (Rev. 5-16/95)

**MATERIAL SAFETY DATA SHEET**

**SECTION 1 – MATERIAL IDENTIFICATION AND USE**

MATERIAL NAME IDENTIFIER <b>GLASS &amp; MIRROR - Aerosol Cleaner for All Glass</b>	
MANUFACTURERS NAME/ADDRESS Cantol Corp. 199 Steelcase Road West Markham, ON L3R 2M4	CONTACTS Canutec (24 hours) (613) 996-6666 Web: www.cantol.com

**SECTION 2 – HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENTS	%	CAS NUMBER	LD <sub>50</sub> OF MATERIAL (SPECIFY SPECIES AND ROUTE)	LC <sub>50</sub> OF MATERIAL (SPECIFY SPECIES)
Ethyleneglycol Monobutyl Ether	1-5	111-76-2	1480 mg/kg, RAT, ORAL 1230 mg/kg, MOUSE, ORAL	450 PPM, 4 Hrs., RAT
Ethanol	1-5	64-17-5	7060 mg/kg, RAT, ORAL 20,000, RABBIT, DERMAL	8000 PPM, 4 Hrs., RAT
Dimethyl Methane	1-5	74-98-6	NONE	NONE
Trimethy Methane	1-5	75-28-5	NONE	NONE

**SECTION 3 – PHYSICAL DATA**

PHYSICAL STATE GAS <input type="checkbox"/> LIQUID <input checked="" type="checkbox"/> SOLID <input type="checkbox"/>	ODOUR AND APPEARANCE <b>Aerosol white foam with a mild odour</b>		ODOUR THRESHOLD (PPM) <b>Not Available</b>	
VAPOUR PRESSURE (mm Hg.) <b>Not Available</b>	VAPOUR DENSITY (AIR=1) <b>Greater than one</b>	EVAPORATION RATE <b>Butyl Acetate = 1 Less than one</b>	BOILING POINT (°C) <b>Not Applicable</b>	FREEZING POINT (°C) <b>Not Available</b>
% VOLATILE (BY VOLUME) <b>Not Available</b>	SOLUBILITY IN WATER (20°C) <b>Complete</b>	pH <b>Not Available</b>	SPECIFIC GRAVITY For Concentrate: 0.987	COEFF. WATER OIL DIST. <b>Not Applicable</b>

**SECTION 4 – FIRE AND EXPLOSION DATA**

FLAMMABILITY YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> IF YES, UNDER WHICH CONDITIONS? <b>▶</b>	MEANS OF EXTINCTION <b>Not Applicable</b>			
SPECIAL PROCEDURES <b>Keep containers cool. Use shielding to protect personnel against bursting, rupturing or venting containers. At temperatures over 120°F (49°C) can may burst, vent or rupture.</b>				
FLASHPOINT (C°) AND METHOD <b>Not Applicable</b>	UPPER EXPLOSION LIMIT (% BY VOLUME) <b>Not Applicable</b>		LOWER EXPLOSION LIMIT (% BY VOLUME) <b>Not Applicable</b>	
AUTO IGNITION TEMPERATURE (°C) <b>Not Applicable</b>	TDG FLAMMABILITY CLASSIFICATION <b>Not Applicable</b>		HAZARDOUS COMBUSTION PRODUCTS <b>Carbon Dioxide, Carbon Monoxide</b>	
EXPLOSION DATA <b>▶</b>	SENSITIVITY TO IMPACT <b>Not Available</b>	RATE OF BURNING <b>Not Available</b>	EXPLOSIVE POWER <b>Not Available</b>	SENSITIVITY TO STATIC DISCHARGE <b>Not Available</b>

**SECTION 5 – REACTIVITY DATA**

CHEMICAL STABILITY YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> IF NO, UNDER WHICH CONDITIONS? <b>▶</b>	COMPATIBILITY WITH OTHER SUBSTANCES IF NO, WHICH ONES? <b>▶ Alkali, Acids, Oxidizers</b>			
REACTIVITY, AND UNDER WHAT CONDITIONS <b>Not Available</b>				
HAZARDOUS DECOMPOSITION PRODUCTS <b>Burning may yield carbon dioxide, carbon monoxide.</b>				

**GLASS & MIRROR (AEROSOL)**

<b>SECTION 6 – TOXICOLOGICAL PROPERTIES</b>			
ROUTE OF ENTRY			
SKIN CONTACT <input type="checkbox"/> SKIN ABSORPTION <input type="checkbox"/> EYE CONTACT <input checked="" type="checkbox"/> INHALATION ACUTE <input type="checkbox"/> INHALATION CHRONIC <input type="checkbox"/> INGESTION <input checked="" type="checkbox"/>			
EFFECTS OF ACUTE EXPOSURE TO MATERIAL <b>Causes eye irritation. Ingestion can cause gastrointestinal irritation, vomiting, diarrhea.</b>			
<b>INHALATION: Excessive: dizziness, headache.</b>			
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL			
<b>None Known</b>			
LD <sub>50</sub> OF MATERIAL SPECIFY SPECIES AND ROUTE	LC <sub>50</sub> OF MATERIAL SPECIFY SPECIES	EXPOSURE LIMIT OF MATERIAL ACGIH for: Ethanol 1000 ppm, Ethylene glycol Monobutyl Ether 50 ppm	IRRITANCY OF MATERIAL
<b>Not Available</b>	<b>Not Available</b>		<b>Irritant to eyes</b>
SENSITIZING CAPABILITY OF MATERIAL	CARCINOGENICITY OF MATERIAL	REPRODUCTIVE EFFECTS OF MATERIAL	SYNERGESTIC MATERIALS
<b>Not Available</b>	<b>None</b>	<b>None</b>	<b>None Known</b>
<b>SECTION 7 – PREVENTIVE MEASURES</b>			
PERSONAL PROTECTIVE EQUIPMENT			
<b>Gloves and eye protection</b>			
GLOVES (SPECIFY)	RESPIRATORY (SPECIFY)	EYE (SPECIFY)	
<b>Rubber, Neoprene, Plastic</b>	<b>None</b>	<b>Goggles</b>	
FOOTWEAR (SPECIFY)	CLOTHING (SPECIFY)	OTHER (SPECIFY)	
<b>None</b>	<b>None</b>	<b>None</b>	
ENGINEERING CONTROLS (SPECIFY E.G. VENTILATION ENCLOSED PROCESS)			
<b>None</b>			
LEAK AND SPILL PROCEDURE			
<b>Ventilate area. Remove all sources of ignition. Soak up spill with oil absorbant. Flush residue with water.</b>			
WASTE DISPOSAL <b>Discard used oil absorbant in proper receptacle for landfill. Do not puncture or incinerate containers. Give to a disposal company equipped to safely handle and dispose of pressurized containers. Follow all government disposal regulations.</b>			
HANDLING PROCEDURES AND EQUIPMENT <b>Avoid contact with eyes. Wear rubber gloves and eye protection. Wash thoroughly after handling. Do not spray on food or food stuffs.</b>			
STORAGE REQUIREMENTS <b>Contents under pressure. Do not store where temperatures exceed 120°F (49°C).</b>			
<b>KEEP OUT OF THE REACH OF CHILDREN.</b>			
SPECIAL SHIPPING INFORMATION			
<b>Consumer Commodity</b>			
<b>SECTION 8 – FIRST AID MEASURES</b>			
<b>EYES: Immediately flush with plenty of water for at least 15 minutes. Seek prompt medical attention.</b>			
<b>SKIN: Flush with water.</b>			
<b>INGESTION: Do not induce vomiting. Drink large quantities of water. Call a physician.</b>			
SOURCES USED			
Canadian Centre for Occupational Health and Safety, Vendor Material Safety Data Sheets			
ADDITIONAL INFORMATION			
For industrial and institutional use only. Read and follow all label directions and precautions. Do not mix with other chemicals.			
<b>SECTION 9 – PREPARATION DATE OF THE MSDS</b>			
PREPARED BY	PHONE NUMBER	DATE	
<b>A, D2B Cantol WHMIS Group</b>	<b>(905) 475-6141</b>	<b>March 1, 2013</b>	

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

# GOO GONE.

**Product:** Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

**Revision Date:** 28-Nov-2017

## SECTION 1 – IDENTIFICATION

### Product Identifier

**Product Name:** Goo Gone

**Product Code:** 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

### Recommended Use of the Chemical and Restrictions for Use

**Recommended Use:** Cleaner

**Restrictions for Use:** Use only as directed.

### Details of the Supplier

**Manufacturer:** Goo Gone  
755 Tri-State Parkway  
Gurnee, IL 60031  
855-364-8135

### Emergency Phone Number

**24-Hour Number:** 1-800-535-5053

**International:** 1-352-323-3500

## SECTION 2 – HAZARDS IDENTIFICATION

### Classification

Hazard Class	Category
Flammable Liquid	4
Skin Sensitization	1
Aspiration Hazard	1

### Label Elements

**Hazard Symbols(s):**



**Signal Word(s):** Danger

**Hazard Statement(s):** Combustible liquid. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

**Precautionary Statement(s):** Keep away from flames and hot surfaces. No smoking. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

### Other Hazards

None known

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Petroleum distillates, hydrotreated light	64742-47-8	60-100
D-Limonene	5989-27-5	1-5
Orange, sweet, extract	8028-48-6	0.5-1.5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

**GOO  
GONE.**

**Product:** Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

**Revision Date:** 28-Nov-2017

## SECTION 4 – FIRST AID MEASURES

### First Aid Measures

**Inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

**Eye Contact:** Rinse immediately with water for at least 15 minutes. Remove contact lenses, if worn. If irritation persists, seek medical attention immediately.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

**Skin:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash with soap and water. If irritation persists, seek medical attention.

### Most Important Symptoms and Effects (Acute and Delayed)

**Inhalation:** May cause respiratory track irritation.

**Eye Contact:** May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

**Ingestion:** May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

**Skin:** May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitization by skin contact.

### Indication of any Immediate Medical Attention and Special Treatment Needed

**Note to Physician:** Treat symptomatically.

## SECTION 5 – FIRE FIGHTING MEASURES

### Extinguishing Media

**Suitable:** Treat for surrounding material.

**Unsuitable:** None known.

### Specific Hazards Arising from Chemical

Products of combustion include but are not limited to: oxides of carbon.

### Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

**Personal Precautions:** Use personal protective equipment as required.

**Environmental Precautions:** See Section 12 for ecological information.

### Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). For cleaning up scoop up material and place in a disposal container. Provide ventilation.

## SECTION 7 – HANDLING AND STORAGE

### Precautions for Safe Handling

**Handling:** Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Avoid breathing fume/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

**General Hygiene Advice:** Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.



# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

**Revision Date:** 28-Nov-2017

## Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool, and well-ventilated area. Keep out of reach of children.

**Incompatible Materials:** None known.

## SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

#### **Exposure Guidelines:**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light (64742-47-8)	200 mg/m <sup>3</sup>	100 ppm	Not available
D-Limonene (5989-27-5)	Not available	Not available	Not available
Orange, sweet, extract (8028-48-6)	Not available	Not available	Not available

### Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

### Individual Protection Measures

**Respiratory Protection:** None required under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment.

**Skin and Body Protection:** Wear suitable protective clothing.

**Eye/Face Protection:** Safety glasses or goggles are recommended when using product.

**General Work/Hygienic Practices:** Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Yellow clear liquid

**Odor:** Citrus

**Odor threshold:** Not determined

**pH:** Not determined

**Melting point/freezing point:** Not determined

**Initial boiling point and boiling range:** Not determined

**Flash point:** 85°C (185°F) TCC

**Evaporation rate:** Not determined

**Flammability (solid, gas):** Flammable

**Upper/lower flammability or explosive limits:** Not determined

**Vapor pressure:** Not determined

**Vapor density:** Not determined

**Relative density:** 0.80

**Solubility(ies):** Not determined

**Partition coefficient (n-octanol/water):** Not determined

**Auto-ignition temperature:** Not determined

**Decomposition temperature:** Not determined

**Viscosity:** Not determined

## SECTION 10 – STABILITY AND REACTIVITY

**Reactivity:** Not reactive under normal conditions.

**Chemical stability:** Stable under recommended storage conditions.

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

**Product:** Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

**Revision Date:** 28-Nov-2017

**Possibility of hazardous reactions:** None under normal use.

**Conditions to avoid:** Heat. Incompatible materials. Sources of ignition.

**Incompatible materials:** None known.

**Hazardous decomposition products:** May include and are not limited to: oxides of carbon.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

**Likely Routes of Exposure:** Inhalation, skin contact, eye contact, ingestion

### Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Carcinogenicity:** NTP: No IARC: No OSHA: No

### Numerical Measures of Toxicity

Product	
ATE (oral)	>2000 mg/kg, rat
ATE (dermal)	>2000 mg/kg, rabbit
ATE (inhalation)	Not available

### **Component Information:**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light (64742-47-8)	>5000 mg/kg, rat	>2000 mg/kg, rabbit	>5.2 mg/l/4h, rat
D-Limonene (5989-27-5)	4400 mg/kg, rat	>5000 mg/kg, rabbit	Not available
Orange, sweet, extract (8028-48-6)	>5000 mg/kg, rat	>5000 mg/kg, rabbit	Not available

## SECTION 12 - ECOLOGICAL INFORMATION

**Ecotoxicity:** Not established

**Persistence and degradability:** Not established

**Bioaccumulative potential:** Not established

**Mobility in soil:** No additional information available

**Other adverse effects:** No additional information available.

## SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

## SECTION 14 – TRANSPORT INFORMATION

**Note:** Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

**DOT (Ground):** Not Regulated- See 49 CFR 173.150(f)(2) as the product is not bulk packaged.

**IATA (Air):** Not Regulated

**IMDG (Vessel):** Not Regulated

## SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

**Revision Date:** 28-Nov-2017

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this Safety Data Sheet differ from the requirements of the CPSC and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

## SECTION 16 – OTHER INFORMATION

**Issue Date:** 23-Aug-2017

**Revision Date:** 28-Nov-2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**



## SAFETY DATA SHEET

Revision date 23-Jul-2015

Version 4

### Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier**

**Product Code** 011.0002400

**Product Name** GOOF OFF

**Other means of identification**

No information available

**Recommended use of the chemical and restrictions on use**

Washing and cleaning products (including solvent based products)

**Details of the supplier of the safety data sheet**

See section 16 for more information

The Valspar Corporation  
PO Box 1461  
Minneapolis, MN 55440

**E-mail address** [msds@valspar.com](mailto:msds@valspar.com)

**Emergency telephone number**

United States of America 1-888-345-5732

American Samoa, Guam, Northern Mariana Islands, Puerto Rico, U.S. Virgin Islands 1-800-255-3924

### Section 2: HAZARDS IDENTIFICATION

**Classification**

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 3

**Label elements**

Product Code 011.0002400

Page 1 / 9

AGHS - USA OSHA SDS



Signal word

**DANGER**

**HAZARD STATEMENTS**

Flammable liquid and vapor  
Harmful in contact with skin  
Harmful if inhaled  
Causes skin irritation  
Suspected of causing cancer  
Suspected of damaging fertility or the unborn child  
May cause damage to organs through prolonged or repeated exposure  
May be fatal if swallowed and enters airways

**PREVENTION**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

**RESPONSE**

IF exposed or concerned: Get medical advice/attention.

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Skin**

Call a POISON CENTER or doctor/physician if you feel unwell. Take off all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

**Fire**

In case of fire: Use CO2, dry chemical, or foam for extinction.

**STORAGE**

Store locked up. Store in a well-ventilated place. Keep cool.

**DISPOSAL**

Dispose of contents/containers in accordance with local regulations.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)**

Not applicable.

**OTHER HAZARDS**

Not applicable.

**UNKNOWN ACUTE TOXICITY**

0% of the mixture consists of ingredient(s) of unknown toxicity.

**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	weight-%
Xylenes	1330-20-7	70 - 100

Product Code 011.0002400

Page 2 / 9

AGHS - USA OSHA SDS

Ethylbenzene	100-41-4	10 - 25
Diethylene glycol monomethyl ether	111-77-3	3 - 5
Toluene	108-88-3	1 - 3

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4: FIRST AID MEASURES

### **First Aid Measures**

#### **General advice**

IF EXPOSED OR CONCERNED: Get medical advice/attention.

#### **Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### **Skin Contact**

Call a POISON CENTER or doctor/physician if you feel unwell. Take off all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

#### **Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### **Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

### **Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

### **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## Section 5: FIRE FIGHTING MEASURES

### **Suitable extinguishing media**

Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Strong water jet

### **Specific hazards arising from the chemical**

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes.

### **Special protective equipment for fire-fighters**

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

## Section 6: ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Avoid breathing vapors or mists. Remove all sources of ignition. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Take precautionary measures against static discharges.

#### **For emergency responders**

Use personal protection recommended in Section 8.

### **Environmental precautions**

Product Code 011.0002400

Page 3 / 9

AGHS - USA OSHA SDS

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

**Methods and material for containment and cleaning up**

**Methods for containment**

Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers.

**Section 7: HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling**

Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.

**General Hygiene Considerations**

Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions**

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep tightly closed in a dry and cool place.

**Incompatible materials**

Strong oxidizing agents.

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Limits**

If S\* appears in the OEL table, it indicates this chemical contains a skin notation.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Xylenes 1330-20-7	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m <sup>3</sup>	
Ethylbenzene 100-41-4	TWA: 20 ppm	TWA: 100 ppm TWA: 435 mg/m <sup>3</sup>	IDLH: 800 ppm TWA: 100 ppm TWA: 435 mg/m <sup>3</sup> STEL: 125 ppm STEL: 545 mg/m <sup>3</sup>
Toluene 108-88-3	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 560 mg/m <sup>3</sup>

**Appropriate engineering controls**

### Engineering Controls

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Skin and body protection

Wear anti-static clothing made of natural fiber or of high temperature resistant synthetic fiber. Wear suitable protective clothing.

#### Hand Protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves.

#### Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### Thermal Protection

No information available

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	liquid
Appearance	No information available
Odor	Solvent
Color	colorless
Odor Threshold	No information available
pH value	No information available
Melting point/freezing point	No information available
Boiling point / boiling range	No information available °C / °F
flash point	27 °C / 81 °F
evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor Pressure	No information available
vapor density	No information available
Density (lbs per US gallon)	7.29
specific gravity	.87
Solubility(ies)	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available

### Other information

## Section 10: STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Product Code 011.0002400

Page 5 / 9

AGHS - USA OSHA SDS



**Possibility of Hazardous Reactions** None under normal processing.

**Hazardous polymerization** None under normal processing.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials** Strong oxidizing agents.

**Hazardous Decomposition Products** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

## Section 11: TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Eye contact**

Not applicable

**Skin Contact**

Harmful in contact with skin

Causes skin irritation

**Ingestion**

May be fatal if swallowed and enters airways

**Inhalation**

Harmful if inhaled

### Numerical measures of toxicity - Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Xylenes 1330-20-7	= 3500 mg/kg ( Rat )	> 4350 mg/kg ( Rabbit )	= 29.08 mg/L ( Rat ) 4 h
Ethylbenzene 100-41-4	= 3500 mg/kg ( Rat )	= 15400 mg/kg ( Rabbit )	= 17.2 mg/L ( Rat ) 4 h
Diethylene glycol monomethyl ether 111-77-3	-	= 650 mg/kg ( Rabbit )	-
Toluene 108-88-3	= 2600 mg/kg ( Rat )	= 12000 mg/kg ( Rabbit )	= 12.5 mg/L ( Rat ) 4 h

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (dermal)** 1421 Mg/kg  
**ATEmix (inhalation-dust/mist)** 1.6 mg/l  
**ATEmix (inhalation-vapor)** 12 mg/l

**UNKNOWN ACUTE TOXICITY** 0% of the mixture consists of ingredient(s) of unknown toxicity.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylbenzene 100-41-4	A3	Group 2B		X

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*A3 - Animal Carcinogen.*

*IARC (International Agency for Research on Cancer)*

*Group 2B - Possibly Carcinogenic to Humans.*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

*X - Present.*

**Skin corrosion/irritation** Causes skin irritation  
**Serious eye damage/eye irritation** Not applicable  
**Skin sensitization** Not applicable  
**Respiratory sensitization** Not applicable  
**Germ cell mutagenicity** Not applicable  
**Carcinogenicity** Suspected of causing cancer  
**Reproductive Toxicity** Suspected of damaging fertility or the unborn child

**Product Code 011.0002400**

Page 6 / 9

AGHS - USA OSHA SDS

**Specific target organ toxicity (single exposure)** Not applicable  
**Specific target organ toxicity (repeated exposure)** May cause damage to organs through prolonged or repeated exposure  
**Aspiration hazard** Not applicable

**Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity**  
 Environmental precautions Prevent product from entering drains.

**Persistence and degradability**  
 No information available

**Bioaccumulation**  
 No information available

**Mobility**  
 No information available

**Other adverse effects** No information available

**Section 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Improper disposal or reuse of this container may be dangerous and illegal. Empty containers must be scrapped or reconditioned.

**Section 14: TRANSPORT INFORMATION**

	<u>DOT</u>	<u>IMDG</u>	<u>IATA</u>
14.1 UN/ID no	UN1993	UN1993	UN1993
14.2 Proper shipping name	Flammable liquid, n.o.s. Xylenes Ethylbenzene	Flammable liquid, n.o.s. Xylenes Ethylbenzene	Flammable liquid, n.o.s. Xylenes Ethylbenzene
14.3 Hazard Class	3	3	3
14.4 Packing Group	III	III	III
14.5 Environmental hazard	Not applicable		
14.6 Special Provisions	B1, B52, IB3, T4, TP1, TP29	223, 274, 955	A3
	<b>Emergency Response Guide Number</b> 128	<b>EmS-No</b> F-E, S-E	
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			No information available

**Section 15: REGULATORY INFORMATION**

**International Inventories**  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory All components are listed or exempt from listing  
**DSL** - Canadian Domestic Substances List All components are listed or exempt from listing

**US Federal Regulations**

Chemical Name	SARA 313 - Threshold Values %	Hazardous air pollutants (HAPs) content
Xylenes 1330-20-7 70 - 100	1	Present

Ethylbenzene 100-41-4 10 - 25	0.1	Present
Diethylene glycol monomethyl ether 111-77-3 3 - 5	1	Present
Toluene 108-88-3 1 - 3	1	Present

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	Yes
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xylenes 1330-20-7	100 lb			X
Ethylbenzene 100-41-4	1000 lb	X	X	X
Toluene 108-88-3	1000 lb	X	X	X

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Xylenes 1330-20-7	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Ethylbenzene 100-41-4	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Toluene 108-88-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**US State Regulations**

**Rule 66 status of product**

Photochemically reactive.

**California Proposition 65**

WARNING! This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

**U.S. EPA Label information**

EPA Pesticide registration number Not applicable

**U.S. State Right-to-Know Regulations**

Chemical Name
Xylenes 1330-20-7
Ethylbenzene 100-41-4
Diethylene glycol monomethyl ether 111-77-3
Toluene 108-88-3

**Section 16: OTHER INFORMATION**

**HMIS**

Health hazards

3\*

\* = Chronic Health Hazard

Product Code 011.0002400

Page 8 / 9

AGHS - USA OSHA SDS

**Flammability** 3  
**Physical hazards** 0  
**Personal Protection** X

**Supplier Address**

Valspar Consumer Headquarters	The Valspar Corporation 4999 36th St. Grand Rapids, MI 49512 800-253-3957	Valspar Plasti-Kote 1636 Shawsone Dr. Mississauga, Ontario L4W 1N7 905-671-8333
8725 W. Higgins Rd. Suite 1000 Chicago, IL 60631 773-628-5500		

**Prepared By** Product Stewardship

**Revision date** 23-Jul-2015  
**Revision Note** No information available

**Disclaimer**

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

**End of Safety Data Sheet**



# Material Safety Data Sheet

# ADVANTUS®

12276 San Jose Blvd, Suite 618  
Jacksonville, FL 32223

January, 2008  
1205, 1305, 1405

## SECTION 1: PRODUCT IDENTIFICATION AND EMERGENCY INFORMATION

PRODUCT (TRADE) NAME: Kleen & Dry  
 PRODUCT IDENTIFICATION NUMBER(S): RR1205, RR1305, RR1405  
 CHEMICAL NAME AND SYNONYMS: Isopropyl Alcohol Solution  
 CHEMICAL FORMULA: Predominantly: CH<sub>3</sub>CH(OH)CH<sub>3</sub>  
 EMERGENCY TELEPHONE NUMBERS: Read/Right: (904) 482-0091  
 CHEMTREC (Transportation): (800) 424-9300

## SECTION 2: COMPOSITION AND INFORMATION ON INGREDIENTS

COMPONENT	CAS#	%	OSHA PEL (ppm)	ACGIH TLV(ppm)
Isopropyl Alcohol	67-63-0	30.0	400	400
Ammonium Hydroxide	7664-41-7	0.05	50	25
Alkyl Dimethyl Benzyl Ammonium Chloride	68391-01-5	0.10	NA	100
Alkyl Dimethyl Ethyl Benzyl Ammonium Chloride	68956-79-6	0.10	NA	100
Deionized Water	7732-18-5	69.8	NA	NA

## SECTION 3: HAZARDS IDENTIFICATION

Product is distributed as either a single use, presaturated pad, in an aluminum foil packet or, a plastic dispenser holding up to 50 presaturated applicators. In both cases, all the liquid is absorbed by the applicator(s). Isopropyl alcohol is a flammable liquid. Eye contact will cause local irritation and burning sensations with possible injury if not removed promptly. Repeated or prolonged contact with skin may produce irritation and cause dermatitis. Exposure above TLV may cause irritation of respiratory tract and eyes along with headaches, dizziness and CNS effects. May be harmful if swallowed with ingestion of 20mL causing serious injury.

Carcinogenicity (OSHA/NTP/IARC/ACGIH): None Listed  
 Medical Conditions Aggravated by Exposure: None Listed

## SECTION 4: FIRST AID INFORMATION

EYE CONTACT: Flush with water for 15 minutes, including under eyelids. Get Medical help.  
 SKIN CONTACT: Flush with water.  
 INHALATION: Remove to fresh air. Keep at rest. Restore and/or support breathing as needed. Get prompt Medical attention.  
 INGESTION: In the unlikely event of ingestion of a wiper, first aid measures should focus on removal of the object and preventing choking. Once removed, keep affected person at rest. Call physician immediately.

## SECTION 5: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (TCC): 85°F  
 FLAMMABLE LIMITS (% BY VOLUME): LEL: NA UEL: NA  
 AUTOIGNITION TEMPERATURE °F (°C): NA

EXTINGUISHING MEDIA: Isopropyl alcohol fires may be extinguished using carbon dioxide, dry chemical or alcohol foam. Water may be used to cool containers exposed to the fire.

UNUSUAL FIRE OR EXPLOSION HAZARDS: Isopropyl alcohol may release vapors which may ignite at or above flash point.

NFPA RATING: HEALTH (1)  
 FLAMMABILITY (3)  
 REACTIVITY (0)

Formulation is classified as an OSHA Class IB Flammable Liquid  
 NA = Not Available

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Since the isopropyl alcohol solution is completely absorbed by the applicator and the amount of isopropyl alcohol per applicator is small, the chance of a significant spill occurring is small. In the event however, a significant amount of liquid is released, ventilate the area, especially low areas where vapors may collect and remove all sources of ignition. Cleanup personnel need protection against liquid contact and vapor inhalation.

#### **SECTION 7: HANDLING AND STORAGE**

Store in a clean, cool, ventilated area away from sources of ignition and oxidizing agents. Handle and store in a manner suitable for an OSHA Class IB Flammable Liquid. Electrical services must meet applicable codes. Use non-sparking tools.

#### **SECTION 8: EXPOSURE CONTROL - PERSONAL PROTECTION**

Provide ventilation to maintain TLV. Use non-sparking tools. Avoid inhalation of vapors, contact with eyes and repeated or prolonged contact with skin. Do not take internally.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT (°F(°C)):	195(90.5)	% VOLATILE BY VOLUME @ 25°C:	100
VAPOR PRESSURE (mmHg @ 25°C):	43	EVAPORATION RATE(BUTYL ACETATE=1):	>1
VAPOR DENSITY (AIR=1):	>1	FORM:	Presaturated Pad
% SOLUBLE IN WATER @ 25°C:	100	ODOR:	Alcohol
SPECIFIC GRAVITY0G/CC @25°C)	0.95	APPEARANCE:	Clear Liquid

#### **SECTION 10: STABILITY AND REACTIVITY**

STABILITY:	Stable
HAZARDOUS POLYMERIZATION:	Will not occur
INCOMPATIBILITIES/CONDITIONS TO AVOID:	Caustics, amines, alkanolamines, aldehydes, ammonia, strong oxidizing agents and chlorinated compounds.
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Not Available

#### **SECTION 12: ECOLOGICAL INFORMATION**

Not Available

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Follow Federal, State and Local regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

**DOT CLASSIFICATION:** Not Regulated

Proper Shipping Name:  
Hazard Class:  
UN Number:  
Packing Group:  
Hazard Labeling:

**IATA/ICAO CLASSIFICATION:** Not Regulated

Proper Shipping Name:  
Hazard Class:  
UN Number:  
Packing Group:  
Hazard Labeling:

**IMDG CLASSIFICATION:** Not Regulated

Proper Shipping Name:  
Hazard Class:  
IMDG Page#:  
Packing Group:  
Flash Point (°C):  
Marine Pollutant:

#### **SECTION 15: REGULATORY INFORMATION**

**SARA TITLE III REPORTING:**

Toxic Chemical(Section 313):		Not listed
Extremely Hazardous Substance (Section 302, 304, 311,312):		Not Listed
Hazard Class:	Chronic Health	Yes
	Acute Health	Yes
	Fire Hazard	Yes
	Pressure Hazard	No
	Reactivity Hazard	No

**TSCA INVENTORY STATUS**

All components  
listed are on the  
TSCA inventory

#### **SECTION 16: OTHER INFORMATION**

The information provided herein is compiled from internal reports and data from professional publication. It is furnished without warranty of any kind, expressed or implied. It is intended solely to assist in evaluating suitability and proper use of the material and in implementing safety precautions and procedures. Employers should use this information as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials. All information used must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.

## MATERIAL SAFETY DATA SHEET

**Company Name:** MACCO ADHESIVES  
**Address:** 925 EUCLID AVE.  
**City / State / Zip:** CLEVELAND / OH / 44115  
**US-CHEMTREC Phone(I):** (800)424-9300  
**US-CHEMTREC Phone(II):** (703)527-3887  
**CAN-CANUTEC Phone:** (613)996-6666  
**Vendor Update:** 7/26/2002  
**Date Prepared:** 8/19/2002  
**MSDS Number:** LN601 ;

### I. CHEMICAL PRODUCT IDENTIFICATION

**Product Name:** LIQUID NAILS ADHESIVE  
**HMIS Ratings:**  
**NFPA Ratings:**

### II. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients	C.A.S. Number	% By Weight	ACGIH TLV TWA/STEL	OSHA PEL TWA/STEL	Other TWA/STEL	LD50	LC50
2-METHYLPENTANE	107-83-5	5 - 10	500 PPM C 1000 PPM				
<b>Notes</b>							
LIMESTONE	1317-65-3	20 - 30	10 MG/M <sup>3</sup>	5 MG/M <sup>3</sup>		ORAL RAT: 6450 MG/KG	
<b>Notes</b>							
CLAY (KAOLIN)	1332-58-7	20 - 30	2 MG/M <sup>3</sup>	5 MG/M <sup>3</sup>			
<b>Notes</b>							
QUARTZ	14808-60-7	.1 - 1.0	.05 MG/M <sup>3</sup>	0.1MG/M <sup>3</sup>			
<b>Notes</b>	PRODUCT LISTED AS A CARCINOGENICITY BY NTP: YES IARC: YES 1						
STYRENE BUTADIENE POLYMER (BENZENE, 1,3-DIETHENYL,POLYMER W/1,3-BUTADIENE AND ETHENYL,BENZENE	26471-45-4	5 - 10					
<b>Notes</b>							
LIGHT ALIPHATIC SOLVENT NAPHTHA (PETROLEUM)	64742-89-8	10 - 20		300 PPM		SKIN RABBIT: 3.16 GM/KG ORAL RAT: 5.00 GM/KG	
<b>Notes</b>							
AROMATIC HYDROCARBON RESIN (DISTILLATES (PETROLEUM), STEAM-CRACKED,POLYMERS WITH LIGHT STEAM-CRACKED PETROLEUM NAPHTHA	68410-16-2	10 - 20					
<b>Notes</b>							
2,2 DIMETHYLBUTANE	75-83-2	1 - 5	500 PPM 1000 PPM				



<b>Notes</b>							
2,3 DIMETHYLBUTANE	79-29-8	1 - 5	500 PPM 1000 PPM				
<b>Notes</b>							
STYRENE-BUTADIENE POLYMER (BENZENE, ETHENYL, POLYMER WITH 1.3-BUTADIENE	9003-55-8	1 - 5					
<b>Notes</b>							
3-METHYLPENTANE	96-14-0	1 - 5	500 PPM 1000 PPM				
<b>Notes</b>							

### III. HAZARDS IDENTIFICATION PRIMARY ROUTE OF ENTRY

- Eyes:** IRRITATION OF EYES. PROLONGED OR REPEATED CONTACT CAN CAUSE CONJUNCTIVITIS, BLURRED VISION, TEARING OF EYES, REDNESS OF EYES, SEVERE EYE IRRITATION.
- Skin:** IRRITATION OF SKIN. PROLONGED OR REPEATED CONTACT CAN CAUSE DERMATITIS, DEFATTING.
- Ingestion:** INGESTION MAY LEAD TO LOSS OF APPETITE, MUCOUS MEMBRANE IRRITATION, FATIGUE, DROWSINESS, DIZZINESS AND/OR LIGHTHEADEDNESS, HEADACHE, UNCOORDINATION, NAUSEA, VOMITING, DIARRHEA, GASTRO-INTESTINAL DISTURBANCES, ABDOMINAL PAIN, CENTRAL NERVOUS SYSTEM DEPRESSION, INTOXICATION, DIFFICULTY OF BREATHING, CONVULSIONS, PARALYSIS, CARDIAC FAILURE, DEATH.
- Inhalation:** PROLONGED INHALATION MAY CAUSE LUNG INFLAMMATION AND DAMAGE DUE TO ASPIRATION OF MATERIAL INTO LUNGS, DROWSINESS, DIZZINESS AND/OR LIGHTHEADEDNESS, HEADACHE, UNCOORDINATION, NAUSEA, VOMITING, CENTRAL NERVOUS SYSTEM DEPRESSION, INTOXICATION, ANESTHETIC EFFECT OR NARCOSIS, DIFFICULTY OF BREATHING, CONVULSIONS, LOSS OF CONSCIOUSNESS, DEATH.

#### Signs and Symptoms of Exposure:

### IV. FIRST AID MEASURES

- Eyes:** FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER, ESPECIALLY UNDER LIDS FOR AT LEAST 15 MINUTES. IF IRRITATION OR OTHER EFFECTS PERSIST, OBTAIN MEDICAL TREATMENT.
- Skin:** WASH THOROUGHLY WITH SOAP AND WATER. IF ANY PRODUCT REMAINS, GENTLY RUB PETROLEUM JELLY, VEGETABLE OR MINERAL/BABY OIL ONTO SKIN. REPEATED APPLICATIONS MAY BE NEEDED. REMOVE CONTAMINATED CLOTHING. WASH CONTAMINATED CLOTHING BEFORE RE-USE.
- Ingestion:** IF SWALLOWED, OBTAIN MEDICAL TREATMENT IMMEDIATELY.
- Inhalation:** REMOVE TO FRESH AIR. RESTORE AND SUPPORT CONTINUED BREATHING. GET EMERGENCY MEDICAL ATTENTION. HAVE TRAINED PERSON GIVE OXYGEN IF NECESSARY. GET MEDICAL HELP FOR ANY BREATHING DIFFICULTY.

### V. FIRE FIGHTING MEASURES

**Flash Point:** 1°F (-17°C)

**Lower Flammability Limit:** 1 %

**Upper Flammability Limit:** 7 %

**Extinguishing Agents:** DRY CHEMICAL OR FOAM, WATER FOG, CARBON DIOXIDE.

**Unusual Fire or Explosion Hazards:** CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT OR FIRE. VAPORS MAY IGNITE EXPLOSIVELY AT AMBIENT TEMPERATURES. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL LONG DISTANCES TO A SOURCE OF IGNITION AND FLASH BACK. VAPORS CAN FORM EXPLOSIVE MIXTURES IN AIR AT ELEVATED TEMPERATURES. CLOSED CONTAINERS MAY BURST IF EXPOSED TO EXTREME HEAT OR FIRE. MAY DECOMPOSE UNDER FIRE CONDITIONS EMITTING IRRITANT AND/OR TOXIC GASES.

**Fire Fighting Procedures:** WATER MAY BE USED TO COOL AND PROTECT EXPOSED CONTAINERS. FIREFIGHTERS SHOULD USE FULL PROTECTIVE CLOTHING, EYE PROTECTION, AND SELF-CONTAINED BREATHING APPARATUS.

## VI. ACCIDENTAL RELEASE MEASURES

**Containment/Cleanup:** COMPLY WITH ALL APPLICABLE HEALTH AND ENVIRONMENTAL REGULATIONS. ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA. VENTILATE AREA WITH EXPLOSION-PROOF EQUIPMENT. USE NON-SPARKING TOOLS. EVACUATE ALL UNNECESSARY PERSONNEL. PLACE COLLECTED MATERIAL IN PROPER CONTAINER. COMPLETE PERSONAL PROTECTIVE EQUIPMENT MUST BE USED DURING CLEANUP.  
LARGE SPILLS – SHUT OFF LEAK IF SAFE TO DO SO. DIKE AND CONTAIN SPILL. PUMP TO STORAGE OR SALVAGE VESSELS. USE ABSORBENT TO PICK UP EXCESS RESIDUE. KEEP SALVAGEABLE MATERIAL AND RINSE WATER OUT OF SEWERS AND WATER COURSES.  
SMALL SPILLS – USE ABSORBENT TO PICK UP RESIDUE AND DISPOSE OF PROPERLY.

## VII. HANDLING AND STORAGE

**Other:** STORE BELOW 80°F. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. USE ONLY WITH ADEQUATE VENTILATION. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH SKIN AND EYES, AND BREATHING OF VAPORS. WASH HANDS THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING OR SMOKING. KEEP CONTAINERS TIGHTLY CLOSED AND UPRIGHT WHEN NOT IN USE. EMPTY CONTAINERS MAY CONTAIN HAZARDOUS RESIDUES. GROUND EQUIPMENT WHEN TRANSFERRING TO PREVENT ACCUMULATION OF STATIC CHARGE.

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Respiratory:** CONTROL ENVIRONMENTAL CONCENTRATIONS BELOW APPLICABLE EXPOSURE STANDARDS WHEN USING THIS MATERIAL. WHEN RESPIRATORY PROTECTION IS DETERMINED TO BE NECESSARY, USE A NIOSH/MSHA (CANADIAN Z94.4) APPROVED ELASTOMERIC SEALING-SURFACE FACEPIECE RESPIRATOR OUTFITTED WITH ORGANIC VAPOR CARTRIDGES AND PAINT SPRAY (DUST/MIST) PREFILTERS. DETERMINE THE PROPER LEVEL OF PROTECTION BY CONDUCTING APPROPRIATE AIR MONITORING. CONSULT 29 CFR 1910.134 FOR SELECTION OF RESPIRATORS (CANADIAN Z94.4).

**Engineering:** PROVIDE DILUTION VENTILATION OR LOCAL EXHAUST TO PREVENT BUILD-UP OF VAPORS. USE EXPLOSION-PROOF EQUIPMENT. USE NON-SPARKING EQUIPMENT.

**Other:** PERSONAL PROTECTIVE EQUIPMENT: EYE WASH, SAFETY SHOWERS, SAFETY GLASSES OR GOGGLES. IMPERVIOUS GLOVES, IMPERVIOUS CLOTHING.

#### IX. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** TAN  
**Boiling Point:** 122° – 185°F (50° – 85°C)  
**pH:** NOT AVAILABLE  
**Solubility in Water:** NO  
**Specific Gravity:** 1.132  
**Vapor Pressure:** NOT AVAILABLE  
**Physical State:** PASTE  
**Volatile Content:** % VOLATILE BY VOLUME: 57.58  
**Other:** WEIGHT PER GALLON: 9.43/11.32 IMP

#### X. STABILITY AND REACTIVITY

**Stability:** STABLE UNDER NORMAL CONDITIONS.

**Hazardous Polymerization:** WILL NOT OCCUR

**Hazardous Decomposition Products:** CARBON MONOXIDE, CARBON DIOXIDE, TOXIC GASES. OXIDES OF CALCIUM.

**Incompatible Products:** OXIDIZERS, ACIDS. STYRENE MONOMER.

**Conditions To Avoid:** ELEVATED TEMPERATURES, CONTACT WITH OXIDIZING AGENTS, SPARKS, OPEN FLAME, IGNITION SOURCES.

#### XI. TOXICOLOGICAL INFORMATION

**Component Toxicology Information:** CONTAINS A CHEMICAL THAT MAY BE ABSORBED THROUGH SKIN. NOTICE – REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL. OTHER EFFECTS OF OVEREXPOSURE MAY INCLUDE TOXICITY TO CENTRAL NERVOUS SYSTEM.

**Special Hazard Information:** CONTAINS CRYSTALLINE SILICA WHICH IS CONSIDERED A HAZARD BY INHALATION. IARC HAS CLASSIFIED CRYSTALLINE SILICA AS CARCINOGENIC TO HUMANS (GROUP 1). CRYSTALLINE SILICA IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE. THE NATIONAL TOXICOLOGY PROGRAM (NTP) HAS CLASSIFIED CRYSTALLINE SILICA AS A KNOWN HUMAN CARCINOGEN.

**Other:** NO REPRODUCTIVE/MUTAGENIC/TERATOGENIC EFFECTS ARE ANTICIPATED.

#### XII. ECOLOGICAL INFORMATION

**Environmental Fate and Distribution:** NO ECOLOGICAL TESTING HAS BEEN DONE ON THIS PRODUCT AS A WHOLE.

#### XIII. DISPOSAL CONSIDERATIONS

**Disposal Method:** DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS.

**XIV. TRANSPORT INFORMATION**

**D.O.T. Shipping Name:** ADHESIVES, 3, UN1133, PGIII  
**Other:** IMDG: ADHESIVES, CLASS 3, UN1133, PGIII, LIMITED QUANTITY.  
 ADHESIVES, CLASS 3, UN1133, PGIII  
 IATA: CONSUMER COMMODITY, 9, ID8000  
 TDG: NOT AVAILABLE.

**XV. REGULATORY INFORMATION**

**TSCA Status:** AS OF THE DATE OF THIS MSDS, ALL OF THE COMPONENTS IN THIS PRODUCT ARE LISTED (OR ARE OTHERWISE EXEMPT FROM LISTING) ON THE TSCA INVENTORY.

**EPA Sara Title III Chemical Listings:** SARA SECTION 302, 313; CERCLA 302.4; HAZ AIR POLLUTANT; MARINE POLLUTANT:  
 THIS PRODUCT CONTAINS NO SARA, CERCLA OR HAZARDOUS AIR POLLUTANT CHEMICALS. IT ALSO CONTAINS NO CHEMICALS WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS UNDER SARA 313.

**Other:** THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR (CONTROLLED PRODUCTS REGULATIONS) AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

**XVI. OTHER INFORMATION****WARRANTY INFORMATION**

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER THEY ARE APPROPRIATE.

# MATERIAL SAFETY DATA SHEET

## Poli-Kleen Wax Polish

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Poli-Kleen Wax Polish  
**Product Number:** A00136  
**Product Use:** Polishing wax.  
**Manufacturer/Supplier:** Waxie Sanitary Supply  
9353 Waxie Way  
San Diego, CA 92193-1036  
**Phone Number:** 1-800-995-4466  
**D.O.T. Emergency Phone:** 1-800-255-3924 CHEMTEL 24 HR  
**Date of Preparation:** August 29, 2012 **Revision #:** 2.0

### Section 2: HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**HMIS:** See Section 15

#### CAUTION

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

**Potential Health Effects:** See Section 11 for more information.

**Likely Routes of Exposure:** Skin contact, eye contact, inhalation, and ingestion.

**Eye:** May cause eye irritation.

**Skin:** May cause skin irritation.

**Ingestion:** Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

**Inhalation:** May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

**Chronic Effects:** Prolonged or repeated contact may dry skin and cause irritation.

**Signs and Symptoms:** Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Handling can cause dry skin.

**Medical Conditions Aggravated By Exposure:** Asthma. Allergies.

**Target Organs:** Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Potential Environmental Effects:** May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

### Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS #	Wt. %
Distillates (petroleum), hydrotreated light	64742-47-8	5 - 10
Isobutane	75-28-5	1 - 5
Propane	74-98-6	1 - 5
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	0.1 - 1
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	0.1 - 1

# MATERIAL SAFETY DATA SHEET

## Poli-Kleen Wax Polish

### Section 4: FIRST AID MEASURES

- Eye Contact:** In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses, if worn.
- Skin Contact:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
- Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
- Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
- General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).
- Note to Physicians:** Symptoms may not appear immediately.

### Section 5: FIRE FIGHTING MEASURES

- Flammability:** Not flammable by OSHA criteria.
- Means of Extinction:**
- Suitable Extinguishing Media:** Powder, foam, carbon dioxide.
  - Unsuitable Extinguishing Media:** Water.
- Products of Combustion:** May include, and are not limited to: oxides of carbon.
- Explosion Data:**
- Sensitivity to Mechanical Impact:** Not available.
  - Sensitivity to Static Discharge:** Not available.
- Protection of Firefighters:** Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

### Section 6: ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.
- Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.
- Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for Clean-Up:** Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.
- Other Information:** Not available.

# MATERIAL SAFETY DATA SHEET

## Poli-Kleen Wax Polish

### Section 7: HANDLING AND STORAGE

**Handling:**

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

**Storage:**

Keep out of the reach of children. Do not store at temperatures above 49 °C / 120 °F.

### Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines**

Ingredient	Exposure Limits	
	OSHA-PEL	ACGIH-TLV
Distillates (petroleum), hydrotreated light	100 ppm	200 mg/m <sup>3</sup>
Isobutane	Not available.	1000 ppm
Propane	1000 ppm	1000 ppm
Distillates (petroleum), hydrotreated light naphthenic	5 mg/m <sup>3</sup> (mist)	5 mg/m <sup>3</sup> (mist)
Distillates (petroleum), hydrotreated heavy naphthenic	5 mg/m <sup>3</sup> (mist)	5 mg/m <sup>3</sup> (mist)

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

**Personal Protective Equipment:**

**HMIS:** See Section 15

**Eye/Face Protection:** Wear eye/face protection.

**Hand Protection:** Wear suitable gloves.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

**General Hygiene Considerations:** Handle according to established industrial hygiene and safety practices.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Opaque.
<b>Colour:</b>	White.
<b>Odour:</b>	Lemon.
<b>Odour Threshold:</b>	Not available.
<b>Physical State:</b>	Gas/Pressurized Liquid.
<b>pH:</b>	9-11
<b>Viscosity:</b>	Not available.
<b>Freezing Point:</b>	Not available.
<b>Boiling Point:</b>	Not available.
<b>Flash Point:</b>	Not available.
<b>Evaporation Rate:</b>	< 1 (Water = 1)
<b>Lower Flammability Limit:</b>	Not available.
<b>Upper Flammability Limit:</b>	Not available.

# MATERIAL SAFETY DATA SHEET

## Poli-Kleen Wax Polish

<b>Vapor Pressure:</b>	Not available.
<b>Vapor Density:</b>	Not available.
<b>Specific Gravity:</b>	0.972 (Concentrate only)
<b>Solubility in Water:</b>	Not available.
<b>Coefficient of Water/Oil Distribution:</b>	Not available.
<b>Auto-ignition Temperature:</b>	Not available.
<b>Percent Volatile, wt. %:</b>	Not available.
<b>VOC content, wt. %:</b>	7.2% (US federal/CARB/OTC/LADCO)
<b>VOC content, g/L:</b>	Not available.

### Section 10: STABILITY AND REACTIVITY

**Stability:** Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

**Conditions of Reactivity:** Heat. Incompatible materials.

**Incompatible Materials:** Oxidizers.

**Hazardous Decomposition Products:** May include, and are not limited to: oxides of carbon.

**Possibility of Hazardous Reactions:** No dangerous reaction known under conditions of normal use.

### Section 11: TOXICOLOGY INFORMATION

#### EFFECTS OF ACUTE EXPOSURE

##### Component Analysis

<b>Ingredient</b>	<b>LD<sub>50</sub> (oral)</b>	<b>LC<sub>50</sub></b>
Distillates (petroleum), hydrotreated light	> 5000 mg/kg, rat	> 5.2 mg/L 4hr, rat
Isobutane	Not available.	658 mg/L 4hr, rat
Propane	Not available.	658 mg/L 4hr, rat
Distillates (petroleum), hydrotreated light naphthenic	> 5000 mg/kg, rat	2.18 mg/L 4hr, rat
Distillates (petroleum), hydrotreated heavy naphthenic	> 5000 mg/kg, rat	> 5.0 mg/L 4hr, rat

**Eye:** May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

**Skin:** May cause skin irritation. Handling can cause dry skin.

**Ingestion:** Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

**Inhalation:** May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

#### EFFECTS OF CHRONIC EXPOSURE

**Target Organs:** Not available.

**Chronic Effects:** Not hazardous by OSHA criteria.

**Carcinogenicity:** Not hazardous by OSHA criteria.



# MATERIAL SAFETY DATA SHEET

## Poli-Kleen Wax Polish

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen *
Distillates (petroleum), hydrotreated light	Not listed.
Isobutane	Not listed.
Propane	Not listed.
Distillates (petroleum), hydrotreated light naphthenic	Not listed.
Distillates (petroleum), hydrotreated heavy naphthenic	Not listed.

\* See Section 15 for more information.

**Mutagenicity:** Not hazardous by OSHA criteria.

**Reproductive Effects:** Not hazardous by OSHA criteria.

**Developmental Effects:**

**Teratogenicity:** Not hazardous by OSHA criteria.

**Embryotoxicity:** Not hazardous by OSHA criteria.

**Respiratory Sensitization:** Not hazardous by OSHA criteria.

**Skin Sensitization:** Not hazardous by OSHA criteria.

**Toxicologically Synergistic Materials:** Not available.

### Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** May cause long-term adverse effects in the aquatic environment.

**Persistence / Degradability:** Not available.

**Bioaccumulation / Accumulation:** Not available.

**Mobility in Environment:** Not available.

### Section 13: DISPOSAL CONSIDERATIONS

**Disposal Instructions:**

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

### Section 14: TRANSPORTATION INFORMATION

**DOT Classification**

ORM-D, Limited Quantity

### Section 15: REGULATORY INFORMATION

**Federal Regulations**

**US:** MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

**SARA Title III**

Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Distillates (petroleum), hydrotreated light	Not listed.	Not listed.	Not listed.	Not listed.
Isobutane	Not listed.	Not listed.	Not listed.	Not listed.
Propane	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum), hydrotreated light naphthenic	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum), hydrotreated heavy naphthenic	Not listed.	Not listed.	Not listed.	Not listed.

# MATERIAL SAFETY DATA SHEET

## Poli-Kleen Wax Polish

### State Regulations

#### California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

### Global Inventories

Ingredient	USA TSCA
Distillates (petroleum), hydrotreated light	Yes.
Isobutane	Yes.
Propane	Yes.
Distillates (petroleum), hydrotreated light naphthenic	Yes.
Distillates (petroleum), hydrotreated heavy naphthenic	Yes.

### HMIS - Hazardous Materials Identification System

Health - 2      Flammability - 2      Physical Hazard - 0      PPE – B

### NFPA - National Fire Protection Association:

Health - 2      Fire - 2      Reactivity - 0

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

**OSHA (O)** Occupational Safety and Health Administration.

**ACGIH (G)** American Conference of Governmental Industrial Hygienists.

- A1 - Confirmed human carcinogen.
- A2 - Suspected human carcinogen.
- A3 - Animal carcinogen.
- A4 - Not classifiable as a human carcinogen.
- A5 - Not suspected as a human carcinogen.

**IARC (I)** International Agency for Research on Cancer.

- 1 - The agent (mixture) is carcinogenic to humans.
- 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
- 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
- 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

**NTP (N)** National Toxicology Program.

- 1 - Known to be carcinogens.
- 2 - Reasonably anticipated to be carcinogens.

### Section 16: OTHER INFORMATION

#### Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Nexreg Compliance Inc.

**Prepared for:** Waxie Sanitary Supply  
1-800-995-4466



**PURELL® Hand Sanitizer**

Version 1.2      Revision Date: 03/19/2015      MSDS Number: 46955-00003      Date of last issue: 02/10/2015  
Date of first issue: 01/13/2015

---

**SECTION 1. IDENTIFICATION**

Product name : PURELL® Hand Sanitizer

**Manufacturer or supplier's details**

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500  
Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

**Recommended use of the chemical and restrictions on use**

Recommended use : Hand Sanitizer

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Eye irritation : Category 2A

**GHS Label element**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.  
H319 Causes serious eye irritation.


**PURELL® Hand Sanitizer**

Version 1.2      Revision Date: 03/19/2015      MSDS Number: 46955-00003      Date of last issue: 02/10/2015  
 Date of first issue: 01/13/2015

Precautionary Statements : **Prevention:**  
 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 P233 Keep container tightly closed.  
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
 P242 Use only non-sparking tools.  
 P243 Take precautionary measures against static discharge.  
 P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
**Storage:**  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

Vapors may form explosive mixture with air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
 Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

---

- Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.
- 

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.
-


**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

---

Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.  
Use only in an area equipped with explosion proof exhaust ventilation.

Advice on safe handling : Do not breathe vapors or spray mist.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice.  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## PURELL® Hand Sanitizer

Version 1.2      Revision Date: 03/19/2015      MSDS Number: 46955-00003      Date of last issue: 02/10/2015  
 Date of first issue: 01/13/2015

Organic peroxides  
 Flammable solids  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Substances and mixtures which in contact with water emit flammable gases  
 Explosives  
 Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m <sup>3</sup>	NIOSH REL
		ST	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA Z-1

## Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

**Engineering measures** : Minimize workplace exposure concentrations.  
 Use only in an area equipped with explosion proof exhaust ventilation.  
 Use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

---

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

- Hand protection
- Material : Impervious gloves
- Material : Flame retardant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:  
Safety goggles
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
Flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : clear, Colorless to pale yellow
- Odor : citrus
- Odor Threshold : No data available
- pH : 6.0 - 9.2
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available



**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

---

Flash point	:	25 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	0.89 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity		
Viscosity, kinematic	:	1,000 - 35,000 mm <sup>2</sup> /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**PURELL® Hand Sanitizer**

Version 1.2      Revision Date: 03/19/2015      MSDS Number: 46955-00003      Date of last issue: 02/10/2015  
Date of first issue: 01/13/2015

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Ingredients:****Ethanol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
  
Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

**Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
  
Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Result: No skin irritation

**Ingredients:****Ethanol:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

**Propan-2-ol:**

Species: Rabbit  
Result: No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Ingredients:**

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

---

**Ethanol:**

Species: Rabbit  
 Result: Irritation to eyes, reversing within 21 days  
 Method: OECD Test Guideline 405

**Propan-2-ol:**

Species: Rabbit  
 Result: Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitization**

Skin sensitization: Not classified based on available information.  
 Respiratory sensitization: Not classified based on available information.

**Product:**

Assessment: Does not cause skin sensitization.

**Ingredients:****Ethanol:**

Test Type: Local lymph node assay (LLNA)  
 Routes of exposure: Skin contact  
 Species: Mouse  
 Result: negative

**Propan-2-ol:**

Test Type: Buehler Test  
 Routes of exposure: Skin contact  
 Species: Guinea pig  
 Method: OECD Test Guideline 406  
 Result: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Ingredients:****Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

**Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
 cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

**PURELL® Hand Sanitizer**

Version 1.2      Revision Date: 03/19/2015      MSDS Number: 46955-00003      Date of last issue: 02/10/2015  
 Date of first issue: 01/13/2015

---

**Carcinogenicity**

Not classified based on available information.

**Ingredients:****Propan-2-ol:**

Species: Rat

Application Route: inhalation (vapor)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Ingredients:****Ethanol:**

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
 Species: Mouse  
 Application Route: Ingestion  
 Method: OECD Test Guideline 416  
 Result: negative

**Propan-2-ol:**

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development

: Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**STOT-single exposure**

Not classified based on available information.

**Ingredients:****Propan-2-ol:**

Assessment: May cause drowsiness or dizziness.


**PURELL® Hand Sanitizer**

Version 1.2      Revision Date: 03/19/2015      MSDS Number: 46955-00003      Date of last issue: 02/10/2015  
 Date of first issue: 01/13/2015

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity**
**Ingredients:**
**Ethanol:**

Species: Rat  
 NOAEL: 2,400 mg/kg  
 Application Route: Ingestion  
 Exposure time: 2 y

**Propan-2-ol:**

Species: Rat  
 NOAEL: 5000 ppm  
 Application Route: inhalation (vapor)  
 Exposure time: 104 w  
 Method: OECD Test Guideline 413

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION**
**Ecotoxicity**
**Ingredients:**
**Ethanol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h

**Propan-2-ol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to algae	: ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l


**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

---

Exposure time: 8 d

Toxicity to bacteria : EC50 (*Pseudomonas putida*): > 1,050 mg/l  
Exposure time: 16 h

**Persistence and degradability**
**Ingredients:**
**Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

**Propan-2-ol:**

Biodegradability : Result: rapidly degradable

**Bioaccumulative potential**
**Ingredients:**
**Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

**Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS**
**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not burn, or use a cutting torch on, the empty drum.

---

**SECTION 14. TRANSPORT INFORMATION**
**International Regulation**
**UNRTDG**

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

---

(Ethanol, Propan-2-ol)

Class : 3  
Packing group : III  
Labels : 3

**IATA-DGR**

UN/ID No. : UN 1987  
Proper shipping name : Alcohols, n.o.s.  
(Ethanol, Propan-2-ol)

Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(Ethanol, Propan-2-ol)

Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.

Class : 3  
Packing group : III  
Labels : FLAMMABLE LIQUID  
ERG Code : 127  
Marine pollutant : no

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard


**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

---

**Acute Health Hazard**

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Propan-2-ol	67-63-0	3.013 %
-------------	---------	---------

**US State Regulations**
**Pennsylvania Right To Know**

Ethanol	64-17-5	50 - 70 %
Water	7732-18-5	30 - 50 %
Propan-2-ol	67-63-0	1 - 5 %

**New Jersey Right To Know**

Ethanol	64-17-5	50 - 70 %
Water	7732-18-5	30 - 50 %
Propan-2-ol	67-63-0	1 - 5 %

**California Prop 65** This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**The ingredients of this product are reported in the following inventories:**

AICS : All ingredients listed or exempt.


**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



**PURELL® Hand Sanitizer**

Version 1.2      Revision Date: 03/19/2015      MSDS Number: 46955-00003      Date of last issue: 02/10/2015  
 Date of first issue: 01/13/2015

**SECTION 16. OTHER INFORMATION**
**Further information**
**NFPA:**

**HMIS III:**

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	: 8-hour time weighted average

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

MATERIAL SAFETY DATA SHEET

Page 1 of 4

MSDS # 121660002

**RAID® FLYING INSECT KILLER**

Date Issued: 16Jan2007

Supersedes: 16Jan2004

US MANUFACTURER:

S.C. Johnson & Son, Inc.  
 Phone: (800) 725-6737  
 Racine, Wisconsin 53403-2236  
 Emergency Phone: (866) 231-5406  
 International Emergency Phone:  
 (952) 852-4647

CANADIAN MANUFACTURER:

S.C. Johnson and Son, Limited  
 Phone: (800) 725-6737  
 1 Webster Street  
 Brantford, Ontario N3T 5R1  
 Transportation Emergency:  
 CANUTEC (collect) (613) 996-6666  
 Poison Control: (866) 231-5406

HAZARD RATING	HMSIS	HAZARD	NFPA
4-Very High	1	Health	1
3-High	4	Flammability	4
2-Moderate	0	Reactivity	0
1-Slight		Special	
0-Insignificant			

DISTRIBUTED IN CANADA BY:

S.C. Johnson and Son, Limited  
 Phone: (800) 725-6737  
 1 Webster Street  
 Brantford, Ontario N3T 5R1

SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME..... RAID® FLYING INSECT KILLER  
 PRODUCT USE..... Insecticide

UPC	SCJ CODE	QUANTITY	US SIZE	CANADIAN SIZE
62300 01735	61049	12		350 gm

SECTION 2 - INGREDIENT INFORMATION

INGREDIENT	WEIGHT%	EXPOSURE LIMIT/TOXICITY
Tetramethrin (CAS# 7696-12-0).....	0.07	NOT ESTABLISHED
D-cis, trans allethrin (CAS# 584-79-2).....	0.14	NOT ESTABLISHED LD50: 900 mg/kg (oral-rat) ; 2,660 mg/kg (dermal-rabbit) LC50: ; >3,875 mg/m3 (inhalation-rat)
Piperonyl butoxide (CAS# 51-03-6).....	1.0	NOT ESTABLISHED LD50: 6,150 mg/kg (oral-rat)
N-octyl bicycloheptene dicarboximide..... (CAS# 113-48-4)	1.0	NOT ESTABLISHED LD50: 4,980 mg/kg (oral-rat) ; >2,000 mg/kg (dermal-rabbit) LC50: 4.08 mg/l (rat)
Propane (CAS# 74-98-6).....	3-7	1000 ppm OSHA PEL , 2500 ppm ACGIH TWA
Isobutane (CAS# 75-28-5).....	20-30	NOT ESTABLISHED
Water (CAS# 7732-18-5).....	60-80	NOT ESTABLISHED

SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)

ROUTE(S) OF ENTRY..... Inhalation.

EFFECTS OF ACUTE EXPOSURE:

EYE..... May cause: Mild eye irritation.  
 SKIN..... None known.  
 INHALATION..... None known.  
 INGESTION..... May be harmful if swallowed.

MEDICAL CONDITIONS..... None known.

GENERALLY RECOGNIZED  
 AS BEING AGGRAVATED  
 BY EXPOSURE

MATERIAL SAFETY DATA SHEET

RAID® FLYING INSECT KILLER

Date Issued: 16Jan2007

Supersedes: 16Jan2004

SECTION 4 - FIRST AID MEASURES

EYE CONTACT... Rinse with plenty of water. If irritation persists, get medical attention.
SKIN CONTACT... Wash contaminated area with water and soap.
INHALATION... No special requirements.
INGESTION... Seek immediate medical attention.

SECTION 5 - FIRE AND EXPLOSION INFORMATION

FLASH POINT... < 20°F (< -7°C) (TCC) (propellant)
FLAMMABLE LIMITS... Not available.
AUTOIGNITION... Not available.
TEMPERATURE
EXTINGUISHING MEDIA... Foam. CO2. Dry chemical. Water fog.
SPECIAL FIREFIGHTING... Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Fire fighters should wear self-contained breathing apparatus and protective clothing.
UNUSUAL FIRE AND... Aerosol product - Containers may rocket or explode in heat of EXPLOSION HAZARDS fire.

SECTION 6 - PREVENTIVE RELEASE MEASURES

STEPS TO BE TAKEN IN... Dike large spills. Absorb with oil-dri or similar inert CASE MATERIAL IS material. Sweep or scrape up and containerize. RELEASED OR SPILLED

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONARY... Keep out of reach of children. Cover fish bowls and remove INFORMATION animals for one hour when spraying rooms in the home, lawn or garden area, barn or stable. Avoid inhalation. Cover food and food utensils. Do not apply to humans or animals. Use with caution around young plants and new growth. CONTENTS UNDER PRESSURE. Do not use near open fire, flames or heat. Do not puncture or incinerate. Do not store at temperatures above 120 °F (50 °C). Ventilate enclosed areas before returning.
OTHER HANDLING AND... Keep from freezing. STORAGE CONDITIONS

SECTION 8 - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION. If ventilation is adequate, respiratory protection not required.
VENTILATION... General room ventilation adequate.
PROTECTIVE GLOVES... No special requirements under normal use conditions.
EYE PROTECTION... No special requirements under normal use conditions.
OTHER PROTECTIVE... If major exposure is possible to eyes/skin, wear/use appropriate MEASURES protective equipment.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

COLOR... Opaque
PRODUCT STATE... Dispensed as a spray mist.
ODOR... Pleasant
pH... Not available.

MATERIAL SAFETY DATA SHEET

Page 3 of 4

MSDS # 121660002

**RAID® FLYING INSECT KILLER**

Date Issued: 16Jan2007

Supersedes: 16Jan2004

----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued) -----

ODOR THRESHOLD..... Not available.  
SOLUBILITY IN WATER.... Appreciable  
SPECIFIC GRAVITY..... 0.804  
(H2O=1)  
VAPOR DENSITY (AIR=1).. Not available.  
EVAPORATION RATE (BUTYL ACETATE=1) Not available.  
VAPOR PRESSURE (mm HG). Not available.  
BOILING POINT..... Not available.  
FREEZING POINT..... Not available.  
COEFFICIENT OF..... Not available.  
WATER/OIL  
PERCENT VOLATILE BY.... Not available.  
VOLUME (%)  
VOLATILE ORGANIC..... Not available.  
COMPOUND (VOC)  
THEORETICAL VOC..... Not available.  
(LB/GAL)

----- SECTION 10 - STABILITY AND REACTIVITY -----

STABILITY..... Stable  
STABILITY - CONDITIONS. None known.  
TO AVOID  
INCOMPATIBILITY..... None known.  
HAZARDOUS DECOMPOSITION PRODUCTS When exposed to fire: Produces normal products of combustion.  
HAZARDOUS..... Will not occur.  
POLYMERIZATION  
HAZARDOUS..... None known.  
POLYMERIZATION -  
CONDITIONS TO AVOID

----- SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) -----

LD50 (ACUTE ORAL TOX).. Greater than 5000 mg/kg (rats)  
LD50 (ACUTE DERMAL TOX) Estimated to be greater than 2000 mg/kg.  
LC50 (ACUTE INHALATION TOX) Not available.  
EFFECTS OF CHRONIC..... None known.  
EXPOSURE  
SENSITIZATION..... None known.  
CARCINOGENICITY..... None known.  
REPRODUCTIVE TOXICITY.. None known.  
TERATOGENICITY..... None known.  
MUTAGENICITY..... None known.

----- SECTION 12 - ECOLOGICAL INFORMATION -----

ENVIRONMENTAL DATA.... Not available.

MATERIAL SAFETY DATA SHEET

RAID® FLYING INSECT KILLER

Date Issued: 16Jan2007

Supersedes: 16Jan2004

----- SECTION 13 - DISPOSAL CONSIDERATIONS -----

WASTE DISPOSAL..... If possible, recycle empty aerosol can to nearest steel  
INFORMATION recycling center. Use up package or give to someone who can.

----- SECTION 14 - TRANSPORTATION INFORMATION -----

US DOT INFORMATION..... Please refer to the Bill of Lading/receiving documents for  
up-to-date shipping information.  
CANADIAN SHIPPING NAME. RAID® FLYING INSECT KILLER  
TDG CLASSIFICATION..... Not applicable.  
PIN/NIP..... Not applicable.  
PACKING GROUP..... Not applicable.  
EXEMPTION NAME..... Consumer commodity

----- SECTION 15 - REGULATORY INFORMATION -----

WHMIS CLASSIFICATION... REGULATED UNDER P.C.P. #16063

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic  
Substances Control Act (TSCA) Chemical Substance Inventory.

All ingredients in this product comply with the New Substances Notification requirements  
under the Canadian Environmental Protection Act (CEPA).

This product is not subject to the reporting requirements under California's Proposition 65.

----- SECTION 16 - OTHER INFORMATION -----

ADDITIONAL INFORMATION. NFPA 30B Level 1 Aerosol.  
EPA REGISTRATION #..... 4822-284

----- PREPARATION INFORMATION -----

PREPARED BY..... Manufacturer's Technical Support Department. Refer to page 1  
(Manufacturer) for contact information.

This document has been prepared using data from sources considered technically reliable.  
It does not constitute a warranty, express or implied, as to the accuracy of the  
information contained herein. Actual conditions of use and handling are beyond seller's  
control. User is responsible to evaluate all available information when using product for  
any particular use and to comply with all Federal, State, Provincial and Local laws and  
regulations.

PRINT DATE: 08Apr2007

Sanford Corporation  
2740 Washington Blvd.  
Bellwood, IL 60104

Telephone No: 1-800-323-0749  
Date of Last Revision: January 2, 2003  
Medical Emergency No: 1-800-228-5635

**Section 1 - Product Identification**

Product Name: Roll-On Stamp Pad Inker  
Colors: Black, Blue, Brown, Green, Red, Violet

**Section 2 - Composition**

Dyes, water, glycerine (56-81-5), diethylene glycol (111-46-6), polyethylene glycol (25322-68-3)

**Section 3 - Physical / Chemical Characteristics**

**For glycerine:**  
Boiling Point: Greater than 550°F at 760 mm Hg  
Vapor Pressure (mm Hg): Less than 0.1 mm Hg at 72°F  
Specific Gravity: 1.2 - 1.3 at 22°C  
Solubility in Water: Complete  
Appearance / Odor: Water white, clear liquid, bland odor  
Evaporation Rate: Not available

**Section 4 - Fire and Explosion Hazard Data**

Flash Point (Method Used): Greater than 390°F (PMCC)  
Flammability Limits (% by volume): Lower: Not available Upper: Not available  
Extinguishing Medium: N/A  
Special Fire Fighting Procedures: N/A  
Unusual Fire and Explosion Hazards: N/A

**Section 5 - Reactivity Data**

Stability: Stable  
Conditions to Avoid: Not available  
Chemical Incompatibility: Not available  
Hazardous Decomposition: Not available  
Hazardous Polymerization: Will not occur

**Section 6 - Health Hazard Data**

Chemical Listed as Carcinogen or Potential Carcinogen:

IARC Monographs: No  
National Toxicology Program: No  
OSHA Regulated: No

The product is considered safe when used under normal use conditions.

**Section 7 - Precautions for Safe Handling and Use**

Steps to be Taken in Case Material is Released or Spilled: Wipe up with absorbent material.  
Waste Disposal Method: Dispose in accordance with Federal, State, and Local Regulations.  
Precautions to be Taken in Handling and Storing: Do not squeeze bottle. Keep cap on bottle when not in use.  
Other Precautions: None

**Section 8 - Personal Protection and Exposure Control Measures**

Eye Protection: None under normal use conditions.  
Skin Protection: None under normal use conditions.  
Respiratory Protection: None under normal use conditions.  
Ventilation: None under normal use conditions.  
Protective Clothing: None under normal use conditions.

HMIS Code	
Health	1
Flammability	0
Reactivity	0
Personal Protection	N/A

0 = Minimal / 4 = Severe Hazard

Sanford Corporation has been advised by council that the OSHA Hazard Communication Standard does not apply to the Sanford Product described in this MSDS. The reason for the exemption is contained in 29 CFR Part 1910.1200 (b) (6) (ix), as amended July 1, 1994 per the Code of Federal Regulations. The information contained in this MSDS is forwarded to you for your information but is not meant to imply that the product is covered by the Hazard Communication Standard nor is the MSDS meant to comply with all requirements of the Hazard Communication Standard.

MICROPORE, INC.

1480 Gould Drive  
Cookeville, TN 38501  
Phone (615)-432-4134  
FAX (615)-432-4732  
24 Hour Emergency (CHEMTREC) 1-800-424-9300

MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT IDENTIFICATION

Product Identity: Self-inking pads and stamps - Black  
Product Code(s): Formlbs  
MSDS Number: NA  
MSDS Revision Date: February 2, 1995  
MSDS Prepared By: Tammy Herman

SECTION 2: HAZARDOUS INGREDIENTS INFORMATION

The components listed below are identified as hazardous under the criteria of the OSHA Hazard Communication Standard (29 CFR 1910.1200)

COMPONENT	Wt %	CAS #	OSHA/PEL	ACGIH/TLV
: Diethylene Glycol	25-30% ink	: 111-46-6	: NE	: NE
: Urea	1-5% ink	: 57-13-6	: NE	: NE
:	:	:	:	:
:	:	:	:	:
:	:	:	:	:
:	:	:	:	:
: Ink is water-based	:	:	:	:

NE = Not Established      NA = Not Applicable

Subject to CERCLA Sect. 304

Subject to Sect. 302 of SARA Title III

Subject to Sect. 313 of SARA Title III

Listed as a "marine pollutant" in Appendix B 49 CFR 172.101

: Toxicity not established for product. Contains trace amounts of Ethylene  
: Oxide and 1,4-Dioxane (Proposition 65).

SECTION 3: PHYSICAL DATA

Appearance and odor: Black pad with mild odor  
Specific Gravity: NA  
Boiling Point (degrees F): NA  
Vapor Pressure: NA  
Vapor Density: NA  
Solubility in Water: NA  
Evaporation Rate (Butyl Acetate = 1): Slower



SECTION 4: FIRE AND EXPLOSION HAZARD DATA

Flash Point (degrees F): NA :  
Explosive Limits LEL: NA UEL: NA  
Extinguishing Media FOAM: XX CARBON DIOXIDE: XX DRY CHEMICAL: XX  
Firefighting Procedures: Firefighters should wear positive pressure self-  
: contained breathing apparatus and full protective clothing  
Unusual Fire and Explosion Hazards: None

SECTION 5: REACTIVITY DATA

Stability: Stable  
Hazardous Polymerization: Will not occur  
Conditions to Avoid: None noted  
Materials to Avoid: None noted  
Hazardous Decomposition Products: Oxides of Carbon and Nitrogen  
:

SECTION 6: HEALTH HAZARD DATA

Route(s) of Exposure: Skin, inhalation  
Effects of Acute Overexposure  
Ingestion: May cause gastrointestinal irritation, nausea, vomiting  
Inhalation: May cause irritation of nasal and respiratory passages  
Skin: May cause irritation  
Eyes: May cause irritation  
Long term exposure may result in: Unknown  
Toxicity: Not Established

EMERGENCY AND FIRST AID PROCEDURES

Ingestion: Contact a Physician  
Skin: Thoroughly wash exposed area with plenty of soap and water. Apply a  
skin cream if irritated. If irritation persists, consult a physician.  
Inhalation: Move victim to fresh air. If victim is conscious but not  
breathing, give artificial respiration. Seek medical attention.  
Eyes: Thoroughly flush eyes with large amounts of water. Seek medical  
attention if symptoms persist.

SECTION 7: SPILL OR LEAK PROCEDURES

Steps to be taken if material is released or spilled: Contain spill with  
rags or dry absorbent. Wearing rubber gloves, use a suitable cleaner to  
remove any ink residue. Discard waste observing local, state, and federal  
regulations.  
Waste disposal method: Observe local, state, and federal regulations.  
:

SECTION 8: SPECIAL PROTECTION INFORMATION

Respiratory: None required under normal use  
Ventilation: None required under normal use  
:  
Protective gloves: None required under normal use  
Eye protection: None required under normal use

SANFORD -- 58701, STAMP PAD INK, 2 OZ BLACK - INK  
MATERIAL SAFETY DATA SHEET  
SANFORDNSN: 7510013167516  
Manufacturer's CAGE: 86874  
Part No. Indicator: A  
Part Number/Trade Name: 58701, STAMP PAD INK, 2 OZ BLACK

=====  
General Information  
=====

Item Name: INK  
Company's Name: SANFORD CORPORATION  
Company's Street: 2740 WASHINGTON BLVD  
Company's City: BELLWOOD  
Company's State: IL  
Company's Zip Code: 60104  
Company's Emerg Ph #: (800) 228-5635  
Company's Info Ph #: (800) 228-5635  
Record No. For Safety Entry: 001  
Tot Safety Entries This Stk#: 001  
Date MSDS Prepared: 16FEB88  
Safety Data Review Date: 23AUG91  
Preparer's Company: SANFORD CORPORATION  
Preparer's St Or P. O. Box: 2740 WASHINGTON BLVD  
Preparer's City: BELLWOOD  
Preparer's State: IL  
Preparer's Zip Code: 60104  
MSDS Serial Number: BKYY5  
Specification Number: TT-I-556

=====  
Ingredients/Identity Information  
=====

Proprietary: NO  
Ingredient: DYE  
Ingredient Sequence Number: 01  
NIOSH (RTECS) Number: 1000Q93DY

Proprietary: NO  
Ingredient: WATER, H2O  
Ingredient Sequence Number: 02  
NIOSH (RTECS) Number: ZC0110000  
CAS Number: 7732-18-5

Proprietary: NO  
Ingredient: GLYCERIN  
Ingredient Sequence Number: 03  
NIOSH (RTECS) Number: MA8050000  
CAS Number: 56-81-5  
OSHA PEL: 15 MG/M3 TDUST  
ACGIH TLV: 10 MG/M3 (MIST) 9293

Proprietary: NO  
Ingredient: GLYCOL ETHERS, DIETHYLENE GLYCOL  
Ingredient Sequence Number: 04  
NIOSH (RTECS) Number: ID5950000  
CAS Number: 111-46-6

Proprietary: NO  
Ingredient: POLYETHYLENE GLYCOL  
Ingredient Sequence Number: 05  
NIOSH (RTECS) Number: TQ3500000  
CAS Number: 25322-68-3  
Other Recommended Limit: 10 MG/CUM

## Physical/Chemical Characteristics

Appearance And Odor: BLACK LIQUID W/BLAND ODOR.  
Boiling Point: >550F  
Vapor Pressure (MM Hg/70 F): <0.1  
Specific Gravity: 1.2-1.3  
Solubility In Water: COMPLETE

## Fire and Explosion Hazard Data

Flash Point: >390F  
Flash Point Method: PMCC

## Reactivity Data

Stability: YES  
Hazardous Poly Occur: NO

## Health Hazard Data

Route Of Entry - Inhalation: NO  
Route Of Entry - Skin: NO  
Route Of Entry - Ingestion: NO  
Health Haz Acute And Chronic: PRODUCT IS NOT CONSIDERED TO BE HAZARDOUS.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NONE  
Signs/Symptoms Of Overexp: PRODUCT IS NOT CONSIDERED TO BE HAZARDOUS.

## Precautions for Safe Handling and Use

Steps If Matl Released/Spill: WIPE UP W/ABSORBENT MATERIAL & DISCARD AS SOLID WASTE.  
Waste Disposal Method: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.  
Precautions-Handling/Storing: KEEP CAP ON BOTTLE WHEN NOT IN USE.  
Other Precautions: THIS PRODUCT IS CONSIDERED SAFE WHEN USED UNDER NORMAL USE CONDITIONS.

## Control Measures

Respiratory Protection: NONE UNDER NORMAL USE CONDITIONS  
Ventilation: NONE UNDER NORMAL USE CONDITIONS  
Protective Gloves: NONE UNDER NORMAL USE CONDITIONS  
Eye Protection: NONE UNDER NORMAL USE CONDITIONS

## Transportation Data

## Disposal Data

## Label Data

Label Required: YES  
Label Status: G  
Common Name: 58701, STAMP PAD INK, 2 OZ BLACK  
Special Hazard Precautions: PRODUCT IS NOT CONSIDERED TO BE HAZARDOUS.  
PRODUCT IS NOT CONSIDERED TO BE HAZARDOUS.  
Label Name: SANFORD CORPORATION  
Label Street: 2740 WASHINGTON BLVD  
Label City: BELLWOOD  
Label State: IL

Label Zip Code: 60104

Label Emergency Number: (800) 228-5635

41





# MATERIAL SAFETY DATA SHEET

## TOUGH BOWL TOILET BOWL CLEANER

Version Number: 4

Preparation date: 2011-12-23

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name:** TOUGH BOWL TOILET BOWL CLEANER  
**MSDS #:** MS0100907  
**Product Code:** 6281320  
**Recommended use:** Restroom Care. Cleaning product. This product is intended to be used neat .

**Manufacturer, importer, supplier:**  
US Headquarters Canadian Headquarters  
Diversey, Inc. Diversey, Inc. - Canada  
8310 16th St. 2401 Bristol Circle  
Sturtevant, Wisconsin 53177-1964 Oakville, Ontario L6H 6P1  
Phone: 1-888-352-2249 Phone: 1-800-668-3131  
MSDS Internet Address: www.diversey.com

**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

- DANGER
- CORROSIVE
- CAUSES SKIN AND EYE BURNS
- HARMFUL OR FATAL IF SWALLOWED
- DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS
- Can react to release chlorine gas

**Principal routes of exposure:** Eye contact. Skin contact. Inhalation. Ingestion.  
**Eye contact:** Corrosive. Causes permanent eye damage, including blindness.  
**Skin contact:** Corrosive. Causes permanent damage.  
**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract.  
**Ingestion:** Corrosive. Causes burns to mouth, throat and stomach.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %
Hydrochloric acid	7647-01-0	5 - 10%

### 4. FIRST AID MEASURES

**Eye contact:** Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical attention immediately.

**Skin contact:** Immediately flush with plenty of water for 15-20 minutes . Get medical attention immediately.

**Inhalation:** If breathing is affected, remove to fresh air. Get medical attention immediately.

**Ingestion:** If swallowed, rinse mouth. Give a cupful of water or milk . THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects

### 5. FIRE-FIGHTING MEASURES

TOUGH BOWL TOILET BOWL CLEANER

1 of 5

**Suitable extinguishing media:**

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Extinguishing media which must not be used for safety reasons:**

No information available

**Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**Specific hazards:** Not applicable

**Unusual hazards:** Corrosive material (See sections 8 and 10).

**Specific methods:** No special methods required

**NFPA****Health 3****Flammability 0****Instability 0****6. ACCIDENTAL RELEASE MEASURES****Personal precautions:**

Use personal protective equipment

**Environmental precautions and clean-up methods:**

Clean-up methods - large spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

**7. HANDLING AND STORAGE****Handling:**

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. **DO NOT MIX WITH AMMONIA, BLEACH, OR OTHER CHLORINATED COMPOUNDS**. Can react to release chlorine gas. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. **FOR COMMERCIAL AND INDUSTRIAL USE ONLY.**

**Storage:**

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. **KEEP OUT OF REACH OF CHILDREN.**

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

**Personal Protective Equipment****Eye protection:**

Chemical-splash goggles.

**Hand protection:**

Chemical-resistant gloves

**Skin and body protection:**

Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.

**Respiratory protection:**

In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

**Hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice

**HMIS****Health****3****Flammability****0****Physical Hazard /  
Instability****0****Personal protective equipment**

Ingredient(s)	ACGIH	OSHA	Mexico
Hydrochloric acid	2 ppm (Ceiling)	5 ppm (Ceiling) 7 mg/m <sup>3</sup> (Ceiling)	5 ppm (Ceiling) 7 mg/m <sup>3</sup> (Ceiling)

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State:** Liquid  
**Appearance:** Liquid Aqueous solution  
**Specific gravity:** 1.05  
**Bulk density:** No information available  
**Viscosity:** No information available  
**Solubility:** Completely Soluble  
**pH:** 1  
**Solubility in other solvents:** No information available  
**Partition coefficient (n-octanol/water):** No information available  
**Explosion limits:**

**Color:** Clear Green  
**Odor:** Acidic  
**Density:** 8.76 lbs/gal 1.05 Kg/L  
**Vapor density:** No information available  
**Evaporation Rate:** No information available  
**VOC:** 0 % \*  
**Dilution pH:** No information available.

<b>Boiling point/range:</b>	Not determined
<b>Melting point/range:</b>	Not determined
<b>Flash point:</b>	> 200 °F > 93.4 °C
<b>Decomposition temperature:</b>	Not determined
<b>Autoignition temperature:</b>	No information available
<b>Elemental Phosphorus:</b>	0 % by wt.

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

**Stability:** The product is stable  
**Polymerization:** Hazardous polymerization does not occur  
**Materials to avoid:** Strong bases. Ammonia. Ammonium salts. Do not mix with chlorinated products.  
**Hazardous decomposition products:** None reasonably foreseeable.

## 11. TOXICOLOGICAL INFORMATION

Ingredient(s)	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Hydrochloric acid	700	>5010 mg/kg	3124 ppm (1 h)

**Acute toxicity:** Corrosive. Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.  
**Chronic toxicity:** None known

### Specific effects

**Carcinogenic effects:** None known  
**Mutagenic effects:** None known  
**Reproductive toxicity:** None known  
**Target organ effects:** None known

## 12. ECOLOGICAL INFORMATION

**Environmental Information:** No data available

## 13. DISPOSAL CONSIDERATIONS

### Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of in compliance with all Federal, state, provincial, and local laws and regulations. Incineration is the preferred method. Relatively small quantities of product may be neutralized as stated above, and if in accordance with local laws and the operators of the local sewage treatment plant, the neutralized material may be discharged into the sewer system.



RCRA Hazard Class: D002

**14. TRANSPORT INFORMATION**DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/>, for up to date shipping information.**15. REGULATORY INFORMATION****International Inventories at CAS# Level**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

**U.S. Regulations****California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65**Right To Know (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Amines, soya alkyl, ethoxylated	61791-24-0	-	-	-	-
N-alkyl Dimethyl Benzyl Ammonium Chloride	68424-85-1	-	-	-	-
Hydrochloric acid	7647-01-0	X	X	X	X
Water	7732-18-5	-	-	-	-
Polyoxyethylene nonylphenol	9016-45-9	-	-	-	-

**CERCLA/ SARA**

Ingredient(s)	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Hydrochloric acid 7647-01-0	5 - 10%	5000	5000	X

Component	CAA HAP	CAA ODS	CWA Priority Pollutants
Hydrochloric acid 7647-01-0 ( 5 - 10% )	X		

**SARA 311/312 Hazard Categories**

<b>Immediate:</b>	X
<b>Delayed:</b>	-
<b>Fire:</b>	-
<b>Reactivity:</b>	-
<b>Sudden Release of Pressure:</b>	-

**Canada**

WHMIS hazard class: E Corrosive material

Ingredient(s)	CAS #	NPRI
Polyoxyethylene nonylphenol	9016-45-9	X

**16. OTHER INFORMATION****Reason for revision:** Not applicable**Prepared by:** NAPRAC**Additional advice:** Does not contain an added fragrance This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*

# MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND DISTRIBUTOR'S INFORMATION						
NFA Rating: Health-2; Flammability-3; Reactivity-0; Special--			HMIS Rating: Health-2; Flammability-3; Reactivity-0; Personal Protection-B			
Manufactured For: WAXIE Enterprises, Inc. Address: P.O. Box 23506 Address: San Diego, CA 92193-3506			DOT Hazard Classification: ORM-D Identity (trade name as used on label): <b>Waxie Hospital Spray Surface Disinfectant</b>			
Phone: 1-800-995-4466			MSDS Number: 223 Revision- 10			
Emergency Response Number: 1-800-255-3924			Date Prepared: 10/05/00 Prepared By: DL/IB			
NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA Information Calls: 858-292-8111						
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
ETHANOL		64-17-5	No	1000	1000	d
SODIUM NITRITE		7632-00-0	No	N/E	N/E	d
AMMONIUM HYDROXIDE		1336-21-6	No	35	25	d
ISOBUTANE / PROPANE BLEND		75-28-5	No	800	800	d
		74-98-6	No	1000	1000	d
METHANOL		67-56-1	Yes	200	200	d
O-PHENYLPHENOL		90-43-7	Yes	NE	NE	e
WARNING: This product contains a chemical or chemicals known to the State of California to cause cancer.						
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS						
Boiling Point: N/A			Specific Gravity (H2O=1): Concentrate Only = 0.880			
Vapor Pressure: PSIG @ 70°F (Aerosols): Max.60			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A			
Vapor Density (Air = 1): N/E			Evaporation Rate ( = 1): N/E			
Solubility in Water: Soluble			Water Reactive: No			
Appearance and Odor: Clear, colorless spray, light airy fragrance.						
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA						
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) NON-FLAMMABLE		Auto Ignition Temperature N/E		Flammability Limits in Air by % in Volume: % LEL: N/E % UEL: N/E		
FLASH POINT AND METHOD USED (non-aerosols): N/A			EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.			
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.						
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.						
SECTION 4 - REACTIVITY HAZARD DATA						
STABILITY [ X ] STABLE [ ] UNSTABLE			HAZARDOUS POLYMERIZATION [ ] WILL [ X ] WILL NOT OCCUR			
Incompatibility (Mat. to avoid): Oxidants, reducing agents, ammonium salts.			Conditions to Avoid: Open flame, welding arcs, heat, sparks.			
Hazardous Decomposition Products: CO, CO2.						
SECTION 5 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: [ X ] INHALATION [ ] INGESTION [ ] SKIN ABSORPTION [ ] EYE [ ] NOT HAZARDOUS						
ACUTE EFFECTS						
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.						
Eye Contact: Mild irritation.			Skin Contact: Possible mild irritation.			
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.						
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture)						
Overexposure may cause kidney damage, liver abnormalities, brain damage.						
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.						
EMERGENCY FIRST AID PROCEDURES						
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.						
Skin Contact: Wash with soap and water. If irritated, seek medical attention.						
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.						
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode.						
Protective Gloves: Latex, if skin easily irritated.			Eye Protection: Safety glasses recommended.			
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.						
Other Protective Clothing & Equipment: None						
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or federal regulations.						
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.						
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.						
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors. Remove ignition sources. Do not use on polished wood furniture or rayon fabrics.						

*We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.*

\*\* Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only

# MATERIAL SAFETY DATA SHEET

<b>SECTION 1 - CHEMICAL PRODUCT AND IDENTIFICATION</b>
--

PRODUCT NAME: X22256D – 10 Oz. Dust Blaster

SUPPLIER: KENSINGTON TECHNOLOGY GROUP  
 2855 CAMPUS DRIVE  
 SAN MATEO, CA 94403

EMERGENCY TELEPHONE (INFOTRAK): 800-535-5053  
 24 HOUR EMERGENCY PHONE

MANUFACTURER: AEROFIL TECHNOLOGY, INC.  
 225 INDUSTRIAL PARK DRIVE  
 SULLIVAN, MO 63080

EMERGENCY TELEPHONE (INFOTRAK): 800-535-5053  
 24 HOUR EMERGENCY PHONE

<b>SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS</b>
---

ITEM-----	CHEMICAL NAME-----	CAS NUMBER-----	WT/WT % LESS THAN
01	ETHANE, 1, 1, 1, 2-TETRAFLUORO	811-97-2	100.0%

EXPOSURE LIMITS
-----------------

ITEM	ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL-TWA	OSHA PEL-CEILING	COMPANY TLV-TWA	SKIN
01	NO INFO	NO INFO	NO INFO	NO INFO	1000 ppm	NO

(See Section 16 for abbreviation legend)

## SECTION 3 – HAZARDS IDENTIFICATION

**\*\*\*EMERGENCY OVERVIEW\*\*\*:** KEEP FROM REACH OF CHILDREN. DO NOT PUNCTURE, INCINERATE, OR PLACE AEROSOL PRODUCT CONTAINERS IN COMPACTORS. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED SINCE CONTAINERS RETAIN PRODUCT RESIDUES (VAPOR, LIQUID, AND/OR SOLID). ALL HAZARD PRECAUTIONS GIVEN MUST BE OBSERVED. DO NOT FLAME CUT, BRAZE, OR USE WELDING TORCH. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THIS PRODUCT MAY BE HARMFUL OR FATAL.

EFFECTS OF OVEREXPOSURE – EYE CONTACT: MAY CAUSE IRRITATION, REDNESS, TEARING, BLURRED VISION.

EFFECTS OF OVEREXPOSURE – SKIN CONTACT: CONTACT WITH LIQUID FROM THIS PRODUCT MAY CAUSE FROST BITE. PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION DEFATTING, DERMATITIS.

EFFECTS OF OVEREXPOSURE – INHALATION: EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS, AND EVEN ASPHYXIATION.

EFFECTS OF OVEREXPOSURE – INGESTION: THIS IS NOT AN ANTICIPATED ROUTE OF ENTRY.

EFFECTS OF OVEREXPOSURE – CHRONIC HAZARDS: No Information.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT, INHALATION, EYE CONTACT

## SECTION 4 – FIRST AID MEASURES

FIRST AID – EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER AND LOWER LIDS OCCASIONALLY, GET MEDICAL ATTENTION.

FIRST AID – SKIN CONTACT: FLUSH THOROUGHLY WITH WATER TO WARM SKIN, TREAT FOR FROSTBITE IF NECESSARY.

FIRST AID – INHALATION: REMOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. KEEP PERSON WARM AND QUIET. GET MEDICAL ATTENTION.

FIRST AID – INGESTION: THIS IS NOT AN ANTICIPATED ROUTE OF ENTRY.

## **SECTION 5 – FIRE FIGHTING MEASURES**

FLASH POINT: N.A.

LOWER EXPLOSIVE LIMIT: N.A.  
UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: N.D.

EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, WATER - FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: VAPORS ARE HEAVIER THAN AIR AND TRAVEL ALONG THE GROUND OR MAY BE MOVED BY VENTILATION TO LOCATIONS DISTANT FROM THE MATERIAL HANDLING POINT.

SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE WHEN FIGHTING FIRES. KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER FOG.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: VENTILATE AREA. PERSONS NOT PROPERLY EQUIPPED SHOULD BE EXCLUDED FROM AREA. STOP STILL AT SOURCE IF POSSIBLE. AVOID INHALATION OF VAPORS. AVOID CONTACT WITH LIQUID. THIS PRODUCT CONSISTS OF MATERIALS WHICH ARE GASES AT ROOM TEMPERATURE. IN THE EVENT OF AN ACCIDENTAL RELEASE, THE CONTENTS OF THIS PRODUCT WILL EVAPORATE. IF UNEMPTIED AEROSOLS ARE TO BE DISPOSED OF, DO SO IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

## **SECTION 7 – HANDLING AND STORAGE**

HANDLING: No Information.

STORAGE: DO NOT STORE ABOVE 120F. DO NOT STORE IN DIRECT SUNLIGHT.

## SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: PROVIDE SUFFICIENT MECHANICAL VENTILATION (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

RESPIRATORY PROTECTION: IF WORK PLACE EXPOSURE LIMITS OF PRODUCT OR ANY COMPONENT IS EXCEEDED, USE A NIOSH/MSHA APPROVED RESPIRATOR. CONSULT YOUR SAFETY EQUIPMENT SUPPLIER FOR RECOMMENDATIONS.

SKIN PROTECTION: NOT NECESSARY UNDER NORMAL CONDITIONS. WEAR INSULATED RUBBER GLOVES IF THERE IS ANTICIPATED EXPOSURE TO LIQUID PRODUCT.

EYE PROTECTION: SAFETY GLASSES ARE RECOMMENDED TO PROTECT AGAINST FLYING DIRT AND OTHER OBJECTS DISPLACED BY AIR DUSTER.

OTHER PROTECTIVE EQUIPMENT: NONE KNOWN

HYGIENIC PRACTICES: WASH HANDS BEFORE EATING OR SMOKING. SMOKE IN DESIGNATED AREA S ONLY. REMOVE AND LAUNDER CLOTHING IF CONTAMINATED.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE	: -16 to -16F	VAPOR DENSITY	: Is heavier than air
ODOR	: SLIGHT ETHER-LIKE ODOR	THRESHOLD	: N.D.
APPEARANCE	: COLORLESS GAS	EVAPORATION RATE:	Is faster than Butyl Acetate
SOLUBILITY IN H <sub>2</sub> O:	NEGLIGIBLE	SPECIFIC GRAVITY	: 1.2104
FREEZE POINT	: N.D.	pH @ 0.0%	: N.A.
VAPOR PRESSURE	: N.D.	VISCOSITY	: N.D.
PHYSICAL STATE	: LIQUID		
COEFFICIENT OF WATER/OIL DISTRIBUTION:	N.D.		

(See Section 16 for abbreviation legend)

## SECTION 10 – STABILITY AND REACTIVITY

CONDITIONS TO AVOID: EXTREME HEAT OR FLAMES.

INCOMPATIBILITY: ALKALI, AKALINE EARTH METALS.

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROFLUORIC ACID AND POSSIBLY CARBONYL FLUORIDE. CARBON MONOXIDE AND CARBON DIOXIDE

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

## SECTION 11 – TOXICOLOGICAL PROPERTIES

No product or component toxicological information is available.

## SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No Information.

## SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: No Information.

## SECTION 14 – TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Consumer Commodity ORM-D

DOT TECHNICAL NAME: 1, 1, 1, 2-TETRAFLUOROETHANE

DOT HAZARD CLASS: 2.2                      HAZARD SUBCLASS: NONE

DOT UN/NA NUMBER: UN3159              PACKING GROUP: NONE              RESP. GUIDE PAGE: 126

ADDITIONAL INFORMATION: This product is packaged under DOT Exemption Number DOT-E 10232.

## SECTION 15 – REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: AS FOLLOWS –

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

CERCLA – SARA HAZARD CATEGORY: This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund A mendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

=====CHEMICAL NAME=====CAS NUMBER=====WT/WT % IS LESS THAN  
No SARA Section 313 components exist in this product.



TOXIC SUBSTANCES CONTROL ACT: This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

=====CHEMICAL NAME=====CAS NUMBER  
No information is available.

INTERNATIONAL REGULATIONS: AS FOLLOWS –

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

CANADIAN WHMIS CLASS: No information available.

## SECTION 16 – OTHER INFORMATION

HMIS RATINGS – HEALTH: 1      FLAMMABILITY: 0      REACTIVITY: 1

PREVIOUS MSDS REVISION DATE: 10/15/03

REASON FOR REVISION: Ongoing review.

VOC CONTENT: 0.0% BY WEIGHT, 0 GRAMS/LITER TOTAL PRODUCT, 0 GRAMS/LITER LESS WATER AND EXEMPT, 0.00 LBS/GAL

LEGEND: N.A. – Not Applicable  
N.E. – Not Established  
N.D. – Not Determined

## DISCLAIMER

The information contained on this MSDS has been checked and should be accurate. However, it is the responsibility of the user to comply with all Federal, State, and Local laws and regulations. The environmental information and hazardous materials identification system have been included by Aerofil Technology, in order to provide additional health and hazard classification information. The ratings recommended are based upon the criteria supplied by the developers of these rating systems, together with Aerofil Technology's interpretation of the available data. Proper personal protective equipment varies widely with conditions of use and anticipated exposure. We recommend that a supervisor or other qualified person determine proper PPE for intended use.