Library



RSC, Bowie

11/13/2018



Safety Data Sheet Index

Binder: RSC, Bowie - Library

Product Name	CAS Number	Manufacturer	Version Date	Page
ABC Dry Chemical Fire Extinguishant - ABC Dry Chemical Fire Extinguishant		AMEREX CORPORATION	03/13/2018	3
Dust-Off Compressed Gas Duster - Dust-Off Compressed Gas Duster		Falcon Safety Products, Inc	05/15/2018	15
Formula 409 Multi-Surface Cleaner - Formula 409 Multi-Surface Cleaner		The Clorox Company	08/08/2017	21
WINDEX MULTISURFACE CLEANER VINEGAR - WINDEX MULTISURFACE CLEANER VINEGAR		S.C. Johnson & Son, Inc.	02/25/2015	30



SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ABC Dry Chemical Fire Extinguishant

Other Identifiers: Multi-purpose Dry Chemical

Product Code(s): CH555, F13, F11

Model Code(s) of Extinguishers: 402, IS 18ABC, IS35ABC, IS 45ABC, 13ABC,

V25ABC, VH25ABC, V30ABC, VH30ABC, V50ABC,

VS50ABC, VS75ABC, V250ABC

Recommended Use: Fire suppression, not for human

or animal drug use.

Manufacturer: AMEREX CORPORATION

Internet Address: <u>www.amerex-fire.com</u>

Address: 7595 Gadsden Highway, P.O. Box 81

Trussville, AL 35173-0081

Company Telephone: (205) 655-3271

E-mail Address: info@amerex-fire.com

Emergency Contacts: Chemtrec 1(800) 424-9300 or

(703) 527–3887

Revised: March 13, 2018

Section 2. HAZARDS IDENTIFICATION

GHS – Classification

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Category 3	None	None
Skin Sensitization: NO	None	None
Eye: Category 2A	None	Warning
STOT – Category 3	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s):



If Pressurized: Gas Under Pressure



GHS – Words(s): Warning

Other Hazards Not Resulting in Classification: Mica may contain small quantities of quartz (crystalline silica). Prolonged exposure to respirable crystalline silica dust at concentrations exceeding the occupational exposure limits may increase the risk of developing a disabling

Page 1 of 12 Pages

lung disease known as silicosis. IARC found limited evidence for pulmonary carcinogenicity of crystalline silica in humans. In the case of normal use of this product, exposure to silica should be nil.

The attapulgite clay used in this product has a fiber length of less than 5um; therefore, the clay is not considered to be carcinogenic in animals or humans.

GHS - Hazard Phrases

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	H229	*- Contents under pressure; may explode if heated.
Health	H303	May be harmful if swallowed
	315	Causes skin irritation
	319	Causes serious eye irritation
	335	May cause respiratory irritation
Environmental	None	
Precautionary:		
General	P101	If medical advice is needed, have product container or label at hand
Prevention	P251	Do not pierce or burn, even after use.
	261	Avoid breathing dust/fumes/gas/mist/vapours/spray.
	264	Wash exposed skin thoroughly after handling.
	280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	P312	Call a doctor if you feel unwell.
	321	Specific treatment (see Section 4. First Aid Measures)
	362	Take off contaminated clothing.
	302+352	IF ON SKIN: Wash with plenty of water.
	304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if
		present and easy to do – continue rinsing.
	332+313	If skin irritation occurs: Get medical advice/attention.
	342+311	If experiencing respiratory symptoms: Call a doctor.
	337+313	If eye irritation persists get medical advice/attention.
Storage	P410 +403	*- Protect from sunlight. Store in well-ventilated place.
Disposal	P501	Dispose of contents through a licensed disposal company. Contaminated container should
		be disposed of as unused product.

^{*-} If under pressure

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %	Classification
Mono-ammonium phosphate	231-764-5	01-2119488166-29	7722-76-1	80-98	NA
Attapulgite clay	601-805-5	Not Available	12174-11-7	3-16	NA
Mica- potassium aluminum silicate	310-1276	Not Available	12001-26-2	1-2	NA
Silicone oil methyl hydrogen polysiloxane	613-152-3	Not Available	63148-57-2	<1	NA
Calcium carbonate	207-439-9	Not Available	1317-65-3	<1	NA
Amorphous silica precipitated synthetic zeolite	231-545-4	01-2119379499-16- 0036	7631-86-9	<1	NA
Yellow 14 pigment – di-azo dye	226-789-3	Not Available	5468-75-7	<1	NA

Emergency overview:

Light yellow, fine solid powder, odorless.

Adverse health effects and symptoms:

Mild irritant to the respiratory system. Irritant to eyes, and skin. Symptoms may include coughing,

Page 2 of 12 Pages

shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

Section 4. FIRST AID MEASURES

Eye Exposure: May cause irritation. Irrigate eyes with water and

repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.

Skin Exposure: May cause skin irritation. In case of contact, wash

with plenty of soap and water. Seek medical attention

if irritation persists.

Inhalation: May cause irritation, along with coughing. If

respiratory irritation or distress occurs remove victim

to fresh air. Seek medical attention if irritation

persists.

Ingestion: Overdose symptoms may include numbness or

tingling in hands or feet, uneven heart rate, paralysis,

feeling faint, chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, diarrhea, sweating, general ill feeling, or seizure (convulsions). If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave

victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower

than waist.

Medical conditions possibly aggravated by exposure:

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin

disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

Section 5. FIRE-FIGHTING MEASURES

Flammable Properties: Not flammable Flash Point: Not determined

Suitable Extinguishing Media: Non-combustible. Use extinguishing media suitable

for surrounding conditions.

Hazardous Combustion Products: Carbon oxides

Page 3 of 12 Pages

ABC

Explosion Data:

Sensitivity to Mechanical Impact: Not sensitive Sensitivity to Static Discharge: Not sensitive

Unusual fire/explosion hazards: In a fire this material may decompose, releasing

oxides of carbon, potassium and nitrogen (see

Section 10).

Protective Equipment and

Precautions for Firefighters: As in any fire, wear self-contained breathing

apparatus pressure-demand. NIOSH (approved or

equivalent) and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes, and clothing. Minimum - safety glasses, gloves, and a dust Personal Protective Equipment:

respirator.

Emergency Procedures: NA

Methods for Containment: Prevent further leakage or spillage if safe to

do so.

Methods for Clean Up: Avoid dust formation; clean up released material

> using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site

after material pickup is complete.

If product is contaminated, use PPE and containment Other:

appropriate to the nature of the most toxic

chemical/material in the mixture.

Section 7. HANDLING AND STORAGE

Personal Precautions: Use appropriate PPE when handling or maintaining

equipment, and wash thoroughly after handling (see

Section 8).

Keep product in original container or extinguisher. Conditions for Safe Storage:

> Contents may be under pressure - inspect for extinguisher rust periodically to ensure container

integrity.

Incompatible Products: Do not mix with other extinguishing agents,

particularly potassium bicarbonate and sodium bicarbonate. Incompatible with strong oxidizing agents and strong acids. Do not store in high

humidity. Do not combine with chlorine compounds.

Page 4 of 12 Pages

ABC

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Mono-	PNOC**	PNOC	PNOC	NA
ammonium	Total dust, 15 mg/m ³	Total dust, 10 mg/m ³	Total dust, 4 mg/m ³	
phosphate	Respirable fraction, 5 mg/m ³	Respirable fraction, 3 mg/m ³	Respirable fraction, 1.5 mg/m ³	
Mica	6 mg/m ³	3 mg/m3		NA
Attapulgite	PNOC**	PNOC	PNOC	
clay	Total dust, 15 mg/m ³	Total dust, 10 mg/m ³	Total dust, 4 mg/m ³	
	Respirable fraction, 5 mg/m ³	Respirable fraction, 3 mg/m ³	Respirable fraction, 1.5 mg/m ³	
Silicone oil	NR**	NR		
Calcium	PNOC	PNOC		NA
carbonate	Total dust, 15 mg/m ³	Total dust, 10 mg/m ³		
	Respirable fraction, 5 mg/m ³	Respirable fraction, 3 mg/m ³		
Amorphous	20mppcf <u>80 mg/m³</u>	10 mg/m ³	4 mg/m ³	NA
silica	or % SiO ₂		_	
Yellow 14	NR	NR	NR	NA
pigment				

^{*}German regulatory limits **PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) *** NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:

Showers Eyewash stations Ventilation systems

<u>Personal Protective Equipment – PPE Code E:</u>

The need for respiratory protection is not probable during short-term exposure. During production, the manufacturer should use judgement concerning the need for PPE.









Eye/Face Protection: Skin and Body Protection: Respiratory Protection: Tightly fitting safety goggles
Wear protective gloves/coveralls
If exposure limits are exceeded or irritation is
experienced, NIOSH approved respiratory protection
should be worn. Use P100 respirators for limited
exposure. Use air-purifying respirator (APR) with high
efficiency particulate air (HEPA) filters for prolonged

Page 5 of 12 Pages ABC

exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. The need for respiratory protection is not likely for short-term use in well ventilated areas.

Hygiene Measures:

Good personal hygiene practices essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light yellow powder, finely divided odorless

solid

Molecular Weight: NH4H2PO4: 115.03

Odor: Odorless

Odor Threshold:

No information available

Decomposition Temperature ^oC: 100 - 120

Freezing Point ^oC:

Initial Boiling Point ^oC:

Physical State:

PH:

No information available

No information available

Crystalline Powder

Approximately 4.4 to 4.9

Flash Point °C: None

Autoignition Temperature ^oC: None Boiling Point/Range ^oC: No information available

Melting Point/Range °C: NH4H2PO4: 190

Flammability/Explosion Limits in Air ^oC: Upper – None; Lower-None

Explosive Properties: None Oxidizing Properties: None

Volatile Component (%vol) Not applicable

Evaporation Rate:

Vapor Density:

Vapor Pressure:

No information available

No information available

No information available

NH4H2PO4: 1.41 mm/Hg

Specific gravity at 25 °C: NH4H2PO4: 1.80 Solubility: 40.4 g/100 ml

Partition Coefficient: NH4H2PO4 Est: -4.11 Viscosity: No information available

NOTE: NH4H2PO4 - Monoammonium Phosphate

Section 10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage and handling

conditions.

Incompatibles: Strong oxidizing agents; Strong acids; sodium

hypochlorite and chlorine compounds. Protect from

moisture

Conditions to Avoid: Storage or handling near incompatibles.

Hazardous Decomposition Products: Carbon, nitrogen, and potassium oxides. Heat of fire

may release carbon monoxide.

Possibility of Hazardous Reactions: None

Hazardous Polymerization Does not occur

Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation, skin and eye contact.

Symptoms:

Inhalation: Irritation, coughing.

Eyes: Irritation. Skin: Irritation.

Acute Toxicity: Relatively non-toxic.

Chronic Toxicity:

Short-term Exposure: None known.

Long-term Exposure: As with all dusts, pneumoconiosis, or "dusty lung"

disease, may result from chronic exposure.

Acute Toxicity Values - Health

Chemical Name		LD50	LC50 (Inhalation)
	Oral	Dermal	
Mono-ammonium phosphate	5750 mg/kg (rat)	>7940 mg/kg (rabbit)	Not available
Mica	None	None	None
Attapulgite clay	None	None	None
Silicone oil	None	None	None
Calcium carbonate	6450 mg/kg (rat)	500 mg/24 hr (rabbit)	Not available
Amorphous silica	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	>2.2 mg/L (rat)
Yellow 14 pigment	>17000 mg/kg (rat)	>3000 mg/kg (rat)	>4448 mg/m3 (rat)

Reproductive Toxicity: This product's ingredients are not known to have

reproductive or teratogenic effects.

Target Organs and Effects (TOST): Respiratory system (mild irritant).

This product is a mild irritant to epithelial tissue,

(eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the

product causes sensitization.

Page 7 of 12 Pages

ABC

Other Toxicity Categories

Chemical Name	Germ Cell	Carcino-	Repro-	TOST	TOST	Aspiration
	Mutagenicity	genicity	ductive	Single Exp	Repeated Exp	
Mono-ammonium phosphate	None	None	None	Cat 3	None	None
Attapulgite clay	None	None	None	None	None	None
Mica	None	None	None	None	None	None
Silicone oil	None	None	None	None	None	None
Calcium carbonate	None	None	None	None	None	None
Amorphous silica	None	None	None	None	None	None
Yellow 14 pigment	None	None	None	None	None	None

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity: Negative effects unknown. Provides nutrient nitrogen and

phosphorus to plant life.

Persistence/Degradability: Degrades rapidly in humid/wet environment.

Probability of rapid biodegradation: NH4H2PO4 Est: 0.693 (Rapid);

(NH4)2SO4: Est: 0.684 (Rapid)

Anaerobic biodegradation probability: NH4H2PO4 Est: 0.398 (Slow);

(NH4)2SO4: Est: 0.398 (Slow)

Bioaccummulation potential: Low.

Bioconcentration factor: NH4H2PO4: 3.16 L/kg (wet weight) (Low BCF)

Bioaccummulation factor: NH4H2PO4: 63.04 L/kg (wet weight)

Mobility in soil: Slow evaporation rate; water soluble, may leach to

groundwater

Log Koc: NH4H2PO4 Est: -1.25 Log Koa: NH4H2PO4 Est: 16.72 Log Kaw: NH4H2PO4 Est: -20.86

NOTE: NH4H2PO4 – Mono-ammonium Phosphate

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values – Environment – Research

Chemical Name	Acute (LC50)	Chronic (LC50)
Mono-ammonium phosphate	N/A	N/A
Mica	N/A	N/A
Attapulgite clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Aquatic Toxicity Values – Environment – Estimates

Chemical Name	Acute (LC50)	EC50
Mono-ammonium phosphate	2,91e+07 mg/L Fish 96 hr; 9.4e+06 mg/l Daphnid 48 hr;	6.70e+05 mg/L Gr. Algae 96 hr
Mica	N/A	N/A
Attapulgite clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling Use appropriate PPE when handling, and wash

thoroughly after handling (see Section 8).

Waste Disposal Considerations Dispose in accordance with federal, state, and local

regulations.

Contaminated Packaging Dispose in accordance with federal, state, and local

regulations.

NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION

UN Number: NA
UN Proper Shipping Name: NA
Transport Hazard Class: NA
Packing Group: NA
Marine Pollutant?: NO

IATA Not regulated

DOT Not regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

The transportation information above covers the ABC 555 dry chemical extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems. If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic

inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group – N/A

Section 15. REGULATORY INFORMATION

International Inventory Status: All ingredients are on the following inventories

		9			
Country(ies)	Agency	Status			
United States of America	TSCA	Yes			
Canada	DSL	Yes			
Europe	EINECS/ELINCS	Yes			
Australia	AICS	Yes			
Japan	MITI	Yes			
South Korea	KECL	Yes			

REACH Title XVII Restrictions: No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Monoammonium Phosphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Monoammonium Phosphate 7722-76-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Attapulgite clay 12174-11-7 (>3)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mica- potassium aluminum silicate 120001-26-2 (>2)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Calcium carbonate 471-34-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Amorphous silica 69012-64-2	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Yellow 14 pigment 5468-75-7	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

European Risk and Safety phrases:

EU Classification: Xn - Irritant

R Phrases: 20 Harmful by inhalation.

36/37/38 Irritating to eyes, respiratory system and skin.

S Phrases: 22 Do not breath dust.

24/25 Avoid contact with skin and eyes

In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

36 Wear suitable protective clothing.

U.S. Federal Regulatory Information:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312 Hazard Categories:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
*-Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

^{* -} Only applicable if material is in a pressurized extinguisher.

Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: Mica Dust Illinois – Toxic Substance List: None Kansas – Section 302/303 List: None

Massachusetts – Substance List: Mica Dust

Page 11 of 12 Pages

<u>ABC</u>

Minnesota – List of Hazardous Substances: None

Missouri – Employer Information/Toxic Substance List: None **New Jersey** – Right to Know Hazardous Substance List: None

North Dakota - List of Hazardous Chemicals, Reportable Quantities: None

Pennsylvania – Hazardous Substance List: None **Rhode Island** – Hazardous Substance List: Mica Dust

Texas – Hazardous Substance List: No

West Virginia – Hazardous Substance List: None **Wisconsin** – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

Other:

Mexico – Grade No component listed Canada – WHMIS Hazard Class No component listed

Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

Issuing Date 17-June-2012 Revision Date 13-March-2018

Revision Notes None

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by William F. Garvin, CIH.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 10/15/2015 Revision date: 5/15/2018 Version: 2.0

SECTION 1: Identification

1.1. Product identifier

Substance name : Dust-Off Compressed Gas Duster

Product code : 3.5 oz., 7 oz., 10 oz., Professional 12 oz., Jumbo 17 oz., Classic and Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Dust Removal

1.3. Details of the supplier of the safety data sheet

Falcon Safety Products, Inc. 25 ImClone Drive

Branchburg, NJ 08876 - USA T (908) 707-4900

1 (300) 101 4300

1.4. Emergency telephone number

Emergency number : (800) 498-7192

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US and **GHS-CA** classification

Flam. Aerosol 2

Press. Gas (Liquified Gas)

2.2. Label elements

GHS-US and **GHS-CA** labelling

Hazard pictograms (GHS-US/GHS-CA)





GHS02

: Warning

GHS04

Signal word (GHS-US/GHS-CA)

Hazard statements (GHS-US/GHS-CA)

: Flammable aerosol. Contains gas under pressure; may explode if heated.

Precautionary statements (GHS-US/GHS-CA)

: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.

2.3. Other hazards

Do not store in enclosed vehicle.

2.4. Unknown acute toxicity (GHS US/GHS CA)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%
1,1-Difluoroethane	(CAS No) 75-37-6	100

3.2. Mixture

Not applicable.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes Wash clothing before rause. Call a physician if irritation develops and persists. May cause

shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. May cause frostbite.

5/15/2018 EN (English US) Page 1

Page 15 of 39

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

May cause frostbite on contact with the liquid.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling. May cause frostbite on contact with the liquid.

Symptoms/injuries after ingestion : Not a normal route of exposure.

Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide.

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Fire hazard : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of

carbon, hydrofluoric acid, carbonyl fluoride.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air

and may travel considerable distance to an ignition source and flash back to source of vapors.

Protection during firefighting Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel. Eliminate sources of ignition.

Methods and material for containment and cleaning up

For containment : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).

: Leave the product to evaporate. Provide ventilation. Methods for cleaning up

Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or

burn, even after use. Keep away from sources of ignition - No smoking.

: Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid Precautions for safe handling breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general

room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic

charge. Use non-sparking tools.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions Keep out of the reach of children. Keep container dry and in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place.

Store in original container. Do not store in enclosed vehicle.

Specific end use(s)

Not available.

5/15/2018 EN (English US)

Page 16 of 39

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,1-Difluoroethane (75-37-6)	
ACGIH	Not applicable.
OSHA	Not applicable.
NIOSH	Not applicable.
IDLH	Not applicable.

8.2. Exposure controls

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear suitable gloves.

Eye protection : Safety glasses with side shields. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas
Appearance : Clear
Color : Colourless
Odor : Slight, ether-like
Odor threshold : No data available

pH : Neutral

Melting point No data available Freezing point : No data available -13 °F (- 25 °C) Boiling point Flash point : < 58 °F (<14.4 °C) Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) Flammable **Explosion limits** : 3.9-16.9 Explosive properties : No data available

Oxidizing properties : No data available : No data available

Vapor pressure : 5960 kPa at 77 °F (25 °C)

Relative density : 0.91

Relative vapor density at 20 °C : 2.4 at 77 °F (25 °C)

Specific gravity / density : 0.9
Solubility : Slightly

Partition coefficient: n-octanol/water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

No additional information available.

5/15/2018 EN (English US) 3/6

Page 17 of 39

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 10: Stability and reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

10.2. **Chemical stability**

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Do not expose to temperatures exceeding 50 °C/ 122 °F.

10.5. Incompatible materials

Alkali and alkaline earth metals. Powdered metals. Powdered metallic salts.

Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity : Not classified

Dust Off Compressed Gas Duster	
LD50 oral rat	1500 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	64000 ppm
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.

SECTION 12: Ecological information

12.1. **Toxicity**

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Dust Off Compressed Gas Duster	
Persistence and degradability	Not established.

12.3. **Bioaccumulative potential**

Dust Off Compressed Gas Duster	
Bioaccumulative potential	Not established.

Mobility in soil

No additional information available.

12.5. Other adverse effects

: No known ecological damage caused by this product. Effect on the global warming

5/15/2018 EN (English US)

Page 18 of 39

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal

regulations. The generation of waste should be avoided or minimized wherever possible.

Container under pressure. Do not drill or burn even after use.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

UN-No. (DOT) : UN1030

Proper Shipping Name (DOT) : 1,1-Difluoroethane

Transport hazard class(es) (DOT) : 2.1

Hazard labels (DOT) :



Packaging Exceptions : Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit

SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.

Transportation of Dangerous Goods (TDG)

In accordance with TDG

UN-No.(TDG) : UN1030

Proper Shipping Name (TDG) : 1,1-Difluoroethane

Class (TDG) : 2.1

Hazard labels (TDG) :



Packaging Exceptions : TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren.

1) by the TCSS, TDGD to offer for transport by road, rail and marine.

Transport by sea

UN-No. (IMDG) : UN1030

Proper Shipping Name (IMDG) : 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)

Class (IMDG) : 2.1

Air transport

UN-No. (IATA) : UN1030

Proper Shipping Name (IATA) : 1,1-Difluoroethane

Class (IATA) : 2.1

Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

EN (English US)

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

1,1-Difluoroethane (75-37-6)

Listed on the Canadian DSL (Domestic Sustances List)

15.2. US State regulations

5/15/2018

Dust Of	f Compressed	Gas Duster
---------	--------------	------------

State or local regulations

This product does not contain a chemical known to the State of California to cause cancer,

Page 19 of 39

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Dust Off Compressed Gas Duster	
	birth defects or other reproductive harm.

SECTION 16: Other information

Date of issue : 10/15/2015 : 5/15/2018 Revision date Other information : None.

Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

5/15/2018 EN (English US) 6/6



SAFETY DATA SHEET

Issuing Date November 9, 2015 Revision Date August 8, 2017 Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Formula 409® Multi-Surface Cleaner

Other means of identification

EPA Registration Number 5813-73

Recommended use of the chemical and restrictions on use

Recommended Use Multi-purpose spray cleaner and disinfectant

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address The Clorox Company 1221 Broadway Oakland, CA 94612

Phone: 1-510-271-7000

Emergency telephone number

Emergency Phone Numbers For Medical Emergencies call: 1-800-446-1014

For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This mixture is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal word Warning

Hazard statements

Causes mild skin irritation

No pictogram required.

Appearance Clear Physical State Thin liquid Odor Floral, citrus

Precautionary Statements - Prevention

None

Precautionary Statements - Response

If skin irritation occurs: Get medical advice.

<u>Precautionary Statements - Storage</u>

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0.2% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Very toxic to aquatic life with long-lasting effects.

Interactions with Other Chemicals

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Lauramine oxide	1643-20-5	0.5 - 1.5	*
n-Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium chloride	68424-85-1	0.2 - 0.4	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin ContactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Inhalation Move to fresh air. If breathing is affected, call a doctor.

IngestionCall a poison control center or doctor immediately for treatment advice. Have person sip a

glassful of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison

control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects Mild irritation of eyes and skin.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes and skin.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental Precautions See Section 12 for additional ecological Information

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary

treatment facility in advance to assure ability to process washed-down material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes, skin, and clothing. Do not eat, drink, or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool, and well-ventilated place.

Incompatible Products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lauramine oxide 1643-20-5	None	None	None
n-Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium chloride 68424-85-1	None	None	None

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear safety glasses with side-shields. None required for

consumer use.

Skin and Body Protection No special protective equipment required.

Respiratory Protection If irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

> Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

Hygiene Measures Remove and wash contaminated clothing before re-use. Avoid contact with skin, eyes, or

clothing. Do not eat, drink, or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Thin liquid Clear Odor **Appearance** Floral, citrus

Color Clear **Odor Threshold** No information available

Values Remarks/ Method **Property** None known

No data available

рH 9 - 11.5Melting/freezing point No data available **Boiling Point/Range** No data available **Flash Point** No data available **Evaporation rate** No data available Flammability (solid, gas) No data available

Flammability Limits in Air

Upper flammability limit No data available Lower flammability limit No data available Vapor pressure No data available Vapor density No data available

~1.0

Specific Gravity Water Solubility Soluble in water. Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available No data available Autoignition temperature **Decomposition temperature** No data available Kinematic viscosity No data available No data available Dynamic viscosity Not explosive

Explosive Properties Oxidizing Properties

Other Information

Softening Point No data available **VOC Content (%)** No data available **Particle Size** No data available **Particle Size Distribution** No data available

None known None known

None known

None known

None known

None known

None known

None known

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known.

Incompatible materials

None known.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Exposure to vapor or mist may irritate respiratory tract.

Eye Contact May cause eye irritation.

Skin Contact Prolonged contact may cause irritation.

Ingestion Ingestion may cause irritation to mucous membranes and gastrointestinal irritation, nausea,

vomiting, and diarrhea.

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes and skin redness.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive Toxicity

No information available

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Chronic Toxicity No known effect.

Target Organ Effects Respiratory system, eyes, skin, gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

<u>IATA</u> Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Chemical Inventories

TSCA All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from

listing.

DSL/NDSL All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Formula 409® Multi-Surface Cleaner

Revision Date August 8, 2017

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Avoid contact with foods.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethanolamine 141-43-5	Х	Х	Х	-	Х

International Regulations

Canada WHMIS Hazard Class D2B Toxic Materials



16. OTHER INFORMATION

NFPA Health Hazard 1 Flammability 0 Instability 0 Physical and Chemical

Hazards -

HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal Protection B

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Preparation Date November 9, 2015

Revision Date August 8, 2017

Revision Note Removal of dye.

Reference XXXXXXX/166962.001

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : WINDEX® MULTISURFACE CLEANER VINEGAR

Recommended use : Hard Surface Cleaner

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethyleneglycol Monohexylether	112-25-4	1.00 - 5.00
Lactic Acid	79-33-4	0.0001 - 0.10

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

4. FIRST AID MEASURES

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance.

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wash thoroughly after handling.

Environmental

precautions

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe : Avoid contact with skin, eyes and clothing.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

For personal protection see section 8. handling

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

against fire and explosion

Normal measures for preventive fire protection.

Storage

areas and containers

Requirements for storage: Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color colourless transparent

Odor pleasant

Odour Threshold : No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

: 3.3 pН

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

: > 95 °C Flash point

> 203 °F

Method: Tag Closed Cup (TCC)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper/lower flammability or : No data available

explosive limits

Vapour pressure : No data available

Vapour density : No data available

Relative density : 1.0 g/ml at 25 °C

Solubility(ies) : completely soluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

Volatile Organic : 0.5 % - additional exemptions may apply

*as defined by US Federal and State Consumer Product

Total VOC (wt. %)* Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Direct sources of heat.

Incompatible materials : None known.

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : This product does not meet the criteria for classification in any

hazard class according to regulation OSHA 29 CFR

1910.1200.

Acute oral toxicity : LD50

estimated > 5,050 mg/kg

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

Acute inhalation toxicity : LC50

estimated > 2.58 mg/l

Acute dermal toxicity : LD50

> estimated > 5,050 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known.

Condition

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyleneglycol Monohexylether	static test LC50	Pimephales promelas (fathead minnow)	140 mg/l	96 h
Lactic Acid	static test LC50	Oncorhynchus mykiss (rainbow trout)	100 - 180 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethyleneglycol Monohexylether	static test EC50	Daphnia magna (Water flea)	145 mg/l	48 h
Lactic Acid	static test EC50	Daphnia magna (Water flea)	130 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyleneglycol Monohexylether	static test EC50	Desmodesmus subspicatus (green algae)	147.128 mg/l	96 h
Lactic Acid	static test EC50	Pseudokirchneriella subcapitata (green algae)	> 2,800 mg/l	72 h

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Print Date 07/15/2015 Version 1.1

Revision Date 02/25/2015 SDS Number 350000017346

		i
		i

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethyleneglycol Monohexylether	96.8 %	20 d	Readily biodegradable
Lactic Acid	67 %	20 d	

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyleneglycol Monohexylether	5.8 estimated	1.97
Lactic Acid	No data available	-0.62

Mobility

Component	End point	Value
Ethyleneglycol Monohexylether	Koc	10 estimated
Lactic Acid	log Koc	< 1.32

PBT and vPvB assessment

Component	Results
Ethyleneglycol Monohexylether	Not fulfilling PBT and vPvB criteria
Lactic Acid	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® MULTISURFACE CLEANER VINEGAR

Version 1.1 Print Date 07/15/2015

Revision Date 02/25/2015 SDS Number 350000017346

16. OTHER INFORMATION

HMIS Ratings

niviio ratifiys		
Health	0	
Flammability	1	
Reactivity	0	

NFPA Ratings

Health	0	
Fire	1	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)