SAFETY DATA SHEET

Issuing Date No data available

Revision Date 22-Oct-2014

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

WALMART - LIQUID DISH DETERGENT **Product Name** Other means of identification **Synonyms** None Recommended use of the chemical and restrictions on use **Recommended Use** Liquid dishwashing soap Uses advised against No information available Details of the supplier of the safety data sheet **Supplier Name** Sun Products Corporation **Supplier Address** 60 Danbury Road Wilton СТ 06897 US **Supplier Phone Number** Phone:800-565-5597 Contact Phone800-723-1164 Supplier Email michelle.maakestad@huish.com Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 1


GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger





Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage None

Precautionary Statements - Disposal None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity 9.83162% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Causes mild skin irritation Toxic to aquatic life with long lasting effects

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium lauryl sulfate	151-21-3	7 - 13	*
.alphaAlkyl (C10-16) .omegahydroxypoly (oxyethylene) sulfate, sodium salt	68585-34-2	5 - 10	*
Lauramine oxide	1643-20-5	1 - 5	*
Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts	68081-81-2	1 - 5	*
Sodium xylene sulfonate	1300-72-7	1 - 5	*
Ethyl alcohol	64-17-5	1 - 5	*
Laureth-10	9002-92-0	0.1 - 1	*
Triclosan	3380-34-5	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice.	
Skin Contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician. Get medical attention immediately if symptoms occur.	
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).	
Most important symptoms and e	effects, both acute and delayed	
Most Important Symptoms and Effects	Burning sensation.	
Indication of any immediate medical attention and special treatment needed		

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Uniform Fire Code Irritant: Liquid

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental Precautions	
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.
Methods and material for containme	ent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
Conditions for safe storage, includi	ing any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
Incompatible Products	Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m³
	Governmental Industrial Hygienists - T Limits NIOSH IDLH Immediately Dang		ccupational Safety and Health
Other Exposure Guidelines		e Court of Appeals decision in AF 15 for national exposure control	
Appropriate engineering contro	ls		
Engineering Measures	Showers Eyewash stations Ventilation systems		
Individual protection measures	, such as personal protective eq	<u>uipment</u>	
Eye/Face Protection	Tight sealing safety goggles.		
Skin and Body Protection	Wear protective gloves and p	protective clothing.	
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
Hygiene Measures		bod industrial hygiene and safety suitable gloves and eye/face protuct.	
	9. PHYSICAL AND CHEI	MICAL PROPERTIES	

9. PHISICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

No information available

Apple

Physical State Appearance Color	Liquid Clear No information available	Odor Odor Threshold
Property	Values	Remarks/ Method
рН	8	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	5001 C / 9034 F	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Completely soluble	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wate		None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	
Other Information		
Softening Point	No data available	
VOC Content (%)	No data available	
Particle Size	No data available	
Particle Size Distribution		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products Carbon oxides.

Carbon oxides.

11. TOXICOLOGICAL INFORMATION



Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye Contact	Specific test data for the substance or mixture is not available. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin Contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium lauryl sulfate 151-21-3	= 1288 mg/kg (Rat)	= 580 mg/kg (Rabbit)	> 3900 mg/m³ (Rat)1 h
Sodium xylene sulfonate 1300-72-7	= 7200 mg/kg (Rat)	-	-
Ethyl alcohol 64-17-5	-	-	= 124.7 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

Erythema (skin redness). May cause blindness. Burning.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

STOT - repeated exposure

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	Х
64-17-5				

ACGIH (American Conference of Governmental Industrial Hygienists)A3 - Animal CarcinogenIARC (International Agency for Research on Cancer)Group 1 - Carcinogenic to HumansNTP (National Toxicology Program)Known - Known CarcinogenOSHA (Occupational Safety and Health Administration of the US Department of Labor)X - PresentReproductive ToxicityNo information available.STOT - single exposure

No information available.



Chronic Toxicity	No known effect based on information supplied. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.
Target Organ Effects	Eyes. Blood. Central Nervous System (CNS). Liver. Reproductive System. Respiratory system. Skin. Kidney.
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,652.00 mg/kg ATEmix (dermal) 10,420.00 mg/kg (ATE) ATEmix (inhalation-dust/mist) 8,750.90 mg/l



12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u> Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium lauryl sulfate 151-21-3	96h EC50: 30 - 100 mg/L (Desmodesmus subspicatus) 96h EC50: = 117 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 3.59 - 15.6 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 53 mg/L (Desmodesmus subspicatus)	 96h LC50: 8 - 12.5 mg/L (Pimephales promelas) 96h LC50: 22.1 - 22.8 mg/L (Pimephales promelas) 96h LC50: 4.3 - 8.5 mg/L (Oncorhynchus mykiss) 96h LC50: 15 - 18.9 mg/L (Pimephales promelas) 96h LC50: = 4.2 mg/L (Oncorhynchus mykiss) 96h LC50: = 7.97 mg/L (Brachydanio rerio) 96h LC50: 9.9 - 20.1 mg/L (Oncorhynchus mykiss) 96h LC50: 9.9 - 20.1 mg/L (Brachydanio rerio) 96h LC50: 4.06 - 5.75 mg/L (Lepomis macrochirus) 96h LC50: 5.8 - 7.5 mg/L (Lepomis macrochirus) 96h LC50: 5.8 - 7.5 mg/L (Lepomis macrochirus) 96h LC50: 5.8 - 7.5 mg/L (Pimephales promelas) 96h LC50: a - 5.75 mg/L (Pimephales promelas) 96h LC50: 10.2 - 22.5 mg/L (Pimephales promelas) 96h LC50: 13.5 - 18.3 mg/L (Poecilia reticulata) 96h LC50: 10.8 - 16.6 mg/L (Poecilia reticulata) 96h LC50: = 1.31 mg/L (Cyprinus) 	EC50 = 0.46 mg/L 30 min EC50 = 0.72 mg/L 15 min EC50 = 1.19 mg/L 5 min	48h EC50: = 1.8 mg/L
Ethyl alcohol 64-17-5		carpio) 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	48h LC50: 9268 - 14221 mg/L 48h EC50: = 2 mg/L 24h EC50: = 10800 mg/L
Triclosan 3380-34-5		(Oncorhynchus mykiss) 96h LC50: = 250 µg/L (Pimephales promelas)		48h EC50: = 390 μg/L

Persistence and Degradability No information available.

Bioaccumulation

Chemical Name	Log Pow
Sodium lauryl sulfate 151-21-3	1.6
Ethyl alcohol 64-17-5	-0.32

Other adverse effects

No information available.



13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 561

Chemical Name	California Hazardous Waste
Ethyl alcohol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

NOT REGULATED NON REGULATED N/A
Not regulated
Not regulated
Not regulated
Not regulated NON REGULATED N/A
Not regulated N/A Product is a marine pollutant according to the criteria set by IMDG/IMO
Not regulated
Not regulated
Not regulated

15. REGULATORY INFORMATION

International Inventories

S			

TSCA
DSL

Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 $\label{eq:DSL/NDSL} \textbf{DSL/NDSL} \ \textbf{-} \ \textbf{Canadian} \ \textbf{Domestic} \ \textbf{Substances} \ \textbf{List} / \textbf{Non-Domestic} \ \textbf{Substances} \ \textbf{List}$



US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	California Proposition 65
Ethyl alcohol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol 64-17-5		Х			

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Ethyl alcohol		Mexico: TWA 1000 ppm
64-17-5(1-5)		Mexico: TWA 1900 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class D2B - Toxic materials



16. OTHER INFORMATION



NFPA HMIS	Health Hazards 2 Health Hazards 3	Flammability 0 Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			^
Revision Date Revision Note	22-Oct-20			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet